



Color Matching System formulations

APRIL 2012 / ABRIL 2012

Printop's Atomix® mixing ink formulations produce only simulations for Pantone Colors. The accuracy of the colors may be affected by the ink film thickness, opacity, metamerism and pigment selection. Pantone Inc. assumes no responsibility for formula accuracy. PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc. Portions © Pantone, Inc., 2007

TXP Atomix[®] formulas

Printing & Test Parameters used for Formulations

Substrate: 100% cotton - 1 layer

Mesh N°:

43 (h/cm) - 110(th/in)

Polyester Monofilament

Mesh tension: 20N

Off-Contact: 2mm

Emulsion: Direct

Squeegee:

Type: Polyurethane

Hardness: 70D

Profile: Square

Substrate: 100% cotton

Curing: Dryer: 160° C (320°F)/ 60s

Light source: Fluorescent tubes 6500K - Standardized D65 Daylight Source

PANTONE® Yellow 012 C

1	P6256	TXP Neutral SQ Mix Base	45.500
2	P3968	TXP Atomix Lemon NM	51.500
3	P3975	TXP Atomix Fluo Yellow	3.000
TOTAL			100%

PANTONE® Hexachrome Yellow C

1	P6256	TXP Neutral SQ Mix Base	43.200
2	P6248	TXP White SQ	5.200
3	P3968	TXP Atomix Lemon NM	30.000
4	P3975	TXP Atomix Fluo Yellow	21.500
5	P3973	TXP Atomix Fluo Orange	0.100
TOTAL			100%

PANTONE® Hexachrome Orange C

1	P6256	TXP Neutral SQ Mix Base	72.600
2	P6248	TXP White SQ	2.000
3	P3967	TXP Atomix Yellow	14.400
4	P3973	TXP Atomix Fluo Orange	10.200
5	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® Hexachrome Magenta C

1	P6256	TXP Neutral SQ Mix Base	73.350
2	P3976	TXP Atomix Fluo Fuchsia	25.000
3	P3971	TXP Atomix Magenta NM	1.300
4	P3974	TXP Atomix Blue RQ	0.350
TOTAL			100%

PANTONE® Hexachrome Cyan C

1	P6256	TXP Neutral SQ Mix Base	96.600
2	P6248	TXP White SQ	1.000
3	P3980	TXP Atomix Blue B	2.000
4	P3975	TXP Atomix Fluo Yellow	0.400
TOTAL			100%

PANTONE® Hexachrome Black C

1	P6256	TXP Neutral SQ Mix Base	50.400
2	P3981	TXP Atomix Black	35.600
3	P3970	TXP Atomix Green	11.400
4	P3977	TXP Atomix Violet	2.600
TOTAL			100%

PANTONE® Hexachrome Green C

1	P6256	TXP Neutral SQ Mix Base	78.700
2	P6248	TXP White SQ	1.400
3	P3975	TXP Atomix Fluo Yellow	7.000
4	P3968	TXP Atomix Lemon NM	8.600
5	P3970	TXP Atomix Green	4.300
TOTAL			100%

PANTONE® 100 C

1	P6256	TXP Neutral SQ Mix Base	62.800
2	P6248	TXP White SQ	27.200
3	P3968	TXP Atomix Lemon NM	7.800
4	P3975	TXP Atomix Fluo Yellow	2.200
TOTAL			100%

PANTONE® 101 C

1	P6256	TXP Neutral SQ Mix Base	14.600
2	P6248	TXP White SQ	46.000
3	P3968	TXP Atomix Lemon NM	23.000
4	P3975	TXP Atomix Fluo Yellow	16.400
TOTAL			100%

PANTONE® 102 C

1	P6256	TXP Neutral SQ Mix Base	50.800
2	P3975	TXP Atomix Fluo Yellow	26.000
3	P3968	TXP Atomix Lemon NM	23.200
TOTAL			100%

PANTONE® Yellow C

1	P6256	TXP Neutral SQ Mix Base	46.500
2	P3968	TXP Atomix Lemon NM	33.500
3	P3975	TXP Atomix Fluo Yellow	20.000
TOTAL			100%

PANTONE® 103 C

1	P6256	TXP Neutral SQ Mix Base	22.160
2	P3967	TXP Atomix Yellow	43.800
3	P3968	TXP Atomix Lemon NM	33.600
4	P3970	TXP Atomix Green	0.440
TOTAL			100%

PANTONE® 104 C

1	P6256	TXP Neutral SQ Mix Base	19.900
2	P3967	TXP Atomix Yellow	48.000
3	P3968	TXP Atomix Lemon NM	31.400
4	P3970	TXP Atomix Green	0.500
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 105 C

1	P6256	TXP Neutral SQ Mix Base	48.400
2	P6248	TXP White SQ	1.600
3	P3968	TXP Atomix Lemon NM	41.600
4	P3967	TXP Atomix Yellow	7.200
5	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 106 C

1	P6256	TXP Neutral SQ Mix Base	36.300
2	P6248	TXP White SQ	27.000
3	P3968	TXP Atomix Lemon NM	22.800
4	P3975	TXP Atomix Fluo Yellow	13.600
5	P3973	TXP Atomix Fluo Orange	0.300
TOTAL			100%

PANTONE® 107 C

1	P6256	TXP Neutral SQ Mix Base	42.300
2	P6248	TXP White SQ	7.400
3	P3968	TXP Atomix Lemon NM	31.000
4	P3975	TXP Atomix Fluo Yellow	19.000
5	P3973	TXP Atomix Fluo Orange	0.300
TOTAL			100%

PANTONE® 108 C

1	P6256	TXP Neutral SQ Mix Base	47.100
2	P3968	TXP Atomix Lemon NM	48.800
3	P3975	TXP Atomix Fluo Yellow	3.600
4	P3967	TXP Atomix Yellow	0.500
TOTAL			100%

PANTONE® 109 C

1	P6256	TXP Neutral SQ Mix Base	43.800
2	P3968	TXP Atomix Lemon NM	49.200
3	P3967	TXP Atomix Yellow	4.000
4	P3975	TXP Atomix Fluo Yellow	3.000
TOTAL			100%

PANTONE® 110 C

1	P6256	TXP Neutral SQ Mix Base	77.000
2	P6248	TXP White SQ	1.600
3	P3967	TXP Atomix Yellow	10.400
4	P3968	TXP Atomix Lemon NM	10.000
5	P3974	TXP Atomix Blue RQ	1.000
TOTAL			100%

PANTONE® 111 C

1	P6256	TXP Neutral SQ Mix Base	62.900
2	P3968	TXP Atomix Lemon NM	27.400
3	P3967	TXP Atomix Yellow	9.200
4	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 112 C

1	P6256	TXP Neutral SQ Mix Base	59.300
2	P3968	TXP Atomix Lemon NM	30.000
3	P3967	TXP Atomix Yellow	10.000
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 113 C

1	P6256	TXP Neutral SQ Mix Base	40.400
2	P6248	TXP White SQ	36.000
3	P3968	TXP Atomix Lemon NM	13.600
4	P3975	TXP Atomix Fluo Yellow	9.000
5	P3973	TXP Atomix Fluo Orange	1.000
TOTAL			100%

PANTONE® 114 C

1	P6256	TXP Neutral SQ Mix Base	47.400
2	P6248	TXP White SQ	26.400
3	P3968	TXP Atomix Lemon NM	23.800
4	P3967	TXP Atomix Yellow	2.200
5	P3973	TXP Atomix Fluo Orange	0.200
TOTAL			100%

PANTONE® 115 C

1	P6256	TXP Neutral SQ Mix Base	45.960
2	P6248	TXP White SQ	27.600
3	P3968	TXP Atomix Lemon NM	23.600
4	P3967	TXP Atomix Yellow	2.600
5	P3973	TXP Atomix Fluo Orange	0.240
TOTAL			100%

PANTONE® 116 C

1	P6256	TXP Neutral SQ Mix Base	54.000
2	P6248	TXP White SQ	4.400
3	P3968	TXP Atomix Lemon NM	34.400
4	P3967	TXP Atomix Yellow	7.200
TOTAL			100%

PANTONE® 117 C

1	P6256	TXP Neutral SQ Mix Base	61.600
2	P6248	TXP White SQ	1.200
3	P3968	TXP Atomix Lemon NM	19.000
4	P3967	TXP Atomix Yellow	18.000
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 118 C

1	P6256	TXP Neutral SQ Mix Base	53.960
2	P6248	TXP White SQ	0.800
3	P3967	TXP Atomix Yellow	24.000
4	P3968	TXP Atomix Lemon NM	20.800
5	P3981	TXP Atomix Black	0.440
TOTAL			100%

PANTONE® 119 C

1	P6256	TXP Neutral SQ Mix Base	65.900
2	P6248	TXP White SQ	1.200
3	P3968	TXP Atomix Lemon NM	17.200
4	P3967	TXP Atomix Yellow	14.800
5	P3981	TXP Atomix Black	0.900
TOTAL			100%

PANTONE® 120 C

1	P6256	TXP Neutral SQ Mix Base	33.400
2	P6248	TXP White SQ	50.220
3	P3968	TXP Atomix Lemon NM	12.650
4	P3975	TXP Atomix Fluo Yellow	2.010
5	P3973	TXP Atomix Fluo Orange	1.730
TOTAL			100%

PANTONE® 121 C

1	P6256	TXP Neutral SQ Mix Base	43.030
2	P6248	TXP White SQ	41.640
3	P3968	TXP Atomix Lemon NM	13.680
4	P3973	TXP Atomix Fluo Orange	1.650
TOTAL			100%

PANTONE® 122 C

1	P6256	TXP Neutral SQ Mix Base	48.400
2	P6248	TXP White SQ	34.600
3	P3968	TXP Atomix Lemon NM	12.800
4	P3967	TXP Atomix Yellow	3.200
5	P3973	TXP Atomix Fluo Orange	1.000
TOTAL			100%

PANTONE® 123 C

1	P6256	TXP Neutral SQ Mix Base	54.600
2	P6248	TXP White SQ	27.000
3	P3967	TXP Atomix Yellow	18.200
4	P3973	TXP Atomix Fluo Orange	0.160
5	P3971	TXP Atomix Magenta NM	0.040
TOTAL			100%

PANTONE® 124 C

1	P6256	TXP Neutral SQ Mix Base	30.880
2	P6248	TXP White SQ	13.200
3	P3967	TXP Atomix Yellow	55.800
4	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 125 C

1	P6256	TXP Neutral SQ Mix Base	49.400
2	P6248	TXP White SQ	3.700
3	P3967	TXP Atomix Yellow	46.400
4	P3981	TXP Atomix Black	0.440
5	P3969	TXP Atomix Red NM	0.060
TOTAL			100%

PANTONE® 126 C

1	P6256	TXP Neutral SQ Mix Base	50.000
2	P6248	TXP White SQ	3.400
3	P3967	TXP Atomix Yellow	45.800
4	P3981	TXP Atomix Black	0.740
5	P3969	TXP Atomix Red NM	0.060
TOTAL			100%

PANTONE® 1205 C

1	P6256	TXP Neutral SQ Mix Base	61.880
2	P6248	TXP White SQ	36.000
3	P3967	TXP Atomix Yellow	2.000
4	P3973	TXP Atomix Fluo Orange	0.120
TOTAL			100%

PANTONE® 1215 C

1	P6256	TXP Neutral SQ Mix Base	73.320
2	P6248	TXP White SQ	23.000
3	P3967	TXP Atomix Yellow	3.200
4	P3973	TXP Atomix Fluo Orange	0.480
TOTAL			100%

PANTONE® 1225 C

1	P6256	TXP Neutral SQ Mix Base	51.120
2	P6248	TXP White SQ	30.400
3	P3967	TXP Atomix Yellow	17.800
4	P3973	TXP Atomix Fluo Orange	0.600
5	P3971	TXP Atomix Magenta NM	0.080
TOTAL			100%

PANTONE® 1235 C

1	P6256	TXP Neutral SQ Mix Base	36.700
2	P6248	TXP White SQ	18.000
3	P3967	TXP Atomix Yellow	45.200
4	P3969	TXP Atomix Red NM	0.100
TOTAL			100%

PANTONE® 1245 C

1	P6256	TXP Neutral SQ Mix Base	46.800
2	P6248	TXP White SQ	5.200
3	P3967	TXP Atomix Yellow	47.600
4	P3981	TXP Atomix Black	0.320
5	P3969	TXP Atomix Red NM	0.080
TOTAL			100%

PANTONE® 1255 C

1	P6256	TXP Neutral SQ Mix Base	31.380
2	P6248	TXP White SQ	16.800
3	P3967	TXP Atomix Yellow	50.600
4	P3981	TXP Atomix Black	0.900
5	P3969	TXP Atomix Red NM	0.320
TOTAL			100%

PANTONE® 1265 C

1	P6256	TXP Neutral SQ Mix Base	65.300
2	P6248	TXP White SQ	3.200
3	P3967	TXP Atomix Yellow	28.000
4	P3975	TXP Atomix Fluo Yellow	2.400
5	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 127 C

1	P6256	TXP Neutral SQ Mix Base	18.660
2	P6248	TXP White SQ	61.800
3	P3968	TXP Atomix Lemon NM	19.000
4	P3973	TXP Atomix Fluo Orange	0.420
5	P3971	TXP Atomix Magenta NM	0.120
TOTAL			100%

PANTONE® 128 C

1	P6256	TXP Neutral SQ Mix Base	40.020
2	P6248	TXP White SQ	31.800
3	P3968	TXP Atomix Lemon NM	27.600
4	P3973	TXP Atomix Fluo Orange	0.460
5	P3971	TXP Atomix Magenta NM	0.120
TOTAL			100%

PANTONE® 129 C

1	P6256	TXP Neutral SQ Mix Base	37.340
2	P6248	TXP White SQ	32.600
3	P3968	TXP Atomix Lemon NM	29.400
4	P3973	TXP Atomix Fluo Orange	0.500
5	P3971	TXP Atomix Magenta NM	0.160
TOTAL			100%

PANTONE® 130 C

1	P6256	TXP Neutral SQ Mix Base	35.700
2	P6248	TXP White SQ	10.000
3	P3967	TXP Atomix Yellow	54.200
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 131 C

1	P6256	TXP Neutral SQ Mix Base	80.440
2	P6248	TXP White SQ	0.600
3	P3967	TXP Atomix Yellow	18.000
4	P3973	TXP Atomix Fluo Orange	0.780
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 132 C

1	P6256	TXP Neutral SQ Mix Base	57.600
2	P6248	TXP White SQ	1.600
3	P3967	TXP Atomix Yellow	40.000
4	P3973	TXP Atomix Fluo Orange	0.400
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 133 C

1	P6256	TXP Neutral SQ Mix Base	56.400
2	P6248	TXP White SQ	1.200
3	P3967	TXP Atomix Yellow	40.000
4	P3981	TXP Atomix Black	1.600
5	P3973	TXP Atomix Fluo Orange	0.800
TOTAL			100%

PANTONE® 134 C

1	P6248	TXP White SQ	89.900
2	P3967	TXP Atomix Yellow	10.000
3	P3969	TXP Atomix Red NM	0.100
TOTAL			100%

PANTONE® 135 C

1	P6248	TXP White SQ	81.800
2	P3967	TXP Atomix Yellow	18.000
3	P3971	TXP Atomix Magenta NM	0.200
TOTAL			100%

PANTONE® 136 C

1	P6248	TXP White SQ	66.600
2	P3967	TXP Atomix Yellow	33.000
3	P3969	TXP Atomix Red NM	0.400
TOTAL			100%

PANTONE® 137 C

1	P6256	TXP Neutral SQ Mix Base	50.000
2	P3967	TXP Atomix Yellow	49.800
3	P3969	TXP Atomix Red NM	0.200
TOTAL			100%

PANTONE® 138 C

1	P6256	TXP Neutral SQ Mix Base	68.040
2	P6248	TXP White SQ	1.600
3	P3967	TXP Atomix Yellow	29.000
4	P3969	TXP Atomix Red NM	0.760
5	P3974	TXP Atomix Blue RQ	0.600
TOTAL			100%

PANTONE® 139 C

1	P6256	TXP Neutral SQ Mix Base	40.000
2	P3967	TXP Atomix Yellow	59.000
3	P3969	TXP Atomix Red NM	0.600
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 140 C

1	P6256	TXP Neutral SQ Mix Base	44.000
2	P3967	TXP Atomix Yellow	53.800
3	P3981	TXP Atomix Black	1.400
4	P3969	TXP Atomix Red NM	0.800
TOTAL			100%

PANTONE® 1345 C

1	P6248	TXP White SQ	91.800
2	P3967	TXP Atomix Yellow	5.600
3	P3976	TXP Atomix Fluo Fuchsia	2.600
TOTAL			100%

PANTONE® 1355 C

1	P6248	TXP White SQ	87.400
2	P3967	TXP Atomix Yellow	8.200
3	P3976	TXP Atomix Fluo Fuchsia	4.400
TOTAL			100%

PANTONE® 1365 C

1	P6256	TXP Neutral SQ Mix Base	66.700
2	P6248	TXP White SQ	20.400
3	P3967	TXP Atomix Yellow	9.800
4	P3973	TXP Atomix Fluo Orange	2.860
5	P3971	TXP Atomix Magenta NM	0.240
TOTAL			100%

PANTONE® 1375 C

1	P6256	TXP Neutral SQ Mix Base	49.880
2	P6248	TXP White SQ	14.000
3	P3967	TXP Atomix Yellow	31.400
4	P3973	TXP Atomix Fluo Orange	4.300
5	P3971	TXP Atomix Magenta NM	0.420
TOTAL			100%

PANTONE® 1385 C

1	P6256	TXP Neutral SQ Mix Base	42.000
2	P3967	TXP Atomix Yellow	56.800
3	P3969	TXP Atomix Red NM	1.000
4	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 1395 C

1	P6256	TXP Neutral SQ Mix Base	50.900
2	P6248	TXP White SQ	1.600
3	P3967	TXP Atomix Yellow	45.600
4	P3969	TXP Atomix Red NM	1.300
5	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 1405 C

1	P6256	TXP Neutral SQ Mix Base	44.000
2	P3967	TXP Atomix Yellow	52.200
3	P3969	TXP Atomix Red NM	2.000
4	P3981	TXP Atomix Black	1.800
TOTAL			100%

PANTONE® 141 C

1	P6256	TXP Neutral SQ Mix Base	24.700
2	P6248	TXP White SQ	52.400
3	P3968	TXP Atomix Lemon NM	22.400
4	P3971	TXP Atomix Magenta NM	0.500
TOTAL			100%

PANTONE® 142 C

1	P6248	TXP White SQ	80.000
2	P3967	TXP Atomix Yellow	19.000
3	P3976	TXP Atomix Fluo Fuchsia	0.800
4	P3977	TXP Atomix Violet	0.200
TOTAL			100%

PANTONE® 143 C

1	P6248	TXP White SQ	66.400
2	P3967	TXP Atomix Yellow	33.000
3	P3969	TXP Atomix Red NM	0.400
4	P3977	TXP Atomix Violet	0.200
TOTAL			100%

PANTONE® 144 C

1	P6256	TXP Neutral SQ Mix Base	51.400
2	P6248	TXP White SQ	12.600
3	P3967	TXP Atomix Yellow	35.000
4	P3969	TXP Atomix Red NM	0.900
5	P3977	TXP Atomix Violet	0.100
TOTAL			100%

PANTONE® 145 C

1	P6256	TXP Neutral SQ Mix Base	49.200
2	P6248	TXP White SQ	10.600
3	P3967	TXP Atomix Yellow	38.400
4	P3969	TXP Atomix Red NM	1.600
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 146 C

1	P6256	TXP Neutral SQ Mix Base	47.000
2	P6248	TXP White SQ	10.000
3	P3967	TXP Atomix Yellow	40.000
4	P3969	TXP Atomix Red NM	2.200
5	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 147 C

1	P6256	TXP Neutral SQ Mix Base	66.300
2	P3967	TXP Atomix Yellow	31.800
3	P3981	TXP Atomix Black	1.600
4	P3969	TXP Atomix Red NM	0.300
TOTAL			100%

PANTONE® 148 C

1	P6248	TXP White SQ	91.600
2	P3967	TXP Atomix Yellow	5.000
3	P3976	TXP Atomix Fluo Fuchsia	3.400
TOTAL			100%

PANTONE® 149 C

1	P6248	TXP White SQ	88.200
2	P3967	TXP Atomix Yellow	6.400
3	P3976	TXP Atomix Fluo Fuchsia	5.400
TOTAL			100%

PANTONE® 150 C

1	P6248	TXP White SQ	72.200
2	P3967	TXP Atomix Yellow	15.800
3	P3976	TXP Atomix Fluo Fuchsia	12.000
TOTAL			100%

PANTONE® 151 C

1	P6256	TXP Neutral SQ Mix Base	77.800
2	P3967	TXP Atomix Yellow	15.600
3	P3973	TXP Atomix Fluo Orange	6.000
4	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 152 C

1	P6256	TXP Neutral SQ Mix Base	66.800
2	P3967	TXP Atomix Yellow	32.000
3	P3971	TXP Atomix Magenta NM	1.000
4	P3974	TXP Atomix Blue RQ	0.200
TOTAL			100%

PANTONE® 153 C

1	P6256	TXP Neutral SQ Mix Base	68.000
2	P3967	TXP Atomix Yellow	30.600
3	P3971	TXP Atomix Magenta NM	1.200
4	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 154 C

1	P6256	TXP Neutral SQ Mix Base	69.600
2	P3967	TXP Atomix Yellow	28.200
3	P3971	TXP Atomix Magenta NM	1.800
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 1485 C

1	P6248	TXP White SQ	73.400
2	P3973	TXP Atomix Fluo Orange	17.200
3	P3967	TXP Atomix Yellow	8.400
4	P3971	TXP Atomix Magenta NM	1.000
TOTAL			100%

PANTONE® 1495 C

1	P6256	TXP Neutral SQ Mix Base	2.000
2	P6248	TXP White SQ	44.400
3	P3973	TXP Atomix Fluo Orange	28.000
4	P3967	TXP Atomix Yellow	24.400
5	P3969	TXP Atomix Red NM	1.200
TOTAL			100%

PANTONE® 1505 C

1	P6256	TXP Neutral SQ Mix Base	72.400
2	P3967	TXP Atomix Yellow	15.200
3	P3973	TXP Atomix Fluo Orange	11.600
4	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® Orange 021 C

1	P6256	TXP Neutral SQ Mix Base	48.800
2	P3967	TXP Atomix Yellow	25.400
3	P3973	TXP Atomix Fluo Orange	22.900
4	P3971	TXP Atomix Magenta NM	2.900
TOTAL			100%

PANTONE® 1525 C

1	P6256	TXP Neutral SQ Mix Base	74.200
2	P3967	TXP Atomix Yellow	16.600
3	P3973	TXP Atomix Fluo Orange	7.000
4	P3969	TXP Atomix Red NM	2.000
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 1535 C

1	P6256	TXP Neutral SQ Mix Base	43.100
2	P3967	TXP Atomix Yellow	51.000
3	P3969	TXP Atomix Red NM	5.100
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 1545 C

1	P6256	TXP Neutral SQ Mix Base	72.200
2	P3967	TXP Atomix Yellow	22.200
3	P3969	TXP Atomix Red NM	4.000
4	P3981	TXP Atomix Black	1.600
TOTAL			100%

PANTONE® 155 C

1	P6248	TXP White SQ	93.800
2	P3976	TXP Atomix Fluo Fuchsia	2.800
3	P3967	TXP Atomix Yellow	2.600
4	P3974	TXP Atomix Blue RQ	0.800
TOTAL			100%

PANTONE® 156 C

1	P6248	TXP White SQ	89.800
2	P3976	TXP Atomix Fluo Fuchsia	5.000
3	P3967	TXP Atomix Yellow	4.600
4	P3974	TXP Atomix Blue RQ	0.600
TOTAL			100%

PANTONE® 157 C

1	P6248	TXP White SQ	74.500
2	P3967	TXP Atomix Yellow	22.200
3	P3969	TXP Atomix Red NM	2.500
4	P3974	TXP Atomix Blue RQ	0.800
TOTAL			100%

PANTONE® 158 C

1	P6256	TXP Neutral SQ Mix Base	20.800
2	P6248	TXP White SQ	30.500
3	P3967	TXP Atomix Yellow	44.400
4	P3969	TXP Atomix Red NM	4.200
5	P3977	TXP Atomix Violet	0.100
TOTAL			100%

PANTONE® 159 C

1	P6256	TXP Neutral SQ Mix Base	52.600
2	P3967	TXP Atomix Yellow	45.000
3	P3969	TXP Atomix Red NM	2.100
4	P3977	TXP Atomix Violet	0.300
TOTAL			100%

PANTONE® 160 C

1	P6256	TXP Neutral SQ Mix Base	55.400
2	P3967	TXP Atomix Yellow	41.200
3	P3969	TXP Atomix Red NM	2.800
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 161 C

1	P6256	TXP Neutral SQ Mix Base	50.000
2	P3967	TXP Atomix Yellow	44.600
3	P3969	TXP Atomix Red NM	3.600
4	P3981	TXP Atomix Black	1.800
TOTAL			100%

PANTONE® 1555 C

1	P6248	TXP White SQ	80.800
2	P3976	TXP Atomix Fluo Fuchsia	11.400
3	P3967	TXP Atomix Yellow	4.400
4	P3973	TXP Atomix Fluo Orange	3.400
TOTAL			100%

PANTONE® 1565 C

1	P6248	TXP White SQ	72.000
2	P3976	TXP Atomix Fluo Fuchsia	16.000
3	P3967	TXP Atomix Yellow	6.400
4	P3973	TXP Atomix Fluo Orange	5.600
TOTAL			100%

PANTONE® 1575 C

1	P6248	TXP White SQ	53.000
2	P3973	TXP Atomix Fluo Orange	25.000
3	P3967	TXP Atomix Yellow	19.400
4	P3969	TXP Atomix Red NM	2.600
TOTAL			100%

PANTONE® 1585 C

1	P6256	TXP Neutral SQ Mix Base	49.800
2	P6248	TXP White SQ	9.600
3	P3967	TXP Atomix Yellow	22.400
4	P3973	TXP Atomix Fluo Orange	16.400
5	P3969	TXP Atomix Red NM	1.800
TOTAL			100%

PANTONE® 1595 C

1	P6256	TXP Neutral SQ Mix Base	54.100
2	P3967	TXP Atomix Yellow	44.000
3	P3969	TXP Atomix Red NM	1.800
4	P3977	TXP Atomix Violet	0.100
TOTAL			100%

PANTONE® 1605 C

1	P6256	TXP Neutral SQ Mix Base	54.000
2	P6248	TXP White SQ	2.400
3	P3967	TXP Atomix Yellow	40.000
4	P3969	TXP Atomix Red NM	3.200
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 1615 C

1	P6256	TXP Neutral SQ Mix Base	50.900
2	P3967	TXP Atomix Yellow	44.800
3	P3969	TXP Atomix Red NM	3.600
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 162 C

1	P6248	TXP White SQ	92.600
2	P3973	TXP Atomix Fluo Orange	5.000
3	P3967	TXP Atomix Yellow	1.800
4	P3969	TXP Atomix Red NM	0.600
TOTAL			100%

PANTONE® 163 C

1	P6248	TXP White SQ	69.600
2	P3973	TXP Atomix Fluo Orange	19.600
3	P3967	TXP Atomix Yellow	8.600
4	P3969	TXP Atomix Red NM	2.200
TOTAL			100%

PANTONE® 164 C

1	P6256	TXP Neutral SQ Mix Base	28.400
2	P6248	TXP White SQ	31.200
3	P3973	TXP Atomix Fluo Orange	22.400
4	P3967	TXP Atomix Yellow	15.200
5	P3969	TXP Atomix Red NM	2.800
TOTAL			100%

PANTONE® 165 C

1	P6256	TXP Neutral SQ Mix Base	36.000
2	P6248	TXP White SQ	13.200
3	P3973	TXP Atomix Fluo Orange	26.800
4	P3967	TXP Atomix Yellow	21.200
5	P3969	TXP Atomix Red NM	2.800
TOTAL			100%

PANTONE® 166 C

1	P6256	TXP Neutral SQ Mix Base	80.400
2	P3967	TXP Atomix Yellow	17.600
3	P3969	TXP Atomix Red NM	2.000
TOTAL			100%

PANTONE® 167 C

1	P6256	TXP Neutral SQ Mix Base	55.300
2	P3967	TXP Atomix Yellow	42.000
3	P3969	TXP Atomix Red NM	2.400
4	P3977	TXP Atomix Violet	0.300
TOTAL			100%

PANTONE® 168 C

1	P6256	TXP Neutral SQ Mix Base	49.200
2	P3967	TXP Atomix Yellow	42.000
3	P3969	TXP Atomix Red NM	7.600
4	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 1625 C

1	P6248	TXP White SQ	75.200
2	P3973	TXP Atomix Fluo Orange	18.000
3	P3967	TXP Atomix Yellow	4.400
4	P3971	TXP Atomix Magenta NM	2.400
TOTAL			100%

PANTONE® 1635 C

1	P6248	TXP White SQ	58.800
2	P3973	TXP Atomix Fluo Orange	32.000
3	P3967	TXP Atomix Yellow	6.000
4	P3969	TXP Atomix Red NM	3.200
TOTAL			100%

PANTONE® 1645 C

1	P6256	TXP Neutral SQ Mix Base	60.400
2	P6248	TXP White SQ	12.800
3	P3973	TXP Atomix Fluo Orange	15.200
4	P3967	TXP Atomix Yellow	8.400
5	P3969	TXP Atomix Red NM	3.200
TOTAL			100%

PANTONE® 1655 C

1	P6256	TXP Neutral SQ Mix Base	43.600
2	P6248	TXP White SQ	6.000
3	P3973	TXP Atomix Fluo Orange	27.200
4	P3967	TXP Atomix Yellow	20.000
5	P3969	TXP Atomix Red NM	3.200
TOTAL			100%

PANTONE® 1665 C

1	P6256	TXP Neutral SQ Mix Base	53.600
2	P3967	TXP Atomix Yellow	43.200
3	P3971	TXP Atomix Magenta NM	3.200
TOTAL			100%

PANTONE® 1675 C

1	P6256	TXP Neutral SQ Mix Base	54.600
2	P3967	TXP Atomix Yellow	40.000
3	P3971	TXP Atomix Magenta NM	5.100
4	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 1685 C

1	P6256	TXP Neutral SQ Mix Base	56.600
2	P3967	TXP Atomix Yellow	36.000
3	P3969	TXP Atomix Red NM	6.600
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 169 C

1	P6248	TXP White SQ	75.400
2	P3976	TXP Atomix Fluo Fuchsia	22.000
3	P3967	TXP Atomix Yellow	2.600
TOTAL			100%

PANTONE® 170 C

1	P6256	TXP Neutral SQ Mix Base	23.200
2	P6248	TXP White SQ	34.400
3	P3976	TXP Atomix Fluo Fuchsia	37.600
4	P3967	TXP Atomix Yellow	4.800
TOTAL			100%

PANTONE® 171 C

1	P6256	TXP Neutral SQ Mix Base	60.200
2	P6248	TXP White SQ	10.400
3	P3973	TXP Atomix Fluo Orange	18.800
4	P3967	TXP Atomix Yellow	6.600
5	P3969	TXP Atomix Red NM	4.000
TOTAL			100%

PANTONE® 172 C

1	P6256	TXP Neutral SQ Mix Base	43.600
2	P6248	TXP White SQ	6.000
3	P3973	TXP Atomix Fluo Orange	27.200
4	P3967	TXP Atomix Yellow	19.200
5	P3969	TXP Atomix Red NM	4.000
TOTAL			100%

PANTONE® 173 C

1	P6256	TXP Neutral SQ Mix Base	65.200
2	P3967	TXP Atomix Yellow	31.000
3	P3971	TXP Atomix Magenta NM	3.800
TOTAL			100%

PANTONE® 174 C

1	P6256	TXP Neutral SQ Mix Base	54.100
2	P3967	TXP Atomix Yellow	36.800
3	P3969	TXP Atomix Red NM	8.600
4	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 175 C

1	P6256	TXP Neutral SQ Mix Base	51.000
2	P3967	TXP Atomix Yellow	37.000
3	P3969	TXP Atomix Red NM	10.600
4	P3981	TXP Atomix Black	1.400
TOTAL			100%

PANTONE® 176 C

1	P6248	TXP White SQ	68.200
2	P3976	TXP Atomix Fluo Fuchsia	30.600
3	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 177 C

1	P6248	TXP White SQ	54.000
2	P3973	TXP Atomix Fluo Orange	38.000
3	P3969	TXP Atomix Red NM	8.000
TOTAL			100%

PANTONE® 178 C

1	P6256	TXP Neutral SQ Mix Base	71.380
2	P3967	TXP Atomix Yellow	1.200
3	P3976	TXP Atomix Fluo Fuchsia	23.200
4	P3973	TXP Atomix Fluo Orange	3.600
5	P3969	TXP Atomix Red NM	0.620
TOTAL			100%

PANTONE® Warm Red C

1	P6256	TXP Neutral SQ Mix Base	43.700
2	P6248	TXP White SQ	6.700
3	P3973	TXP Atomix Fluo Orange	36.000
4	P3969	TXP Atomix Red NM	8.600
5	P3967	TXP Atomix Yellow	5.000
TOTAL			100%

PANTONE® 179 C

1	P6256	TXP Neutral SQ Mix Base	84.380
2	P6248	TXP White SQ	1.100
3	P3967	TXP Atomix Yellow	9.000
4	P3969	TXP Atomix Red NM	5.500
5	P3981	TXP Atomix Black	0.020
TOTAL			100%

PANTONE® 180 C

1	P6256	TXP Neutral SQ Mix Base	69.320
2	P6248	TXP White SQ	1.700
3	P3967	TXP Atomix Yellow	20.600
4	P3971	TXP Atomix Magenta NM	8.300
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 181 C

1	P6256	TXP Neutral SQ Mix Base	65.800
2	P3969	TXP Atomix Red NM	23.200
3	P3967	TXP Atomix Yellow	10.000
4	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 1765 C

1	P6248	TXP White SQ	65.000
2	P3976	TXP Atomix Fluo Fuchsia	33.600
3	P3967	TXP Atomix Yellow	1.000
4	P3971	TXP Atomix Magenta NM	0.400
TOTAL			100%

PANTONE® 1775 C

1	P6248	TXP White SQ	50.400
2	P3976	TXP Atomix Fluo Fuchsia	47.000
3	P3967	TXP Atomix Yellow	1.800
4	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 1785 C

1	P6256	TXP Neutral SQ Mix Base	44.200
2	P6248	TXP White SQ	5.800
3	P3973	TXP Atomix Fluo Orange	42.600
4	P3971	TXP Atomix Magenta NM	7.400
TOTAL			100%

PANTONE® 1788 C

1	P6256	TXP Neutral SQ Mix Base	75.600
2	P3973	TXP Atomix Fluo Orange	16.000
3	P3969	TXP Atomix Red NM	7.600
4	P3967	TXP Atomix Yellow	0.800
TOTAL			100%

PANTONE® 1795 C

1	P6256	TXP Neutral SQ Mix Base	77.000
2	P3969	TXP Atomix Red NM	12.800
3	P3967	TXP Atomix Yellow	10.200
TOTAL			100%

PANTONE® 1805 C

1	P6256	TXP Neutral SQ Mix Base	63.500
2	P6248	TXP White SQ	1.900
3	P3967	TXP Atomix Yellow	20.500
4	P3971	TXP Atomix Magenta NM	14.000
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 1815 C

1	P6256	TXP Neutral SQ Mix Base	59.400
2	P3969	TXP Atomix Red NM	22.400
3	P3967	TXP Atomix Yellow	17.000
4	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 1767 C

1	P6256	TXP Neutral SQ Mix Base	7.200
2	P6248	TXP White SQ	70.200
3	P3976	TXP Atomix Fluo Fuchsia	21.600
4	P3967	TXP Atomix Yellow	0.800
5	P3971	TXP Atomix Magenta NM	0.200
TOTAL			100%

PANTONE® 1777 C

1	P6256	TXP Neutral SQ Mix Base	47.600
2	P6248	TXP White SQ	18.400
3	P3973	TXP Atomix Fluo Orange	28.000
4	P3971	TXP Atomix Magenta NM	6.000
TOTAL			100%

PANTONE® 1787 C

1	P6256	TXP Neutral SQ Mix Base	46.400
2	P6248	TXP White SQ	5.000
3	P3973	TXP Atomix Fluo Orange	39.600
4	P3971	TXP Atomix Magenta NM	9.000
TOTAL			100%

PANTONE® Red 032 C

1	P6256	TXP Neutral SQ Mix Base	48.300
2	P6248	TXP White SQ	3.500
3	P3973	TXP Atomix Fluo Orange	37.000
4	P3969	TXP Atomix Red NM	10.600
5	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 1797 C

1	P6256	TXP Neutral SQ Mix Base	75.800
2	P6248	TXP White SQ	5.600
3	P3969	TXP Atomix Red NM	16.200
4	P3967	TXP Atomix Yellow	2.400
TOTAL			100%

PANTONE® 1807 C

1	P6256	TXP Neutral SQ Mix Base	64.170
2	P6248	TXP White SQ	1.800
3	P3971	TXP Atomix Magenta NM	20.800
4	P3967	TXP Atomix Yellow	13.000
5	P3981	TXP Atomix Black	0.230
TOTAL			100%

PANTONE® 1817 C

1	P6256	TXP Neutral SQ Mix Base	72.300
2	P6248	TXP White SQ	2.800
3	P3969	TXP Atomix Red NM	18.600
4	P3967	TXP Atomix Yellow	4.000
5	P3981	TXP Atomix Black	2.300
TOTAL			100%

PANTONE® 182 C

1	P6248	TXP White SQ	89.200
2	P3976	TXP Atomix Fluo Fuchsia	10.000
3	P3971	TXP Atomix Magenta NM	0.400
4	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 183 C

1	P6248	TXP White SQ	67.000
2	P3976	TXP Atomix Fluo Fuchsia	31.600
3	P3967	TXP Atomix Yellow	1.000
4	P3971	TXP Atomix Magenta NM	0.400
TOTAL			100%

PANTONE® 184 C

1	P6256	TXP Neutral SQ Mix Base	32.600
2	P6248	TXP White SQ	19.600
3	P3976	TXP Atomix Fluo Fuchsia	41.600
4	P3969	TXP Atomix Red NM	4.600
5	P3967	TXP Atomix Yellow	1.600
TOTAL			100%

PANTONE® 185 C

1	P6256	TXP Neutral SQ Mix Base	86.600
2	P3973	TXP Atomix Fluo Orange	7.000
3	P3969	TXP Atomix Red NM	6.400
TOTAL			100%

PANTONE® 186 C

1	P6256	TXP Neutral SQ Mix Base	80.800
2	P3969	TXP Atomix Red NM	18.000
3	P3971	TXP Atomix Magenta NM	1.200
TOTAL			100%

PANTONE® 187 C

1	P6256	TXP Neutral SQ Mix Base	76.000
2	P3971	TXP Atomix Magenta NM	16.600
3	P3967	TXP Atomix Yellow	7.400
TOTAL			100%

PANTONE® 188 C

1	P6256	TXP Neutral SQ Mix Base	62.400
2	P3971	TXP Atomix Magenta NM	29.200
3	P3967	TXP Atomix Yellow	8.000
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 189 C

1	P6248	TXP White SQ	86.800
2	P3976	TXP Atomix Fluo Fuchsia	10.400
3	P3969	TXP Atomix Red NM	2.600
4	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 190 C

1	P6256	TXP Neutral SQ Mix Base	13.400
2	P6248	TXP White SQ	39.800
3	P3976	TXP Atomix Fluo Fuchsia	43.000
4	P3971	TXP Atomix Magenta NM	2.400
5	P3967	TXP Atomix Yellow	1.400
TOTAL			100%

PANTONE® 191 C

1	P6256	TXP Neutral SQ Mix Base	51.200
2	P6248	TXP White SQ	9.600
3	P3976	TXP Atomix Fluo Fuchsia	32.000
4	P3969	TXP Atomix Red NM	7.200
TOTAL			100%

PANTONE® 192 C

1	P6256	TXP Neutral SQ Mix Base	64.600
2	P3976	TXP Atomix Fluo Fuchsia	28.000
3	P3969	TXP Atomix Red NM	7.400
TOTAL			100%

PANTONE® 193 C

1	P6256	TXP Neutral SQ Mix Base	82.000
2	P3969	TXP Atomix Red NM	10.000
3	P3971	TXP Atomix Magenta NM	8.000
TOTAL			100%

PANTONE® 194 C

1	P6256	TXP Neutral SQ Mix Base	68.100
2	P3971	TXP Atomix Magenta NM	27.000
3	P3967	TXP Atomix Yellow	4.800
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 195 C

1	P6256	TXP Neutral SQ Mix Base	62.800
2	P6248	TXP White SQ	3.500
3	P3971	TXP Atomix Magenta NM	22.000
4	P3967	TXP Atomix Yellow	10.500
5	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 1895 C

1	P6248	TXP White SQ	89.600
2	P3976	TXP Atomix Fluo Fuchsia	9.400
3	P3969	TXP Atomix Red NM	1.000
TOTAL			100%

PANTONE® 1905 C

1	P6248	TXP White SQ	80.600
2	P3976	TXP Atomix Fluo Fuchsia	16.000
3	P3969	TXP Atomix Red NM	3.400
TOTAL			100%

PANTONE® 1915 C

1	P6256	TXP Neutral SQ Mix Base	26.800
2	P6248	TXP White SQ	22.400
3	P3976	TXP Atomix Fluo Fuchsia	44.200
4	P3969	TXP Atomix Red NM	6.600
TOTAL			100%

PANTONE® 1925 C

1	P6256	TXP Neutral SQ Mix Base	55.800
2	P3976	TXP Atomix Fluo Fuchsia	38.000
3	P3969	TXP Atomix Red NM	5.600
4	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 1935 C

1	P6256	TXP Neutral SQ Mix Base	67.400
2	P3976	TXP Atomix Fluo Fuchsia	13.600
3	P3969	TXP Atomix Red NM	10.800
4	P3971	TXP Atomix Magenta NM	8.200
TOTAL			100%

PANTONE® 1945 C

1	P6256	TXP Neutral SQ Mix Base	64.600
2	P3971	TXP Atomix Magenta NM	23.600
3	P3969	TXP Atomix Red NM	11.800
TOTAL			100%

PANTONE® 1955 C

1	P6256	TXP Neutral SQ Mix Base	66.300
2	P3971	TXP Atomix Magenta NM	30.800
3	P3967	TXP Atomix Yellow	2.800
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 196 C

1	P6248	TXP White SQ	98.700
2	P3969	TXP Atomix Red NM	0.800
3	P3974	TXP Atomix Blue RQ	0.300
4	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 197 C

1	P6248	TXP White SQ	93.400
2	P3969	TXP Atomix Red NM	5.000
3	P3967	TXP Atomix Yellow	1.200
4	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 198 C

1	P6256	TXP Neutral SQ Mix Base	72.800
2	P6248	TXP White SQ	15.200
3	P3969	TXP Atomix Red NM	10.400
4	P3967	TXP Atomix Yellow	1.600
TOTAL			100%

PANTONE® 199 C

1	P6256	TXP Neutral SQ Mix Base	88.800
2	P3969	TXP Atomix Red NM	10.400
3	P3967	TXP Atomix Yellow	0.800
TOTAL			100%

PANTONE® 200 C

1	P6256	TXP Neutral SQ Mix Base	85.500
2	P3969	TXP Atomix Red NM	12.200
3	P3967	TXP Atomix Yellow	2.200
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 201 C

1	P6256	TXP Neutral SQ Mix Base	86.900
2	P3969	TXP Atomix Red NM	12.000
3	P3967	TXP Atomix Yellow	0.800
4	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 202 C

1	P6256	TXP Neutral SQ Mix Base	84.000
2	P3969	TXP Atomix Red NM	14.600
3	P3967	TXP Atomix Yellow	0.800
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 203 C

1	P6248	TXP White SQ	94.240
2	P3976	TXP Atomix Fluo Fuchsia	3.000
3	P3971	TXP Atomix Magenta NM	2.200
4	P3967	TXP Atomix Yellow	0.560
TOTAL			100%

PANTONE® 204 C

1	P6248	TXP White SQ	56.500
2	P3976	TXP Atomix Fluo Fuchsia	33.600
3	P3969	TXP Atomix Red NM	8.400
4	P3967	TXP Atomix Yellow	1.500
TOTAL			100%

PANTONE® 205 C

1	P6248	TXP White SQ	53.600
2	P3976	TXP Atomix Fluo Fuchsia	28.800
3	P3969	TXP Atomix Red NM	13.600
4	P3971	TXP Atomix Magenta NM	4.000
TOTAL			100%

PANTONE® 206 C

1	P6256	TXP Neutral SQ Mix Base	61.200
2	P3976	TXP Atomix Fluo Fuchsia	28.000
3	P3969	TXP Atomix Red NM	8.600
4	P3971	TXP Atomix Magenta NM	2.200
TOTAL			100%

PANTONE® 207 C

1	P6256	TXP Neutral SQ Mix Base	65.600
2	P3971	TXP Atomix Magenta NM	24.000
3	P3969	TXP Atomix Red NM	8.000
4	P3967	TXP Atomix Yellow	2.400
TOTAL			100%

PANTONE® 208 C

1	P6256	TXP Neutral SQ Mix Base	71.600
2	P3971	TXP Atomix Magenta NM	25.800
3	P3967	TXP Atomix Yellow	2.400
4	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 209 C

1	P6256	TXP Neutral SQ Mix Base	59.400
2	P3971	TXP Atomix Magenta NM	36.400
3	P3967	TXP Atomix Yellow	3.600
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 210 C

1	P6248	TXP White SQ	78.400
2	P3979	TXP Atomix Fluo Rose	19.200
3	P3971	TXP Atomix Magenta NM	2.400
TOTAL			100%

PANTONE® 211 C

1	P6248	TXP White SQ	50.000
2	P3976	TXP Atomix Fluo Fuchsia	47.600
3	P3969	TXP Atomix Red NM	1.600
4	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 212 C

1	P6256	TXP Neutral SQ Mix Base	38.800
2	P6248	TXP White SQ	11.200
3	P3976	TXP Atomix Fluo Fuchsia	46.800
4	P3971	TXP Atomix Magenta NM	1.600
5	P3969	TXP Atomix Red NM	1.600
TOTAL			100%

PANTONE® 213 C

1	P6256	TXP Neutral SQ Mix Base	69.600
2	P3979	TXP Atomix Fluo Rose	24.000
3	P3971	TXP Atomix Magenta NM	5.200
4	P3969	TXP Atomix Red NM	1.200
TOTAL			100%

PANTONE® 214 C

1	P6256	TXP Neutral SQ Mix Base	67.200
2	P3976	TXP Atomix Fluo Fuchsia	21.600
3	P3971	TXP Atomix Magenta NM	9.600
4	P3969	TXP Atomix Red NM	1.600
TOTAL			100%

PANTONE® 215 C

1	P6256	TXP Neutral SQ Mix Base	60.000
2	P3971	TXP Atomix Magenta NM	26.000
3	P3976	TXP Atomix Fluo Fuchsia	14.000
TOTAL			100%

PANTONE® 216 C

1	P6256	TXP Neutral SQ Mix Base	55.100
2	P3971	TXP Atomix Magenta NM	43.000
3	P3969	TXP Atomix Red NM	1.600
4	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 217 C

1	P6248	TXP White SQ	94.900
2	P3979	TXP Atomix Fluo Rose	3.800
3	P3971	TXP Atomix Magenta NM	1.200
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 218 C

1	P6248	TXP White SQ	34.900
2	P3979	TXP Atomix Fluo Rose	55.200
3	P3971	TXP Atomix Magenta NM	7.600
4	P3974	TXP Atomix Blue RQ	2.300
TOTAL			100%

PANTONE® 219 C

1	P6256	TXP Neutral SQ Mix Base	86.000
2	P3976	TXP Atomix Fluo Fuchsia	10.400
3	P3971	TXP Atomix Magenta NM	2.800
4	P3969	TXP Atomix Red NM	0.800
TOTAL			100%

PANTONE® Rubine Red C

1	P6256	TXP Neutral SQ Mix Base	51.100
2	P3976	TXP Atomix Fluo Fuchsia	38.500
3	P3971	TXP Atomix Magenta NM	8.800
4	P3969	TXP Atomix Red NM	1.600
TOTAL			100%

PANTONE® 220 C

1	P6256	TXP Neutral SQ Mix Base	54.400
2	P3971	TXP Atomix Magenta NM	30.400
3	P3976	TXP Atomix Fluo Fuchsia	14.000
4	P3969	TXP Atomix Red NM	1.200
TOTAL			100%

PANTONE® 221 C

1	P6256	TXP Neutral SQ Mix Base	50.800
2	P3971	TXP Atomix Magenta NM	48.400
3	P3974	TXP Atomix Blue RQ	0.400
4	P3969	TXP Atomix Red NM	0.400
TOTAL			100%

PANTONE® 222 C

1	P6256	TXP Neutral SQ Mix Base	61.200
2	P3971	TXP Atomix Magenta NM	36.000
3	P3969	TXP Atomix Red NM	2.200
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 223 C

1	P6248	TXP White SQ	48.000
2	P3979	TXP Atomix Fluo Rose	46.800
3	P3974	TXP Atomix Blue RQ	4.000
4	P3971	TXP Atomix Magenta NM	1.200
TOTAL			100%

PANTONE® 224 C

1	P6256	TXP Neutral SQ Mix Base	28.200
2	P6248	TXP White SQ	29.400
3	P3976	TXP Atomix Fluo Fuchsia	37.400
4	P3971	TXP Atomix Magenta NM	5.000
TOTAL			100%

PANTONE® 225 C

1	P6256	TXP Neutral SQ Mix Base	76.000
2	P3976	TXP Atomix Fluo Fuchsia	20.800
3	P3971	TXP Atomix Magenta NM	3.200
TOTAL			100%

PANTONE® 226 C

1	P6256	TXP Neutral SQ Mix Base	32.400
2	P3976	TXP Atomix Fluo Fuchsia	60.800
3	P3971	TXP Atomix Magenta NM	6.600
4	P3974	TXP Atomix Blue RQ	0.200
TOTAL			100%

PANTONE® 227 C

1	P6256	TXP Neutral SQ Mix Base	59.800
2	P3976	TXP Atomix Fluo Fuchsia	20.000
3	P3971	TXP Atomix Magenta NM	20.000
4	P3974	TXP Atomix Blue RQ	0.200
TOTAL			100%

PANTONE® 228 C

1	P6256	TXP Neutral SQ Mix Base	55.000
2	P3971	TXP Atomix Magenta NM	26.400
3	P3976	TXP Atomix Fluo Fuchsia	18.000
4	P3977	TXP Atomix Violet	0.600
TOTAL			100%

PANTONE® 229 C

1	P6256	TXP Neutral SQ Mix Base	64.200
2	P3969	TXP Atomix Red NM	35.000
3	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 230 C

1	P6248	TXP White SQ	69.340
2	P3976	TXP Atomix Fluo Fuchsia	30.400
3	P3974	TXP Atomix Blue RQ	0.200
4	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 231 C

1	P6248	TXP White SQ	34.400
2	P3976	TXP Atomix Fluo Fuchsia	64.600
3	P3974	TXP Atomix Blue RQ	1.000
TOTAL			100%

PANTONE® 232 C

1	P6256	TXP Neutral SQ Mix Base	51.150
2	P6248	TXP White SQ	1.800
3	P3976	TXP Atomix Fluo Fuchsia	45.900
4	P3974	TXP Atomix Blue RQ	1.150
TOTAL			100%

PANTONE® Rhodamine Red C

1	P6256	TXP Neutral SQ Mix Base	73.700
2	P3976	TXP Atomix Fluo Fuchsia	22.000
3	P3974	TXP Atomix Blue RQ	0.800
3	P3971	TXP Atomix Magenta NM	3.500
TOTAL			100%

PANTONE® 233 C

1	P6256	TXP Neutral SQ Mix Base	56.400
2	P3976	TXP Atomix Fluo Fuchsia	37.400
3	P3971	TXP Atomix Magenta NM	4.300
4	P3974	TXP Atomix Blue RQ	1.900
TOTAL			100%

PANTONE® 234 C

1	P6256	TXP Neutral SQ Mix Base	49.200
2	P3976	TXP Atomix Fluo Fuchsia	41.400
3	P3971	TXP Atomix Magenta NM	6.600
4	P3974	TXP Atomix Blue RQ	2.800
TOTAL			100%

PANTONE® 235 C

1	P6256	TXP Neutral SQ Mix Base	52.600
2	P3976	TXP Atomix Fluo Fuchsia	26.000
3	P3971	TXP Atomix Magenta NM	18.000
4	P3974	TXP Atomix Blue RQ	3.400
TOTAL			100%

PANTONE® 236 C

1	P6248	TXP White SQ	67.800
2	P3976	TXP Atomix Fluo Fuchsia	31.200
3	P3974	TXP Atomix Blue RQ	1.000
TOTAL			100%

PANTONE® 237 C

1	P6256	TXP Neutral SQ Mix Base	17.200
2	P6248	TXP White SQ	40.000
3	P3976	TXP Atomix Fluo Fuchsia	41.000
4	P3974	TXP Atomix Blue RQ	1.800
TOTAL			100%

PANTONE® 238 C

1	P6256	TXP Neutral SQ Mix Base	53.400
2	P6248	TXP White SQ	7.600
3	P3976	TXP Atomix Fluo Fuchsia	37.200
4	P3974	TXP Atomix Blue RQ	1.800
TOTAL			100%

PANTONE® 239 C

1	P6256	TXP Neutral SQ Mix Base	73.600
2	P3976	TXP Atomix Fluo Fuchsia	25.000
3	P3974	TXP Atomix Blue RQ	1.400
TOTAL			100%

PANTONE® 240 C

1	P6256	TXP Neutral SQ Mix Base	64.200
2	P3976	TXP Atomix Fluo Fuchsia	32.200
3	P3974	TXP Atomix Blue RQ	2.200
4	P3971	TXP Atomix Magenta NM	1.400
TOTAL			100%

PANTONE® 241 C

1	P6256	TXP Neutral SQ Mix Base	51.800
2	P3976	TXP Atomix Fluo Fuchsia	40.400
3	P3971	TXP Atomix Magenta NM	4.300
4	P3974	TXP Atomix Blue RQ	3.500
TOTAL			100%

PANTONE® 242 C

1	P6256	TXP Neutral SQ Mix Base	55.600
2	P3971	TXP Atomix Magenta NM	21.000
3	P3976	TXP Atomix Fluo Fuchsia	18.800
4	P3974	TXP Atomix Blue RQ	4.600
TOTAL			100%

PANTONE® 2365 C

1	P6248	TXP White SQ	93.200
2	P3976	TXP Atomix Fluo Fuchsia	6.000
3	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 2375 C

1	P6256	TXP Neutral SQ Mix Base	52.400
2	P6248	TXP White SQ	10.400
3	P3976	TXP Atomix Fluo Fuchsia	35.000
4	P3974	TXP Atomix Blue RQ	2.200
TOTAL			100%

PANTONE® 2385 C

1	P6256	TXP Neutral SQ Mix Base	64.400
2	P3976	TXP Atomix Fluo Fuchsia	33.200
3	P3974	TXP Atomix Blue RQ	2.400
TOTAL			100%

PANTONE® 2395 C

1	P6256	TXP Neutral SQ Mix Base	44.600
2	P3976	TXP Atomix Fluo Fuchsia	49.800
3	P3974	TXP Atomix Blue RQ	3.600
4	P3971	TXP Atomix Magenta NM	2.000
TOTAL			100%

PANTONE® 2405 C

1	P6256	TXP Neutral SQ Mix Base	36.600
2	P3976	TXP Atomix Fluo Fuchsia	53.000
3	P3974	TXP Atomix Blue RQ	5.400
4	P3971	TXP Atomix Magenta NM	5.000
TOTAL			100%

PANTONE® 2415 C

1	P6256	TXP Neutral SQ Mix Base	28.200
2	P3976	TXP Atomix Fluo Fuchsia	59.000
3	P3974	TXP Atomix Blue RQ	6.400
4	P3971	TXP Atomix Magenta NM	6.400
TOTAL			100%

PANTONE® 2425 C

1	P6256	TXP Neutral SQ Mix Base	47.600
2	P3976	TXP Atomix Fluo Fuchsia	35.000
3	P3971	TXP Atomix Magenta NM	11.600
4	P3974	TXP Atomix Blue RQ	5.800
TOTAL			100%

PANTONE® 243 C

1	P6248	TXP White SQ	81.000
2	P3976	TXP Atomix Fluo Fuchsia	16.800
3	P3974	TXP Atomix Blue RQ	2.200
TOTAL			100%

PANTONE® 244 C

1	P6248	TXP White SQ	51.600
2	P3976	TXP Atomix Fluo Fuchsia	44.600
3	P3974	TXP Atomix Blue RQ	3.800
TOTAL			100%

PANTONE® 245 C

1	P6248	TXP White SQ	37.000
2	P3976	TXP Atomix Fluo Fuchsia	58.800
3	P3974	TXP Atomix Blue RQ	4.200
TOTAL			100%

PANTONE® 246 C

1	P6256	TXP Neutral SQ Mix Base	74.000
2	P3976	TXP Atomix Fluo Fuchsia	22.800
3	P3974	TXP Atomix Blue RQ	2.600
4	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 247 C

1	P6256	TXP Neutral SQ Mix Base	54.800
2	P3976	TXP Atomix Fluo Fuchsia	40.400
3	P3974	TXP Atomix Blue RQ	4.200
4	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 248 C

1	P6256	TXP Neutral SQ Mix Base	44.800
2	P3976	TXP Atomix Fluo Fuchsia	47.400
3	P3974	TXP Atomix Blue RQ	5.900
4	P3971	TXP Atomix Magenta NM	1.900
TOTAL			100%

PANTONE® 249 C

1	P6256	TXP Neutral SQ Mix Base	50.000
2	P3976	TXP Atomix Fluo Fuchsia	26.000
3	P3971	TXP Atomix Magenta NM	16.800
4	P3974	TXP Atomix Blue RQ	7.200
TOTAL			100%

PANTONE® 250 C

1	P6248	TXP White SQ	84.200
2	P3976	TXP Atomix Fluo Fuchsia	14.600
3	P3974	TXP Atomix Blue RQ	1.000
4	P3971	TXP Atomix Magenta NM	0.200
TOTAL			100%

PANTONE® 251 C

1	P6248	TXP White SQ	53.800
2	P3976	TXP Atomix Fluo Fuchsia	41.800
3	P3974	TXP Atomix Blue RQ	4.400
TOTAL			100%

PANTONE® 252 C

1	P6256	TXP Neutral SQ Mix Base	33.400
2	P6248	TXP White SQ	10.200
3	P3976	TXP Atomix Fluo Fuchsia	50.200
4	P3974	TXP Atomix Blue RQ	6.200
TOTAL			100%

PANTONE® Purple C

1	P6256	TXP Neutral SQ Mix Base	52.300
2	P3976	TXP Atomix Fluo Fuchsia	42.000
3	P3974	TXP Atomix Blue RQ	5.700
TOTAL			100%

PANTONE® 253 C

1	P6256	TXP Neutral SQ Mix Base	48.600
2	P3976	TXP Atomix Fluo Fuchsia	44.000
3	P3974	TXP Atomix Blue RQ	6.200
4	P3971	TXP Atomix Magenta NM	1.200
TOTAL			100%

PANTONE® 254 C

1	P6256	TXP Neutral SQ Mix Base	49.800
2	P3976	TXP Atomix Fluo Fuchsia	40.600
3	P3974	TXP Atomix Blue RQ	7.500
4	P3971	TXP Atomix Magenta NM	2.100
TOTAL			100%

PANTONE® 255 C

1	P6256	TXP Neutral SQ Mix Base	77.800
2	P3971	TXP Atomix Magenta NM	14.000
3	P3974	TXP Atomix Blue RQ	8.200
TOTAL			100%

PANTONE® 256 C

1	P6248	TXP White SQ	97.600
2	P3974	TXP Atomix Blue RQ	1.600
3	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 257 C

1	P6248	TXP White SQ	92.600
2	P3974	TXP Atomix Blue RQ	4.800
3	P3971	TXP Atomix Magenta NM	2.600
TOTAL			100%

PANTONE® 258 C

1	P6256	TXP Neutral SQ Mix Base	35.400
2	P6248	TXP White SQ	31.200
3	P3974	TXP Atomix Blue RQ	17.200
4	P3971	TXP Atomix Magenta NM	16.200
TOTAL			100%

PANTONE® 259 C

1	P6256	TXP Neutral SQ Mix Base	63.600
2	P3976	TXP Atomix Fluo Fuchsia	30.000
3	P3971	TXP Atomix Magenta NM	3.400
4	P3977	TXP Atomix Violet	3.000

TOTAL 100%

PANTONE® 260 C

1	P6256	TXP Neutral SQ Mix Base	60.400
2	P3976	TXP Atomix Fluo Fuchsia	27.200
3	P3971	TXP Atomix Magenta NM	9.000
4	P3977	TXP Atomix Violet	3.400
TOTAL			100%

PANTONE® 261 C

1	P6256	TXP Neutral SQ Mix Base	59.200
2	P3971	TXP Atomix Magenta NM	26.000
3	P3976	TXP Atomix Fluo Fuchsia	10.000
4	P3977	TXP Atomix Violet	4.800
TOTAL			100%

PANTONE® 262 C

1	P6256	TXP Neutral SQ Mix Base	95.500
2	P3969	TXP Atomix Red NM	2.300
3	P3977	TXP Atomix Violet	1.800
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 2562 C

1	P6248	TXP White SQ	61.000
2	P3976	TXP Atomix Fluo Fuchsia	31.800
3	P3974	TXP Atomix Blue RQ	7.200
TOTAL			100%

PANTONE® 2572 C

1	P6256	TXP Neutral SQ Mix Base	4.000
2	P6248	TXP White SQ	46.400
3	P3976	TXP Atomix Fluo Fuchsia	40.000
4	P3974	TXP Atomix Blue RQ	9.600
TOTAL			100%

PANTONE® 2582 C

1	P6256	TXP Neutral SQ Mix Base	30.880
2	P6248	TXP White SQ	5.380
3	P3976	TXP Atomix Fluo Fuchsia	51.200
4	P3974	TXP Atomix Blue RQ	12.550
TOTAL			100%

PANTONE® 2592 C

1	P6256	TXP Neutral SQ Mix Base	54.400
2	P3976	TXP Atomix Fluo Fuchsia	35.000
3	P3974	TXP Atomix Blue RQ	10.000
4	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 2602 C

1	P6256	TXP Neutral SQ Mix Base	51.250
2	P3976	TXP Atomix Fluo Fuchsia	33.960
3	P3974	TXP Atomix Blue RQ	13.120
4	P3971	TXP Atomix Magenta NM	1.670
TOTAL			100%

PANTONE® 2612 C

1	P6256	TXP Neutral SQ Mix Base	57.600
2	P3976	TXP Atomix Fluo Fuchsia	36.800
3	P3977	TXP Atomix Violet	3.200
4	P3971	TXP Atomix Magenta NM	2.400
TOTAL			100%

PANTONE® 2622 C

1	P6256	TXP Neutral SQ Mix Base	21.800
2	P3976	TXP Atomix Fluo Fuchsia	54.200
3	P3971	TXP Atomix Magenta NM	19.600
4	P3977	TXP Atomix Violet	4.400
TOTAL			100%

PANTONE® 2563 C

1	P6248	TXP White SQ	71.400
2	P3976	TXP Atomix Fluo Fuchsia	20.800
3	P3974	TXP Atomix Blue RQ	7.800
TOTAL			100%

PANTONE® 2573 C

1	P6256	TXP Neutral SQ Mix Base	19.600
2	P6248	TXP White SQ	32.800
3	P3976	TXP Atomix Fluo Fuchsia	34.400
4	P3974	TXP Atomix Blue RQ	13.200
TOTAL			100%

PANTONE® 2583 C

1	P6256	TXP Neutral SQ Mix Base	59.200
2	P6248	TXP White SQ	6.400
3	P3976	TXP Atomix Fluo Fuchsia	23.000
4	P3974	TXP Atomix Blue RQ	10.400
5	P3971	TXP Atomix Magenta NM	1.000
TOTAL			100%

PANTONE® 2593 C

1	P6256	TXP Neutral SQ Mix Base	65.000
2	P3976	TXP Atomix Fluo Fuchsia	21.200
3	P3974	TXP Atomix Blue RQ	11.200
4	P3971	TXP Atomix Magenta NM	2.600
TOTAL			100%

PANTONE® 2603 C

1	P6256	TXP Neutral SQ Mix Base	74.700
2	P3976	TXP Atomix Fluo Fuchsia	20.720
3	P3977	TXP Atomix Violet	2.590
4	P3971	TXP Atomix Magenta NM	1.990
TOTAL			100%

PANTONE® 2613 C

1	P6256	TXP Neutral SQ Mix Base	71.800
2	P3974	TXP Atomix Blue RQ	12.800
3	P3976	TXP Atomix Fluo Fuchsia	8.000
4	P3971	TXP Atomix Magenta NM	7.400
TOTAL			100%

PANTONE® 2623 C			
1	P6256	TXP Neutral SQ Mix Base	64.600
2	P3974	TXP Atomix Blue RQ	17.800
3	P3971	TXP Atomix Magenta NM	17.600
TOTAL			100%

PANTONE® 263 C			
1	P6248	TXP White SQ	90.900
2	P3976	TXP Atomix Fluo Fuchsia	6.200
3	P3974	TXP Atomix Blue RQ	2.900
TOTAL			100%

PANTONE® 2567 C			
1	P6248	TXP White SQ	66.000
2	P3976	TXP Atomix Fluo Fuchsia	21.600
3	P3974	TXP Atomix Blue RQ	12.400
TOTAL			100%

PANTONE® 264 C			
1	P6256	TXP Neutral SQ Mix Base	23.600
2	P6248	TXP White SQ	57.600
3	P3976	TXP Atomix Fluo Fuchsia	13.200
4	P3974	TXP Atomix Blue RQ	5.600
TOTAL			100%

PANTONE® 2577 C			
1	P6256	TXP Neutral SQ Mix Base	22.400
2	P6248	TXP White SQ	25.000
3	P3976	TXP Atomix Fluo Fuchsia	36.200
4	P3974	TXP Atomix Blue RQ	16.200
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 265 C			
1	P6256	TXP Neutral SQ Mix Base	35.200
2	P6248	TXP White SQ	14.800
3	P3976	TXP Atomix Fluo Fuchsia	30.000
4	P3974	TXP Atomix Blue RQ	20.000
TOTAL			100%

PANTONE® 2587 C			
1	P6256	TXP Neutral SQ Mix Base	45.600
2	P6248	TXP White SQ	1.600
3	P3976	TXP Atomix Fluo Fuchsia	32.400
4	P3974	TXP Atomix Blue RQ	20.400
TOTAL			100%

PANTONE® 266 C			
1	P6256	TXP Neutral SQ Mix Base	51.400
2	P3976	TXP Atomix Fluo Fuchsia	31.200
3	P3974	TXP Atomix Blue RQ	17.400
TOTAL			100%

PANTONE® 2597 C			
1	P6256	TXP Neutral SQ Mix Base	57.400
2	P3974	TXP Atomix Blue RQ	24.200
3	P3976	TXP Atomix Fluo Fuchsia	12.800
4	P3971	TXP Atomix Magenta NM	5.600
TOTAL			100%

PANTONE® 267 C			
1	P6256	TXP Neutral SQ Mix Base	44.400
2	P3974	TXP Atomix Blue RQ	31.000
3	P3976	TXP Atomix Fluo Fuchsia	21.000
4	P3971	TXP Atomix Magenta NM	3.600
TOTAL			100%

PANTONE® 2607 C			
1	P3974	TXP Atomix Blue RQ	52.200
2	P3976	TXP Atomix Fluo Fuchsia	36.200
3	P3971	TXP Atomix Magenta NM	11.600
TOTAL			100%

PANTONE® 268 C			
1	P6256	TXP Neutral SQ Mix Base	60.200
2	P3974	TXP Atomix Blue RQ	28.600
3	P3971	TXP Atomix Magenta NM	11.200
TOTAL			100%

PANTONE® 2617 C			
1	P6256	TXP Neutral SQ Mix Base	30.000
2	P3974	TXP Atomix Blue RQ	39.480
3	P3976	TXP Atomix Fluo Fuchsia	20.300
4	P3971	TXP Atomix Magenta NM	10.220
TOTAL			100%

PANTONE® 269 C			
1	P6256	TXP Neutral SQ Mix Base	52.800
2	P3974	TXP Atomix Blue RQ	29.600
3	P3971	TXP Atomix Magenta NM	16.800
4	P3977	TXP Atomix Violet	0.800
TOTAL			100%

PANTONE® 2627 C			
1	P6256	TXP Neutral SQ Mix Base	95.000
2	P3977	TXP Atomix Violet	3.600
3	P3969	TXP Atomix Red NM	1.400
TOTAL			100%

PANTONE® 2635 C			
1	P6256	TXP Neutral SQ Mix Base	84.100
2	P6248	TXP White SQ	12.000
3	P3974	TXP Atomix Blue RQ	2.200
4	P3976	TXP Atomix Fluo Fuchsia	1.700
TOTAL			100%

TOTAL 100%

PANTONE® 2645 C

1	P6256	TXP Neutral SQ Mix Base	60.500
2	P6248	TXP White SQ	18.000
3	P3976	TXP Atomix Fluo Fuchsia	11.200
4	P3974	TXP Atomix Blue RQ	10.200
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 2655 C

1	P6256	TXP Neutral SQ Mix Base	70.300
2	P6248	TXP White SQ	6.500
3	P3974	TXP Atomix Blue RQ	11.200
4	P3976	TXP Atomix Fluo Fuchsia	12.000
TOTAL			100%

PANTONE® 2665 C

1	P6256	TXP Neutral SQ Mix Base	67.700
2	P6248	TXP White SQ	3.800
3	P3974	TXP Atomix Blue RQ	15.800
4	P3976	TXP Atomix Fluo Fuchsia	12.700
TOTAL			100%

PANTONE® Violet C

1	P6256	TXP Neutral SQ Mix Base	24.800
2	P3974	TXP Atomix Blue RQ	38.800
3	P3976	TXP Atomix Fluo Fuchsia	33.000
4	P3977	TXP Atomix Violet	2.200
5	P3978	TXP Atomix Blue 1500	1.200
TOTAL			100%

PANTONE® 2685 C

1	P6256	TXP Neutral SQ Mix Base	33.000
2	P3974	TXP Atomix Blue RQ	37.000
3	P3976	TXP Atomix Fluo Fuchsia	26.000
4	P3977	TXP Atomix Violet	4.000
TOTAL			100%

PANTONE® 2695 C

1	P6256	TXP Neutral SQ Mix Base	19.000
2	P3976	TXP Atomix Fluo Fuchsia	54.200
3	P3978	TXP Atomix Blue 1500	14.200
4	P3977	TXP Atomix Violet	12.600
TOTAL			100%

PANTONE® 270 C

1	P6256	TXP Neutral SQ Mix Base	71.000
2	P6248	TXP White SQ	23.000
3	P3974	TXP Atomix Blue RQ	4.200
4	P3976	TXP Atomix Fluo Fuchsia	1.800
TOTAL			100%

PANTONE® 271 C

1	P6256	TXP Neutral SQ Mix Base	65.800
2	P6248	TXP White SQ	32.200
3	P3977	TXP Atomix Violet	1.400
4	P3980	TXP Atomix Blue B	0.600

PANTONE® 272 C

1	P6256	TXP Neutral SQ Mix Base	49.800
2	P6248	TXP White SQ	45.400
3	P3977	TXP Atomix Violet	3.600
4	P3980	TXP Atomix Blue B	1.200
TOTAL			100%

PANTONE® 273 C

1	P6256	TXP Neutral SQ Mix Base	17.000
2	P3974	TXP Atomix Blue RQ	76.200
3	P3977	TXP Atomix Violet	6.800
TOTAL			100%

PANTONE® 274 C

1	P6256	TXP Neutral SQ Mix Base	12.200
2	P3974	TXP Atomix Blue RQ	73.800
3	P3977	TXP Atomix Violet	11.000
4	P3978	TXP Atomix Blue 1500	3.000
TOTAL			100%

PANTONE® 275 C

1	P6256	TXP Neutral SQ Mix Base	36.800
2	P3974	TXP Atomix Blue RQ	44.000
3	P3977	TXP Atomix Violet	14.800
4	P3978	TXP Atomix Blue 1500	4.400
TOTAL			100%

PANTONE® 276 C

1	P6256	TXP Neutral SQ Mix Base	31.600
2	P3978	TXP Atomix Blue 1500	38.600
3	P3977	TXP Atomix Violet	29.800
TOTAL			100%

PANTONE® 2705 C

1	P6256	TXP Neutral SQ Mix Base	75.600
2	P6248	TXP White SQ	15.200
3	P3974	TXP Atomix Blue RQ	6.400
4	P3976	TXP Atomix Fluo Fuchsia	2.800
TOTAL			100%

PANTONE® 2715 C

1	P6256	TXP Neutral SQ Mix Base	73.800
2	P6248	TXP White SQ	15.600
3	P3974	TXP Atomix Blue RQ	10.000
4	P3977	TXP Atomix Violet	0.600
TOTAL			100%

PANTONE® 2725 C

1	P6256	TXP Neutral SQ Mix Base	86.200
2	P6248	TXP White SQ	3.600
3	P3974	TXP Atomix Blue RQ	8.800
4	P3977	TXP Atomix Violet	1.100
5	P3980	TXP Atomix Blue B	0.300
TOTAL			100%

PANTONE® 2735 C

1	P3974	TXP Atomix Blue RQ	90.400
2	P3976	TXP Atomix Fluo Fuchsia	6.000
3	P3977	TXP Atomix Violet	3.000
4	P3980	TXP Atomix Blue B	0.600
TOTAL			100%

PANTONE® 2745 C

1	P6256	TXP Neutral SQ Mix Base	15.280
2	P3974	TXP Atomix Blue RQ	74.000
3	P3977	TXP Atomix Violet	7.520
4	P3978	TXP Atomix Blue 1500	3.200
TOTAL			100%

PANTONE® 2755 C

1	P6256	TXP Neutral SQ Mix Base	17.400
2	P3974	TXP Atomix Blue RQ	72.000
3	P3977	TXP Atomix Violet	7.600
4	P3978	TXP Atomix Blue 1500	3.000
TOTAL			100%

PANTONE® 2765 C

1	P6256	TXP Neutral SQ Mix Base	14.800
2	P3974	TXP Atomix Blue RQ	50.800
3	P3978	TXP Atomix Blue 1500	18.400
4	P3977	TXP Atomix Violet	16.000
TOTAL			100%

PANTONE® 2706 C

1	P6256	TXP Neutral SQ Mix Base	62.600
2	P6248	TXP White SQ	35.000
3	P3974	TXP Atomix Blue RQ	2.200
4	P3976	TXP Atomix Fluo Fuchsia	0.200
TOTAL			100%

PANTONE® 2716 C

1	P6256	TXP Neutral SQ Mix Base	76.400
2	P6248	TXP White SQ	15.600
3	P3974	TXP Atomix Blue RQ	6.800
4	P3976	TXP Atomix Fluo Fuchsia	1.200
TOTAL			100%

PANTONE® 2726 C

1	P6256	TXP Neutral SQ Mix Base	82.200
2	P6248	TXP White SQ	3.600
3	P3974	TXP Atomix Blue RQ	13.200
4	P3977	TXP Atomix Violet	0.600
5	P3980	TXP Atomix Blue B	0.400
TOTAL			100%

PANTONE® 2736 C

1	P6256	TXP Neutral SQ Mix Base	55.100
2	P3974	TXP Atomix Blue RQ	42.600
3	P3980	TXP Atomix Blue B	1.400
4	P3977	TXP Atomix Violet	0.900
TOTAL			100%

PANTONE® 2746 C

1	P6256	TXP Neutral SQ Mix Base	54.200
2	P3974	TXP Atomix Blue RQ	42.200
3	P3980	TXP Atomix Blue B	2.200
4	P3977	TXP Atomix Violet	1.400
TOTAL			100%

PANTONE® 2756 C

1	P6256	TXP Neutral SQ Mix Base	52.400
2	P3974	TXP Atomix Blue RQ	35.200
3	P3980	TXP Atomix Blue B	9.600
4	P3977	TXP Atomix Violet	2.800
TOTAL			100%

PANTONE® 2766 C

1	P6256	TXP Neutral SQ Mix Base	53.600
2	P3978	TXP Atomix Blue 1500	40.000
3	P3977	TXP Atomix Violet	6.200
4	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 2707 C

1	P6256	TXP Neutral SQ Mix Base	63.400
2	P6248	TXP White SQ	34.400
3	P3974	TXP Atomix Blue RQ	2.100
4	P3978	TXP Atomix Blue 1500	0.100
TOTAL			100%

PANTONE® 2717 C

1	P6256	TXP Neutral SQ Mix Base	61.000
2	P6248	TXP White SQ	32.400
3	P3974	TXP Atomix Blue RQ	6.200
4	P3978	TXP Atomix Blue 1500	0.400
TOTAL			100%

PANTONE® 2727 C

1	P6256	TXP Neutral SQ Mix Base	59.600
2	P6248	TXP White SQ	11.600
3	P3974	TXP Atomix Blue RQ	26.400
4	P3980	TXP Atomix Blue B	2.400
TOTAL			100%

PANTONE® Blue 072 C

1	P6256	TXP Neutral SQ Mix Base	16.000
2	P3974	TXP Atomix Blue RQ	78.000
3	P3978	TXP Atomix Blue 1500	6.000
TOTAL			100%

PANTONE® 2747 C

1	P6256	TXP Neutral SQ Mix Base	32.800
2	P3974	TXP Atomix Blue RQ	46.000
3	P3978	TXP Atomix Blue 1500	19.000
4	P3977	TXP Atomix Violet	2.200
TOTAL			100%

PANTONE® 2757 C			
1	P6256	TXP Neutral SQ Mix Base	50.000
2	P3980	TXP Atomix Blue B	26.200
3	P3974	TXP Atomix Blue RQ	20.800
4	P3977	TXP Atomix Violet	3.000
TOTAL			100%

PANTONE® 2767 C			
1	P6256	TXP Neutral SQ Mix Base	53.600
2	P3980	TXP Atomix Blue B	42.800
3	P3981	TXP Atomix Black	2.200
4	P3977	TXP Atomix Violet	1.400
TOTAL			100%

PANTONE® 2708 C			
1	P6256	TXP Neutral SQ Mix Base	62.100
2	P6248	TXP White SQ	34.400
3	P3974	TXP Atomix Blue RQ	3.300
4	P3978	TXP Atomix Blue 1500	0.200
TOTAL			100%

PANTONE® 2718 C			
1	P6256	TXP Neutral SQ Mix Base	65.800
2	P6248	TXP White SQ	14.600
3	P3974	TXP Atomix Blue RQ	19.000
4	P3978	TXP Atomix Blue 1500	0.600
TOTAL			100%

PANTONE® 2728 C			
1	P6256	TXP Neutral SQ Mix Base	41.200
2	P6248	TXP White SQ	4.600
3	P3974	TXP Atomix Blue RQ	48.400
4	P3980	TXP Atomix Blue B	5.800
TOTAL			100%

PANTONE® 2738 C			
1	P6256	TXP Neutral SQ Mix Base	21.000
2	P3974	TXP Atomix Blue RQ	71.400
3	P3980	TXP Atomix Blue B	7.000
4	P3977	TXP Atomix Violet	0.600
TOTAL			100%

PANTONE® 2748 C			
1	P6256	TXP Neutral SQ Mix Base	45.600
2	P3974	TXP Atomix Blue RQ	38.600
3	P3978	TXP Atomix Blue 1500	14.400
4	P3977	TXP Atomix Violet	1.400
TOTAL			100%

PANTONE® 2758 C			
1	P6256	TXP Neutral SQ Mix Base	34.600
2	P3974	TXP Atomix Blue RQ	33.800
3	P3978	TXP Atomix Blue 1500	30.000
4	P3977	TXP Atomix Violet	1.600
TOTAL			100%

PANTONE® 2768 C			
1	P6256	TXP Neutral SQ Mix Base	44.600
2	P3980	TXP Atomix Blue B	49.600
3	P3977	TXP Atomix Violet	5.000
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 277 C			
1	P6256	TXP Neutral SQ Mix Base	72.400
2	P6248	TXP White SQ	26.200
3	P3974	TXP Atomix Blue RQ	1.000
4	P3978	TXP Atomix Blue 1500	0.400
TOTAL			100%

PANTONE® 278 C			
1	P6256	TXP Neutral SQ Mix Base	71.600
2	P6248	TXP White SQ	23.800
3	P3974	TXP Atomix Blue RQ	4.000
4	P3978	TXP Atomix Blue 1500	0.600
TOTAL			100%

PANTONE® 279 C			
1	P6256	TXP Neutral SQ Mix Base	68.200
2	P6248	TXP White SQ	14.800
3	P3974	TXP Atomix Blue RQ	15.600
4	P3980	TXP Atomix Blue B	1.400
TOTAL			100%

PANTONE® Reflex Blue C			
1	P6256	TXP Neutral SQ Mix Base	38.700
2	P3974	TXP Atomix Blue RQ	44.000
3	P3980	TXP Atomix Blue B	17.000
4	P3977	TXP Atomix Violet	0.300
TOTAL			100%

PANTONE® 280 C			
1	P3974	TXP Atomix Blue RQ	65.800
2	P3980	TXP Atomix Blue B	33.600
3	P3977	TXP Atomix Violet	0.600
TOTAL			100%

PANTONE® 281 C			
1	P6256	TXP Neutral SQ Mix Base	36.000
2	P3980	TXP Atomix Blue B	32.400
3	P3974	TXP Atomix Blue RQ	30.000
4	P3977	TXP Atomix Violet	1.600
TOTAL			100%

PANTONE® 282 C			
1	P6256	TXP Neutral SQ Mix Base	48.000
2	P3980	TXP Atomix Blue B	49.600
3	P3981	TXP Atomix Black	1.400
4	P3977	TXP Atomix Violet	1.000
TOTAL			100%

PANTONE® 283 C

1	P6256	TXP Neutral SQ Mix Base	75.800
2	P6248	TXP White SQ	22.200
3	P3974	TXP Atomix Blue RQ	1.400
4	P3978	TXP Atomix Blue 1500	0.600
TOTAL			100%

PANTONE® 284 C

1	P6256	TXP Neutral SQ Mix Base	84.200
2	P6248	TXP White SQ	12.800
3	P3974	TXP Atomix Blue RQ	2.200
4	P3978	TXP Atomix Blue 1500	0.800
TOTAL			100%

PANTONE® 285 C

1	P6256	TXP Neutral SQ Mix Base	71.400
2	P6248	TXP White SQ	9.600
3	P3974	TXP Atomix Blue RQ	14.800
4	P3980	TXP Atomix Blue B	4.200
TOTAL			100%

PANTONE® 286 C

1	P6256	TXP Neutral SQ Mix Base	65.600
2	P6248	TXP White SQ	1.900
3	P3974	TXP Atomix Blue RQ	23.300
4	P3980	TXP Atomix Blue B	9.200
TOTAL			100%

PANTONE® 287 C

1	P6256	TXP Neutral SQ Mix Base	84.000
2	P3980	TXP Atomix Blue B	16.000
TOTAL			100%

PANTONE® 288 C

1	P6256	TXP Neutral SQ Mix Base	38.600
2	P3974	TXP Atomix Blue RQ	35.400
3	P3980	TXP Atomix Blue B	26.000
TOTAL			100%

PANTONE® 289 C

1	P6256	TXP Neutral SQ Mix Base	18.000
2	P3980	TXP Atomix Blue B	75.200
3	P3981	TXP Atomix Black	4.400
4	P3977	TXP Atomix Violet	2.400
TOTAL			100%

PANTONE® 290 C

1	P6256	TXP Neutral SQ Mix Base	59.000
2	P6248	TXP White SQ	40.200
3	P3974	TXP Atomix Blue RQ	0.600
4	P3980	TXP Atomix Blue B	0.200
TOTAL			100%

PANTONE® 291 C

1	P6256	TXP Neutral SQ Mix Base	67.000
2	P6248	TXP White SQ	31.000
3	P3974	TXP Atomix Blue RQ	1.650
4	P3980	TXP Atomix Blue B	0.350
TOTAL			100%

PANTONE® 292 C

1	P6256	TXP Neutral SQ Mix Base	71.800
2	P6248	TXP White SQ	21.800
3	P3974	TXP Atomix Blue RQ	5.200
4	P3980	TXP Atomix Blue B	1.200
TOTAL			100%

PANTONE® 293 C

1	P6256	TXP Neutral SQ Mix Base	74.800
2	P3974	TXP Atomix Blue RQ	21.800
3	P3980	TXP Atomix Blue B	2.000
4	P3975	TXP Atomix Fluo Yellow	1.400
TOTAL			100%

PANTONE® 294 C

1	P6256	TXP Neutral SQ Mix Base	58.000
2	P6248	TXP White SQ	1.200
3	P3980	TXP Atomix Blue B	40.800
TOTAL			100%

PANTONE® 295 C

1	P6256	TXP Neutral SQ Mix Base	58.000
2	P6248	TXP White SQ	0.200
3	P3980	TXP Atomix Blue B	41.200
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 296 C

1	P6256	TXP Neutral SQ Mix Base	85.400
2	P3970	TXP Atomix Green	9.000
3	P3977	TXP Atomix Violet	5.600
TOTAL			100%

PANTONE® 2905 C

1	P6256	TXP Neutral SQ Mix Base	72.800
2	P6248	TXP White SQ	26.000
3	P3980	TXP Atomix Blue B	0.600
4	P3974	TXP Atomix Blue RQ	0.600
TOTAL			100%

PANTONE® 2915 C

1	P6256	TXP Neutral SQ Mix Base	69.000
2	P6248	TXP White SQ	28.800
3	P3980	TXP Atomix Blue B	1.200
4	P3978	TXP Atomix Blue 1500	1.000
TOTAL			100%

PANTONE® 2925 C

1	P6256	TXP Neutral SQ Mix Base	79.960
2	P6248	TXP White SQ	14.000
3	P3980	TXP Atomix Blue B	3.200
4	P3974	TXP Atomix Blue RQ	2.800
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 2935 C

1	P6256	TXP Neutral SQ Mix Base	91.600
2	P3980	TXP Atomix Blue B	6.000
3	P3974	TXP Atomix Blue RQ	2.400
TOTAL			100%

PANTONE® 2945 C

1	P6256	TXP Neutral SQ Mix Base	86.400
2	P3980	TXP Atomix Blue B	13.500
3	P3973	TXP Atomix Fluo Orange	0.100
TOTAL			100%

PANTONE® 2955 C

1	P6256	TXP Neutral SQ Mix Base	75.200
2	P3980	TXP Atomix Blue B	24.200
3	P3967	TXP Atomix Yellow	0.600
TOTAL			100%

PANTONE® 2965 C

1	P6256	TXP Neutral SQ Mix Base	47.000
2	P3980	TXP Atomix Blue B	48.000
3	P3967	TXP Atomix Yellow	3.200
4	P3981	TXP Atomix Black	1.800
TOTAL			100%

PANTONE® 297 C

1	P6256	TXP Neutral SQ Mix Base	73.400
2	P6248	TXP White SQ	25.400
3	P3980	TXP Atomix Blue B	1.200
TOTAL			100%

PANTONE® 298 C

1	P6256	TXP Neutral SQ Mix Base	79.500
2	P6248	TXP White SQ	18.200
3	P3980	TXP Atomix Blue B	2.200
4	P3975	TXP Atomix Fluo Yellow	0.100
TOTAL			100%

PANTONE® 299 C

1	P6256	TXP Neutral SQ Mix Base	82.600
2	P6248	TXP White SQ	13.000
3	P3980	TXP Atomix Blue B	4.300
4	P3975	TXP Atomix Fluo Yellow	0.100
TOTAL			100%

PANTONE® 300 C

1	P6256	TXP Neutral SQ Mix Base	93.950
2	P3980	TXP Atomix Blue B	4.800
3	P3974	TXP Atomix Blue RQ	1.000
4	P3975	TXP Atomix Fluo Yellow	0.250
TOTAL			100%

PANTONE® 301 C

1	P6256	TXP Neutral SQ Mix Base	85.600
2	P6248	TXP White SQ	0.200
3	P3980	TXP Atomix Blue B	12.800
4	P3975	TXP Atomix Fluo Yellow	1.400
TOTAL			100%

PANTONE® 302 C

1	P6256	TXP Neutral SQ Mix Base	82.000
2	P3980	TXP Atomix Blue B	17.000
3	P3967	TXP Atomix Yellow	1.000
TOTAL			100%

PANTONE® 303 C

1	P6256	TXP Neutral SQ Mix Base	74.600
2	P3980	TXP Atomix Blue B	22.800
3	P3967	TXP Atomix Yellow	2.500
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 2975 C

1	P6248	TXP White SQ	98.300
2	P3980	TXP Atomix Blue B	1.100
3	P3975	TXP Atomix Fluo Yellow	0.600
TOTAL			100%

PANTONE® 2985 C

1	P6256	TXP Neutral SQ Mix Base	40.360
2	P6248	TXP White SQ	57.000
3	P3980	TXP Atomix Blue B	2.400
4	P3975	TXP Atomix Fluo Yellow	0.240
TOTAL			100%

PANTONE® 2995 C

1	P6256	TXP Neutral SQ Mix Base	93.320
2	P6248	TXP White SQ	5.200
3	P3980	TXP Atomix Blue B	1.320
4	P3975	TXP Atomix Fluo Yellow	0.160
TOTAL			100%

PANTONE® 3005 C

1	P6256	TXP Neutral SQ Mix Base	96.200
2	P6248	TXP White SQ	0.600
3	P3980	TXP Atomix Blue B	3.000
4	P3975	TXP Atomix Fluo Yellow	0.200
TOTAL			100%

PANTONE® 3015 C

1	P6256	TXP Neutral SQ Mix Base	91.600
2	P3980	TXP Atomix Blue B	7.000
3	P3975	TXP Atomix Fluo Yellow	1.400
TOTAL			100%

PANTONE® 3025 C

1	P6256	TXP Neutral SQ Mix Base	82.600
2	P6248	TXP White SQ	0.400
3	P3980	TXP Atomix Blue B	13.200
4	P3970	TXP Atomix Green	3.800
TOTAL			100%

PANTONE® 3035 C

1	P6256	TXP Neutral SQ Mix Base	83.600
2	P3980	TXP Atomix Blue B	14.600
3	P3967	TXP Atomix Yellow	1.800
TOTAL			100%

PANTONE® 304 C

1	P6256	TXP Neutral SQ Mix Base	42.800
2	P6248	TXP White SQ	55.300
3	P3975	TXP Atomix Fluo Yellow	1.100
4	P3980	TXP Atomix Blue B	0.800
TOTAL			100%

PANTONE® 305 C

1	P6256	TXP Neutral SQ Mix Base	66.320
2	P6248	TXP White SQ	31.200
3	P3980	TXP Atomix Blue B	1.600
4	P3975	TXP Atomix Fluo Yellow	0.880
TOTAL			100%

PANTONE® 306 C

1	P6256	TXP Neutral SQ Mix Base	84.500
2	P6248	TXP White SQ	13.000
3	P3980	TXP Atomix Blue B	1.900
4	P3975	TXP Atomix Fluo Yellow	0.600
TOTAL			100%

PANTONE® Process Blue C

1	P6256	TXP Neutral SQ Mix Base	96.100
2	P6248	TXP White SQ	0.600
3	P3980	TXP Atomix Blue B	2.700
4	P3975	TXP Atomix Fluo Yellow	0.600
TOTAL			100%

PANTONE® 307 C

1	P6256	TXP Neutral SQ Mix Base	89.000
2	P6248	TXP White SQ	1.800
3	P3980	TXP Atomix Blue B	7.200
4	P3975	TXP Atomix Fluo Yellow	2.000
TOTAL			100%

PANTONE® 308 C

1	P6256	TXP Neutral SQ Mix Base	82.100
2	P6248	TXP White SQ	2.300
3	P3980	TXP Atomix Blue B	11.800
4	P3970	TXP Atomix Green	3.800
TOTAL			100%

PANTONE® 309 C

1	P6256	TXP Neutral SQ Mix Base	73.520
2	P6248	TXP White SQ	1.080
3	P3980	TXP Atomix Blue B	21.600
4	P3967	TXP Atomix Yellow	3.800
TOTAL			100%

PANTONE® 310 C

1	P6256	TXP Neutral SQ Mix Base	40.400
2	P6248	TXP White SQ	56.300
3	P3975	TXP Atomix Fluo Yellow	1.800
4	P3980	TXP Atomix Blue B	1.500
TOTAL			100%

PANTONE® 311 C

1	P6256	TXP Neutral SQ Mix Base	76.680
2	P6248	TXP White SQ	20.800
3	P3980	TXP Atomix Blue B	1.400
4	P3975	TXP Atomix Fluo Yellow	1.120
TOTAL			100%

PANTONE® 312 C

1	P6256	TXP Neutral SQ Mix Base	92.000
2	P6248	TXP White SQ	4.800
3	P3980	TXP Atomix Blue B	2.000
4	P3975	TXP Atomix Fluo Yellow	1.200
TOTAL			100%

PANTONE® 313 C

1	P6256	TXP Neutral SQ Mix Base	90.280
2	P6248	TXP White SQ	4.600
3	P3980	TXP Atomix Blue B	3.400
4	P3975	TXP Atomix Fluo Yellow	1.720
TOTAL			100%

PANTONE® 314 C

1	P6256	TXP Neutral SQ Mix Base	86.580
2	P6248	TXP White SQ	3.700
3	P3980	TXP Atomix Blue B	6.200
4	P3975	TXP Atomix Fluo Yellow	3.520
TOTAL			100%

PANTONE® 315 C

1	P6256	TXP Neutral SQ Mix Base	80.800
2	P6248	TXP White SQ	5.200
3	P3980	TXP Atomix Blue B	9.400
4	P3970	TXP Atomix Green	4.600
TOTAL			100%

PANTONE® 316 C

1	P6256	TXP Neutral SQ Mix Base	83.800
2	P6248	TXP White SQ	1.000
3	P3980	TXP Atomix Blue B	12.600
4	P3967	TXP Atomix Yellow	2.600
TOTAL			100%

PANTONE® 317 C

1	P6256	TXP Neutral SQ Mix Base	77.400
2	P6248	TXP White SQ	21.800
3	P3975	TXP Atomix Fluo Yellow	0.600
4	P3980	TXP Atomix Blue B	0.200
TOTAL			100%

PANTONE® 3105 C

1	P6256	TXP Neutral SQ Mix Base	80.000
2	P6248	TXP White SQ	18.000
3	P3975	TXP Atomix Fluo Yellow	1.200
4	P3980	TXP Atomix Blue B	0.800
TOTAL			100%

PANTONE® 318 C

1	P6256	TXP Neutral SQ Mix Base	77.300
2	P6248	TXP White SQ	21.200
3	P3975	TXP Atomix Fluo Yellow	1.000
4	P3980	TXP Atomix Blue B	0.500
TOTAL			100%

PANTONE® 3115 C

1	P6256	TXP Neutral SQ Mix Base	77.600
2	P6248	TXP White SQ	18.400
3	P3975	TXP Atomix Fluo Yellow	2.200
4	P3980	TXP Atomix Blue B	1.800
TOTAL			100%

PANTONE® 319 C

1	P6256	TXP Neutral SQ Mix Base	86.500
2	P6248	TXP White SQ	11.000
3	P3975	TXP Atomix Fluo Yellow	1.600
4	P3980	TXP Atomix Blue B	0.900
TOTAL			100%

PANTONE® 3125 C

1	P6256	TXP Neutral SQ Mix Base	92.400
2	P6248	TXP White SQ	4.400
3	P3975	TXP Atomix Fluo Yellow	1.600
4	P3980	TXP Atomix Blue B	1.600
TOTAL			100%

PANTONE® 320 C

1	P6256	TXP Neutral SQ Mix Base	91.000
2	P6248	TXP White SQ	1.400
3	P3975	TXP Atomix Fluo Yellow	4.200
4	P3980	TXP Atomix Blue B	3.400
TOTAL			100%

PANTONE® 3135 C

1	P6256	TXP Neutral SQ Mix Base	92.780
2	P6248	TXP White SQ	1.300
3	P3980	TXP Atomix Blue B	3.200
4	P3975	TXP Atomix Fluo Yellow	2.720
TOTAL			100%

PANTONE® 321 C

1	P6256	TXP Neutral SQ Mix Base	87.000
2	P6248	TXP White SQ	1.840
3	P3975	TXP Atomix Fluo Yellow	6.200
4	P3980	TXP Atomix Blue B	4.960
TOTAL			100%

PANTONE® 3145 C

1	P6256	TXP Neutral SQ Mix Base	84.600
2	P6248	TXP White SQ	1.400
3	P3980	TXP Atomix Blue B	7.600
4	P3975	TXP Atomix Fluo Yellow	6.400
TOTAL			100%

PANTONE® 322 C

1	P6256	TXP Neutral SQ Mix Base	94.860
2	P6248	TXP White SQ	1.000
3	P3980	TXP Atomix Blue B	3.240
4	P3967	TXP Atomix Yellow	0.900
TOTAL			100%

PANTONE® 3155 C

1	P6256	TXP Neutral SQ Mix Base	73.600
2	P6248	TXP White SQ	2.000
3	P3980	TXP Atomix Blue B	12.800
4	P3975	TXP Atomix Fluo Yellow	11.600
TOTAL			100%

PANTONE® 323 C

1	P6256	TXP Neutral SQ Mix Base	91.000
2	P6248	TXP White SQ	1.200
3	P3980	TXP Atomix Blue B	6.000
4	P3967	TXP Atomix Yellow	1.800
TOTAL			100%

PANTONE® 3165 C

1	P6256	TXP Neutral SQ Mix Base	87.900
2	P6248	TXP White SQ	1.800
3	P3980	TXP Atomix Blue B	8.400
4	P3967	TXP Atomix Yellow	1.900
TOTAL			100%

PANTONE® 324 C

1	P6256	TXP Neutral SQ Mix Base	38.500
2	P6248	TXP White SQ	60.000
3	P3970	TXP Atomix Green	1.200
4	P3980	TXP Atomix Blue B	0.300
TOTAL			100%

3	P3975	TXP Atomix Fluo Yellow	2.760
4	P3980	TXP Atomix Blue B	0.880
TOTAL			100%

PANTONE® 325 C

1	P6256	TXP Neutral SQ Mix Base	79.800
2	P6248	TXP White SQ	18.800
3	P3970	TXP Atomix Green	1.000
4	P3980	TXP Atomix Blue B	0.400
TOTAL			100%

PANTONE® 3262 C

1	P6256	TXP Neutral SQ Mix Base	11.000
2	P6248	TXP White SQ	80.200
3	P3975	TXP Atomix Fluo Yellow	6.600
4	P3980	TXP Atomix Blue B	2.200
TOTAL			100%

PANTONE® 326 C

1	P6256	TXP Neutral SQ Mix Base	66.380
2	P6248	TXP White SQ	27.200
3	P3970	TXP Atomix Green	4.900
4	P3980	TXP Atomix Blue B	1.520
TOTAL			100%

PANTONE® 3272 C

1	P6256	TXP Neutral SQ Mix Base	87.000
2	P6248	TXP White SQ	2.000
3	P3975	TXP Atomix Fluo Yellow	7.800
4	P3980	TXP Atomix Blue B	3.200
TOTAL			100%

PANTONE® 327 C

1	P6256	TXP Neutral SQ Mix Base	89.940
2	P6248	TXP White SQ	3.000
3	P3970	TXP Atomix Green	5.600
4	P3980	TXP Atomix Blue B	1.460
TOTAL			100%

PANTONE® 3282 C

1	P6256	TXP Neutral SQ Mix Base	87.000
2	P6248	TXP White SQ	4.000
3	P3970	TXP Atomix Green	7.100
4	P3980	TXP Atomix Blue B	1.900
TOTAL			100%

PANTONE® 328 C

1	P6256	TXP Neutral SQ Mix Base	81.200
2	P6248	TXP White SQ	3.800
3	P3970	TXP Atomix Green	11.400
4	P3980	TXP Atomix Blue B	3.600
TOTAL			100%

PANTONE® 3292 C

1	P6256	TXP Neutral SQ Mix Base	91.960
2	P6248	TXP White SQ	1.800
3	P3980	TXP Atomix Blue B	4.200
4	P3967	TXP Atomix Yellow	2.000
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 329 C

1	P6256	TXP Neutral SQ Mix Base	73.200
2	P6248	TXP White SQ	4.800
3	P3970	TXP Atomix Green	17.900
4	P3980	TXP Atomix Blue B	4.000
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 3302 C

1	P6256	TXP Neutral SQ Mix Base	80.740
2	P6248	TXP White SQ	3.000
3	P3980	TXP Atomix Blue B	10.200
4	P3967	TXP Atomix Yellow	5.800
5	P3981	TXP Atomix Black	0.260
TOTAL			100%

PANTONE® 330 C

1	P6256	TXP Neutral SQ Mix Base	81.540
2	P6248	TXP White SQ	3.000
3	P3980	TXP Atomix Blue B	10.200
4	P3967	TXP Atomix Yellow	5.000
5	P3981	TXP Atomix Black	0.260
TOTAL			100%

PANTONE® 3245 C

1	P6256	TXP Neutral SQ Mix Base	80.000
2	P6248	TXP White SQ	16.600
3	P3975	TXP Atomix Fluo Yellow	2.800
4	P3980	TXP Atomix Blue B	0.600
TOTAL			100%

PANTONE® 3242 C

1	P6256	TXP Neutral SQ Mix Base	77.120
2	P6248	TXP White SQ	20.600
3	P3975	TXP Atomix Fluo Yellow	1.800
4	P3980	TXP Atomix Blue B	0.480
TOTAL			100%

PANTONE® 3255 C

1	P6256	TXP Neutral SQ Mix Base	78.400
2	P6248	TXP White SQ	16.000
3	P3975	TXP Atomix Fluo Yellow	4.600
4	P3980	TXP Atomix Blue B	1.000
TOTAL			100%

PANTONE® 3252 C

1	P6256	TXP Neutral SQ Mix Base	78.960
2	P6248	TXP White SQ	17.400

PANTONE® 3265 C

1	P6256	TXP Neutral SQ Mix Base	81.800
2	P6248	TXP White SQ	9.800

3	P3975	TXP Atomix Fluo Yellow	6.800
4	P3980	TXP Atomix Blue B	1.600
TOTAL			100%

PANTONE® 3275 C

1	P6256	TXP Neutral SQ Mix Base	80.400
2	P6248	TXP White SQ	5.800
3	P3975	TXP Atomix Fluo Yellow	10.800
4	P3980	TXP Atomix Blue B	3.000
TOTAL			100%

PANTONE® 3285 C

1	P6256	TXP Neutral SQ Mix Base	87.600
2	P6248	TXP White SQ	4.800
3	P3970	TXP Atomix Green	6.200
4	P3980	TXP Atomix Blue B	1.200
5	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 3295 C

1	P6256	TXP Neutral SQ Mix Base	15.120
2	P6248	TXP White SQ	34.200
3	P3970	TXP Atomix Green	49.600
4	P3981	TXP Atomix Black	1.080
TOTAL			100%

PANTONE® 3305 C

1	P6256	TXP Neutral SQ Mix Base	81.300
2	P6248	TXP White SQ	3.300
3	P3980	TXP Atomix Blue B	9.000
4	P3967	TXP Atomix Yellow	6.100
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 3248 C

1	P6256	TXP Neutral SQ Mix Base	74.800
2	P6248	TXP White SQ	20.600
3	P3975	TXP Atomix Fluo Yellow	3.800
4	P3978	TXP Atomix Blue 1500	0.600
5	P3980	TXP Atomix Blue B	0.200
TOTAL			100%

PANTONE® 3258 C

1	P6256	TXP Neutral SQ Mix Base	67.200
2	P6248	TXP White SQ	20.800
3	P3975	TXP Atomix Fluo Yellow	10.160
4	P3978	TXP Atomix Blue 1500	1.440
5	P3980	TXP Atomix Blue B	0.400
TOTAL			100%

PANTONE® 3268 C

1	P6256	TXP Neutral SQ Mix Base	77.480
2	P6248	TXP White SQ	6.400
3	P3975	TXP Atomix Fluo Yellow	13.600
4	P3978	TXP Atomix Blue 1500	2.520
TOTAL			100%

PANTONE® 3278 C

1	P6256	TXP Neutral SQ Mix Base	70.540
2	P6248	TXP White SQ	3.400
3	P3975	TXP Atomix Fluo Yellow	21.200
4	P3980	TXP Atomix Blue B	4.800
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 3288 C

1	P6256	TXP Neutral SQ Mix Base	19.600
2	P6248	TXP White SQ	26.600
3	P3970	TXP Atomix Green	52.680
4	P3967	TXP Atomix Yellow	1.120
TOTAL			100%

PANTONE® 3298 C

1	P6248	TXP White SQ	33.800
2	P3970	TXP Atomix Green	63.300
3	P3967	TXP Atomix Yellow	1.600
4	P3981	TXP Atomix Black	1.300
TOTAL			100%

PANTONE® 3308 C

1	P6256	TXP Neutral SQ Mix Base	78.800
2	P6248	TXP White SQ	2.100
3	P3980	TXP Atomix Blue B	10.800
4	P3967	TXP Atomix Yellow	8.000
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 331 C

1	P6256	TXP Neutral SQ Mix Base	75.440
2	P6248	TXP White SQ	22.400
3	P3975	TXP Atomix Fluo Yellow	1.920
4	P3980	TXP Atomix Blue B	0.240
TOTAL			100%

PANTONE® 332 C

1	P6256	TXP Neutral SQ Mix Base	76.920
2	P6248	TXP White SQ	20.400
3	P3975	TXP Atomix Fluo Yellow	2.400
4	P3980	TXP Atomix Blue B	0.280
TOTAL			100%

PANTONE® 333 C

1	P6256	TXP Neutral SQ Mix Base	79.040
2	P6248	TXP White SQ	15.600
3	P3975	TXP Atomix Fluo Yellow	4.600
4	P3980	TXP Atomix Blue B	0.760
TOTAL			100%

PANTONE® Green C

1	P6256	TXP Neutral SQ Mix Base	71.000
2	P6248	TXP White SQ	5.200

3	P3975	TXP Atomix Fluo Yellow	19.700
4	P3980	TXP Atomix Blue B	4.100
TOTAL			100%

PANTONE® 334 C

1	P6256	TXP Neutral SQ Mix Base	85.600
2	P6248	TXP White SQ	4.000
3	P3970	TXP Atomix Green	9.700
4	P3968	TXP Atomix Lemon NM	0.700
TOTAL			100%

PANTONE® 335 C

1	P6256	TXP Neutral SQ Mix Base	83.880
2	P6248	TXP White SQ	3.400
3	P3970	TXP Atomix Green	10.640
4	P3968	TXP Atomix Lemon NM	1.760
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 336 C

1	P6248	TXP White SQ	22.800
2	P3970	TXP Atomix Green	65.500
3	P3967	TXP Atomix Yellow	9.800
4	P3981	TXP Atomix Black	1.900
TOTAL			100%

PANTONE® 337 C

1	P6256	TXP Neutral SQ Mix Base	67.360
2	P6248	TXP White SQ	31.200
3	P3970	TXP Atomix Green	1.100
4	P3968	TXP Atomix Lemon NM	0.300
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 338 C

1	P6256	TXP Neutral SQ Mix Base	58.640
2	P6248	TXP White SQ	38.400
3	P3970	TXP Atomix Green	2.400
4	P3968	TXP Atomix Lemon NM	0.500
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 339 C

1	P6256	TXP Neutral SQ Mix Base	79.600
2	P6248	TXP White SQ	12.600
3	P3970	TXP Atomix Green	6.600
4	P3968	TXP Atomix Lemon NM	0.800
5	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 340 C

1	P6256	TXP Neutral SQ Mix Base	88.280
2	P6248	TXP White SQ	3.100
3	P3970	TXP Atomix Green	7.100
4	P3968	TXP Atomix Lemon NM	1.520
TOTAL			100%

PANTONE® 341 C

1	P6256	TXP Neutral SQ Mix Base	79.600
2	P6248	TXP White SQ	4.900
3	P3970	TXP Atomix Green	13.400
4	P3967	TXP Atomix Yellow	2.000
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 342 C

1	P6256	TXP Neutral SQ Mix Base	22.000
2	P6248	TXP White SQ	13.600
3	P3970	TXP Atomix Green	55.200
4	P3967	TXP Atomix Yellow	9.000
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 343 C

1	P6256	TXP Neutral SQ Mix Base	25.400
2	P6248	TXP White SQ	12.800
3	P3970	TXP Atomix Green	46.400
4	P3967	TXP Atomix Yellow	12.400
5	P3981	TXP Atomix Black	3.000
TOTAL			100%

PANTONE® 3375 C

1	P6256	TXP Neutral SQ Mix Base	62.000
2	P6248	TXP White SQ	34.400
3	P3975	TXP Atomix Fluo Yellow	2.400
4	P3970	TXP Atomix Green	1.200
TOTAL			100%

PANTONE® 3385 C

1	P6256	TXP Neutral SQ Mix Base	61.160
2	P6248	TXP White SQ	30.200
3	P3975	TXP Atomix Fluo Yellow	6.000
4	P3970	TXP Atomix Green	2.640
TOTAL			100%

PANTONE® 3395 C

1	P6256	TXP Neutral SQ Mix Base	63.900
2	P6248	TXP White SQ	11.900
3	P3975	TXP Atomix Fluo Yellow	21.600
4	P3980	TXP Atomix Blue B	2.200
5	P3968	TXP Atomix Lemon NM	0.400
TOTAL			100%

PANTONE® 3405 C

1	P6256	TXP Neutral SQ Mix Base	69.660
2	P6248	TXP White SQ	2.000
3	P3975	TXP Atomix Fluo Yellow	23.400
4	P3980	TXP Atomix Blue B	2.940
5	P3968	TXP Atomix Lemon NM	2.000
TOTAL			100%

PANTONE® 3415 C

1	P6256	TXP Neutral SQ Mix Base	79.800
2	P6248	TXP White SQ	2.800
3	P3970	TXP Atomix Green	14.000
4	P3967	TXP Atomix Yellow	3.400
TOTAL			100%

PANTONE® 3425 C

1	P6256	TXP Neutral SQ Mix Base	78.500
2	P6248	TXP White SQ	1.000
3	P3968	TXP Atomix Lemon NM	15.200
4	P3980	TXP Atomix Blue B	4.800
5	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 3435 C

1	P6256	TXP Neutral SQ Mix Base	28.400
2	P3970	TXP Atomix Green	42.000
3	P3967	TXP Atomix Yellow	28.600
4	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 344 C

1	P6256	TXP Neutral SQ Mix Base	62.400
2	P6248	TXP White SQ	36.000
3	P3968	TXP Atomix Lemon NM	0.800
4	P3970	TXP Atomix Green	0.760
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 345 C

1	P6256	TXP Neutral SQ Mix Base	67.940
2	P6248	TXP White SQ	29.400
3	P3970	TXP Atomix Green	1.300
4	P3968	TXP Atomix Lemon NM	1.300
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 346 C

1	P6256	TXP Neutral SQ Mix Base	69.500
2	P6248	TXP White SQ	26.200
3	P3970	TXP Atomix Green	2.100
4	P3968	TXP Atomix Lemon NM	2.100
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 347 C

1	P6256	TXP Neutral SQ Mix Base	76.400
2	P6248	TXP White SQ	3.600
3	P3968	TXP Atomix Lemon NM	12.000
4	P3970	TXP Atomix Green	8.000
TOTAL			100%

PANTONE® 348 C

1	P6256	TXP Neutral SQ Mix Base	79.600
2	P6248	TXP White SQ	1.700
3	P3968	TXP Atomix Lemon NM	15.400
4	P3980	TXP Atomix Blue B	3.300
TOTAL			100%

PANTONE® 349 C

1	P6256	TXP Neutral SQ Mix Base	79.880
2	P6248	TXP White SQ	1.600
3	P3970	TXP Atomix Green	12.000
4	P3967	TXP Atomix Yellow	6.400
5	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 350 C

1	P6256	TXP Neutral SQ Mix Base	30.100
2	P3967	TXP Atomix Yellow	43.600
3	P3970	TXP Atomix Green	25.000
4	P3981	TXP Atomix Black	1.300
TOTAL			100%

PANTONE® 351 C

1	P6256	TXP Neutral SQ Mix Base	74.600
2	P6248	TXP White SQ	23.800
3	P3968	TXP Atomix Lemon NM	0.940
4	P3970	TXP Atomix Green	0.660
TOTAL			100%

PANTONE® 352 C

1	P6256	TXP Neutral SQ Mix Base	77.000
2	P6248	TXP White SQ	21.000
3	P3968	TXP Atomix Lemon NM	1.200
4	P3970	TXP Atomix Green	0.800
TOTAL			100%

PANTONE® 353 C

1	P6256	TXP Neutral SQ Mix Base	73.640
2	P6248	TXP White SQ	23.200
3	P3968	TXP Atomix Lemon NM	1.900
4	P3970	TXP Atomix Green	1.260
TOTAL			100%

PANTONE® 354 C

1	P6256	TXP Neutral SQ Mix Base	76.540
2	P6248	TXP White SQ	0.700
3	P3975	TXP Atomix Fluo Yellow	10.000
4	P3968	TXP Atomix Lemon NM	8.200
5	P3970	TXP Atomix Green	4.560
TOTAL			100%

PANTONE® 355 C

1	P6256	TXP Neutral SQ Mix Base	78.340
2	P6248	TXP White SQ	0.560

3	P3968	TXP Atomix Lemon NM	15.100	TOTAL	100%
4	P3970	TXP Atomix Green	6.000		
		TOTAL	100%		

PANTONE® 356 C

1	P6256	TXP Neutral SQ Mix Base	64.200
2	P6248	TXP White SQ	3.400
3	P3970	TXP Atomix Green	12.800
4	P3968	TXP Atomix Lemon NM	12.400
5	P3967	TXP Atomix Yellow	7.200
		TOTAL	100%

PANTONE® 363 C

1	P6256	TXP Neutral SQ Mix Base	68.920
2	P6248	TXP White SQ	4.400
3	P3967	TXP Atomix Yellow	21.320
4	P3970	TXP Atomix Green	5.280
5	P3981	TXP Atomix Black	0.080
		TOTAL	100%

PANTONE® 357 C

1	P6256	TXP Neutral SQ Mix Base	33.300
2	P3967	TXP Atomix Yellow	43.400
3	P3970	TXP Atomix Green	22.400
4	P3981	TXP Atomix Black	0.900
		TOTAL	100%

PANTONE® 364 C

1	P6256	TXP Neutral SQ Mix Base	54.080
2	P6248	TXP White SQ	3.200
3	P3967	TXP Atomix Yellow	36.000
4	P3970	TXP Atomix Green	6.400
5	P3981	TXP Atomix Black	0.320
		TOTAL	100%

PANTONE® 358 C

1	P6256	TXP Neutral SQ Mix Base	62.940
2	P6248	TXP White SQ	33.000
3	P3968	TXP Atomix Lemon NM	2.400
4	P3967	TXP Atomix Yellow	0.860
5	P3970	TXP Atomix Green	0.800
		TOTAL	100%

PANTONE® 365 C

1	P6256	TXP Neutral SQ Mix Base	53.500
2	P6248	TXP White SQ	42.000
3	P3968	TXP Atomix Lemon NM	4.000
4	P3970	TXP Atomix Green	0.300
5	P3967	TXP Atomix Yellow	0.200
		TOTAL	100%

PANTONE® 359 C

1	P6256	TXP Neutral SQ Mix Base	61.000
2	P6248	TXP White SQ	33.200
3	P3968	TXP Atomix Lemon NM	3.500
4	P3967	TXP Atomix Yellow	1.200
5	P3970	TXP Atomix Green	1.100
		TOTAL	100%

PANTONE® 366 C

1	P6256	TXP Neutral SQ Mix Base	63.700
2	P6248	TXP White SQ	29.400
3	P3968	TXP Atomix Lemon NM	6.300
4	P3970	TXP Atomix Green	0.400
5	P3967	TXP Atomix Yellow	0.200
		TOTAL	100%

PANTONE® 360 C

1	P6256	TXP Neutral SQ Mix Base	68.260
2	P6248	TXP White SQ	12.000
3	P3968	TXP Atomix Lemon NM	16.500
4	P3970	TXP Atomix Green	2.200
5	P3967	TXP Atomix Yellow	1.040
		TOTAL	100%

PANTONE® 367 C

1	P6256	TXP Neutral SQ Mix Base	70.280
2	P6248	TXP White SQ	17.200
3	P3968	TXP Atomix Lemon NM	10.800
4	P3967	TXP Atomix Yellow	0.920
5	P3970	TXP Atomix Green	0.800
		TOTAL	100%

PANTONE® 361 C

1	P6256	TXP Neutral SQ Mix Base	72.200
2	P6248	TXP White SQ	4.400
3	P3968	TXP Atomix Lemon NM	19.600
4	P3970	TXP Atomix Green	2.800
5	P3967	TXP Atomix Yellow	1.000
		TOTAL	100%

PANTONE® 368 C

1	P6256	TXP Neutral SQ Mix Base	67.600
2	P6248	TXP White SQ	2.600
3	P3968	TXP Atomix Lemon NM	27.400
4	P3970	TXP Atomix Green	1.400
5	P3967	TXP Atomix Yellow	1.000
		TOTAL	100%

PANTONE® 362 C

1	P6256	TXP Neutral SQ Mix Base	65.140
2	P6248	TXP White SQ	6.400
3	P3968	TXP Atomix Lemon NM	15.000
4	P3967	TXP Atomix Yellow	9.000
5	P3970	TXP Atomix Green	4.460

PANTONE® 369 C

1	P6256	TXP Neutral SQ Mix Base	81.700
2	P6248	TXP White SQ	2.400
3	P3968	TXP Atomix Lemon NM	8.200
4	P3967	TXP Atomix Yellow	6.000

5	P3970	TXP Atomix Green	1.700
TOTAL			100%

PANTONE® 370 C

1	P6256	TXP Neutral SQ Mix Base	59.200
2	P6248	TXP White SQ	3.400
3	P3967	TXP Atomix Yellow	27.200
4	P3968	TXP Atomix Lemon NM	7.000
5	P3970	TXP Atomix Green	3.100
6	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 371 C

1	P6256	TXP Neutral SQ Mix Base	55.680
2	P6248	TXP White SQ	2.000
3	P3967	TXP Atomix Yellow	38.400
4	P3970	TXP Atomix Green	2.800
5	P3981	TXP Atomix Black	1.120
TOTAL			100%

PANTONE® 372 C

1	P6256	TXP Neutral SQ Mix Base	59.440
2	P6248	TXP White SQ	36.000
3	P3968	TXP Atomix Lemon NM	4.400
4	P3970	TXP Atomix Green	0.160
TOTAL			100%

PANTONE® 373 C

1	P6256	TXP Neutral SQ Mix Base	67.200
2	P6248	TXP White SQ	27.600
3	P3968	TXP Atomix Lemon NM	5.000
4	P3970	TXP Atomix Green	0.200
TOTAL			100%

PANTONE® 374 C

1	P6256	TXP Neutral SQ Mix Base	75.200
2	P6248	TXP White SQ	18.000
3	P3968	TXP Atomix Lemon NM	6.500
4	P3970	TXP Atomix Green	0.300
TOTAL			100%

PANTONE® 375 C

1	P6256	TXP Neutral SQ Mix Base	79.800
2	P6248	TXP White SQ	2.400
3	P3968	TXP Atomix Lemon NM	17.200
4	P3970	TXP Atomix Green	0.600
TOTAL			100%

PANTONE® 376 C

1	P6256	TXP Neutral SQ Mix Base	83.400
2	P6248	TXP White SQ	1.000
3	P3968	TXP Atomix Lemon NM	10.400
4	P3967	TXP Atomix Yellow	4.200
5	P3970	TXP Atomix Green	1.000
TOTAL			100%

PANTONE® 377 C

1	P6256	TXP Neutral SQ Mix Base	71.520
2	P6248	TXP White SQ	4.000
3	P3967	TXP Atomix Yellow	22.800
4	P3970	TXP Atomix Green	1.600
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 378 C

1	P6256	TXP Neutral SQ Mix Base	49.600
2	P6248	TXP White SQ	2.400
3	P3967	TXP Atomix Yellow	44.400
4	P3970	TXP Atomix Green	2.400
5	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 379 C

1	P6256	TXP Neutral SQ Mix Base	76.500
2	P6248	TXP White SQ	16.000
3	P3968	TXP Atomix Lemon NM	7.400
4	P3970	TXP Atomix Green	0.100
TOTAL			100%

PANTONE® 380 C

1	P6256	TXP Neutral SQ Mix Base	51.400
2	P6248	TXP White SQ	27.600
3	P3968	TXP Atomix Lemon NM	20.800
4	P3970	TXP Atomix Green	0.200
TOTAL			100%

PANTONE® 381 C

1	P6256	TXP Neutral SQ Mix Base	59.360
2	P6248	TXP White SQ	14.000
3	P3968	TXP Atomix Lemon NM	26.400
4	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 382 C

1	P6256	TXP Neutral SQ Mix Base	61.100
2	P6248	TXP White SQ	5.600
3	P3968	TXP Atomix Lemon NM	33.000
4	P3970	TXP Atomix Green	0.300
TOTAL			100%

PANTONE® 383 C

1	P6256	TXP Neutral SQ Mix Base	70.400
2	P6248	TXP White SQ	4.400
3	P3967	TXP Atomix Yellow	22.000
4	P3968	TXP Atomix Lemon NM	2.400
5	P3970	TXP Atomix Green	0.800
TOTAL			100%

PANTONE® 384 C

1	P6256	TXP Neutral SQ Mix Base	71.320
2	P6248	TXP White SQ	3.200
3	P3967	TXP Atomix Yellow	24.400
4	P3970	TXP Atomix Green	0.880
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 391 C

1	P6256	TXP Neutral SQ Mix Base	64.440
2	P6248	TXP White SQ	2.800
3	P3967	TXP Atomix Yellow	31.800
4	P3970	TXP Atomix Green	0.800
5	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 385 C

1	P6256	TXP Neutral SQ Mix Base	70.180
2	P6248	TXP White SQ	3.600
3	P3967	TXP Atomix Yellow	24.600
4	P3981	TXP Atomix Black	0.920
5	P3970	TXP Atomix Green	0.700
TOTAL			100%

PANTONE® 392 C

1	P6256	TXP Neutral SQ Mix Base	53.900
2	P6248	TXP White SQ	2.600
3	P3967	TXP Atomix Yellow	42.000
4	P3970	TXP Atomix Green	1.000
5	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 386 C

1	P6256	TXP Neutral SQ Mix Base	59.940
2	P6248	TXP White SQ	31.800
3	P3968	TXP Atomix Lemon NM	8.200
4	P3970	TXP Atomix Green	0.060
TOTAL			100%

PANTONE® 393 C

1	P6256	TXP Neutral SQ Mix Base	59.400
2	P6248	TXP White SQ	29.000
3	P3968	TXP Atomix Lemon NM	7.600
4	P3975	TXP Atomix Fluo Yellow	4.000
TOTAL			100%

PANTONE® 387 C

1	P6256	TXP Neutral SQ Mix Base	38.500
2	P6248	TXP White SQ	29.600
3	P3968	TXP Atomix Lemon NM	18.800
4	P3975	TXP Atomix Fluo Yellow	13.000
5	P3970	TXP Atomix Green	0.100
TOTAL			100%

PANTONE® 394 C

1	P6256	TXP Neutral SQ Mix Base	40.760
2	P6248	TXP White SQ	28.400
3	P3968	TXP Atomix Lemon NM	18.800
4	P3975	TXP Atomix Fluo Yellow	12.000
5	P3970	TXP Atomix Green	0.040
TOTAL			100%

PANTONE® 388 C

1	P6256	TXP Neutral SQ Mix Base	44.880
2	P6248	TXP White SQ	24.800
3	P3968	TXP Atomix Lemon NM	18.200
4	P3975	TXP Atomix Fluo Yellow	12.000
5	P3970	TXP Atomix Green	0.120
TOTAL			100%

PANTONE® 395 C

1	P6256	TXP Neutral SQ Mix Base	30.360
2	P6248	TXP White SQ	24.400
3	P3975	TXP Atomix Fluo Yellow	24.000
4	P3968	TXP Atomix Lemon NM	21.200
5	P3970	TXP Atomix Green	0.040
TOTAL			100%

PANTONE® 389 C

1	P6256	TXP Neutral SQ Mix Base	64.850
2	P6248	TXP White SQ	2.200
3	P3968	TXP Atomix Lemon NM	21.800
4	P3975	TXP Atomix Fluo Yellow	11.000
5	P3970	TXP Atomix Green	0.150
TOTAL			100%

PANTONE® 396 C

1	P6256	TXP Neutral SQ Mix Base	66.900
2	P3968	TXP Atomix Lemon NM	27.200
3	P3975	TXP Atomix Fluo Yellow	5.800
4	P3970	TXP Atomix Green	0.100
TOTAL			100%

PANTONE® 390 C

1	P6256	TXP Neutral SQ Mix Base	53.420
2	P3968	TXP Atomix Lemon NM	42.000
3	P3967	TXP Atomix Yellow	4.200
4	P3970	TXP Atomix Green	0.380
TOTAL			100%

PANTONE® 397 C

1	P6256	TXP Neutral SQ Mix Base	37.200
2	P3968	TXP Atomix Lemon NM	43.400
3	P3967	TXP Atomix Yellow	18.900
4	P3970	TXP Atomix Green	0.500
TOTAL			100%

PANTONE® 398 C

1	P6256	TXP Neutral SQ Mix Base	22.720
2	P3968	TXP Atomix Lemon NM	40.800
3	P3967	TXP Atomix Yellow	35.800
4	P3970	TXP Atomix Green	0.600
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 399 C

1	P6256	TXP Neutral SQ Mix Base	18.860
2	P3967	TXP Atomix Yellow	49.200
3	P3968	TXP Atomix Lemon NM	31.000
4	P3970	TXP Atomix Green	0.700
5	P3981	TXP Atomix Black	0.240
TOTAL			100%

PANTONE® 3935 C

1	P6256	TXP Neutral SQ Mix Base	49.000
2	P6248	TXP White SQ	36.000
3	P3968	TXP Atomix Lemon NM	10.000
4	P3975	TXP Atomix Fluo Yellow	5.000
TOTAL			100%

PANTONE® 3945 C

1	P6256	TXP Neutral SQ Mix Base	40.800
2	P6248	TXP White SQ	11.000
3	P3975	TXP Atomix Fluo Yellow	31.000
4	P3968	TXP Atomix Lemon NM	17.200
TOTAL			100%

PANTONE® 3955 C

1	P6256	TXP Neutral SQ Mix Base	39.940
2	P3968	TXP Atomix Lemon NM	36.400
3	P3975	TXP Atomix Fluo Yellow	23.600
4	P3970	TXP Atomix Green	0.060
TOTAL			100%

PANTONE® 3965 C

1	P6256	TXP Neutral SQ Mix Base	23.280
2	P3968	TXP Atomix Lemon NM	51.600
3	P3975	TXP Atomix Fluo Yellow	25.000
4	P3970	TXP Atomix Green	0.120
TOTAL			100%

PANTONE® 3975 C

1	P6256	TXP Neutral SQ Mix Base	22.440
2	P3968	TXP Atomix Lemon NM	42.400
3	P3967	TXP Atomix Yellow	34.600
4	P3970	TXP Atomix Green	0.500
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 3985 C

1	P6256	TXP Neutral SQ Mix Base	18.040
2	P3967	TXP Atomix Yellow	53.000
3	P3968	TXP Atomix Lemon NM	28.000
4	P3970	TXP Atomix Green	0.640
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 3995 C

1	P6256	TXP Neutral SQ Mix Base	31.900
2	P3967	TXP Atomix Yellow	66.000
3	P3981	TXP Atomix Black	1.400
4	P3970	TXP Atomix Green	0.700
TOTAL			100%

PANTONE® 400 C

1	P6248	TXP White SQ	96.700
2	P3976	TXP Atomix Fluo Fuchsia	2.000
3	P3967	TXP Atomix Yellow	0.700
4	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 401 C

1	P6248	TXP White SQ	93.200
2	P3976	TXP Atomix Fluo Fuchsia	4.600
3	P3981	TXP Atomix Black	1.300
4	P3967	TXP Atomix Yellow	0.900
TOTAL			100%

PANTONE® 402 C

1	P6248	TXP White SQ	90.800
2	P3976	TXP Atomix Fluo Fuchsia	5.600
3	P3981	TXP Atomix Black	2.200
4	P3967	TXP Atomix Yellow	1.400
TOTAL			100%

PANTONE® 403 C

1	P6248	TXP White SQ	82.000
2	P3976	TXP Atomix Fluo Fuchsia	10.600
3	P3981	TXP Atomix Black	4.200
4	P3967	TXP Atomix Yellow	3.200
TOTAL			100%

PANTONE® 404 C

1	P6248	TXP White SQ	62.200
2	P3976	TXP Atomix Fluo Fuchsia	22.600
3	P3981	TXP Atomix Black	8.000
4	P3967	TXP Atomix Yellow	7.200
TOTAL			100%

PANTONE® 405 C

1	P6248	TXP White SQ	51.200
2	P3976	TXP Atomix Fluo Fuchsia	28.000

3	P3981	TXP Atomix Black	10.800
4	P3967	TXP Atomix Yellow	10.000
TOTAL			100%

PANTONE® Black C

1	P6256	TXP Neutral SQ Mix Base	35.200
2	P3967	TXP Atomix Yellow	22.000
3	P3981	TXP Atomix Black	35.000
4	P3969	TXP Atomix Red NM	7.800
TOTAL			100%

PANTONE® 406 C

1	P6248	TXP White SQ	98.000
2	P3976	TXP Atomix Fluo Fuchsia	1.400
3	P3981	TXP Atomix Black	0.400
4	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 407 C

1	P6248	TXP White SQ	88.600
2	P3976	TXP Atomix Fluo Fuchsia	8.300
3	P3967	TXP Atomix Yellow	1.600
4	P3981	TXP Atomix Black	1.500
TOTAL			100%

PANTONE® 408 C

1	P6248	TXP White SQ	85.800
2	P3976	TXP Atomix Fluo Fuchsia	10.400
3	P3981	TXP Atomix Black	2.200
4	P3967	TXP Atomix Yellow	1.600
TOTAL			100%

PANTONE® 409 C

1	P6248	TXP White SQ	72.400
2	P3976	TXP Atomix Fluo Fuchsia	20.600
3	P3981	TXP Atomix Black	4.000
4	P3967	TXP Atomix Yellow	3.000
TOTAL			100%

PANTONE® 410 C

1	P6248	TXP White SQ	49.800
2	P3976	TXP Atomix Fluo Fuchsia	37.200
3	P3981	TXP Atomix Black	7.000
4	P3967	TXP Atomix Yellow	6.000
TOTAL			100%

PANTONE® 411 C

1	P6256	TXP Neutral SQ Mix Base	63.800
2	P6248	TXP White SQ	13.600
3	P3967	TXP Atomix Yellow	9.600
4	P3971	TXP Atomix Magenta NM	7.000
5	P3981	TXP Atomix Black	6.000
TOTAL			100%

PANTONE® 412 C

1	P6256	TXP Neutral SQ Mix Base	75.400
2	P3976	TXP Atomix Fluo Fuchsia	15.000
3	P3981	TXP Atomix Black	6.000

4	P3967	TXP Atomix Yellow	3.600
TOTAL			100%

PANTONE® 413 C

1	P6248	TXP White SQ	97.500
2	P3974	TXP Atomix Blue RQ	1.600
3	P3967	TXP Atomix Yellow	0.500
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 414 C

1	P6248	TXP White SQ	94.600
2	P3974	TXP Atomix Blue RQ	2.800
3	P3981	TXP Atomix Black	1.400
4	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 415 C

1	P6248	TXP White SQ	87.700
2	P3981	TXP Atomix Black	4.000
3	P3967	TXP Atomix Yellow	3.600
4	P3974	TXP Atomix Blue RQ	2.700
5	P3976	TXP Atomix Fluo Fuchsia	2.000
TOTAL			100%

PANTONE® 416 C

1	P6248	TXP White SQ	87.200
2	P3981	TXP Atomix Black	5.300
3	P3967	TXP Atomix Yellow	4.100
4	P3974	TXP Atomix Blue RQ	3.400
TOTAL			100%

PANTONE® 417 C

1	P6248	TXP White SQ	80.800
2	P3981	TXP Atomix Black	9.600
3	P3967	TXP Atomix Yellow	8.000
4	P3974	TXP Atomix Blue RQ	1.600
TOTAL			100%

PANTONE® 418 C

1	P6256	TXP Neutral SQ Mix Base	40.400
2	P6248	TXP White SQ	25.200
3	P3974	TXP Atomix Blue RQ	12.000
4	P3967	TXP Atomix Yellow	12.000
5	P3981	TXP Atomix Black	10.400
TOTAL			100%

PANTONE® 419 C

1	P6256	TXP Neutral SQ Mix Base	41.200
2	P3981	TXP Atomix Black	27.200
3	P3970	TXP Atomix Green	16.000
4	P3967	TXP Atomix Yellow	15.600
TOTAL			100%

PANTONE® 420 C

1	P6248	TXP White SQ	97.640
2	P3974	TXP Atomix Blue RQ	1.200
3	P3976	TXP Atomix Fluo Fuchsia	0.700
4	P3981	TXP Atomix Black	0.300
5	P3967	TXP Atomix Yellow	0.160
TOTAL			100%

PANTONE® 421 C

1	P6248	TXP White SQ	97.800
2	P3981	TXP Atomix Black	1.000
3	P3974	TXP Atomix Blue RQ	0.900
4	P3967	TXP Atomix Yellow	0.300
TOTAL			100%

PANTONE® 422 C

1	P6248	TXP White SQ	94.360
2	P3981	TXP Atomix Black	2.560
3	P3974	TXP Atomix Blue RQ	2.400
4	P3967	TXP Atomix Yellow	0.480
5	P3976	TXP Atomix Fluo Fuchsia	0.200
TOTAL			100%

PANTONE® 423 C

1	P6248	TXP White SQ	88.400
2	P3981	TXP Atomix Black	4.600
3	P3974	TXP Atomix Blue RQ	4.600
4	P3976	TXP Atomix Fluo Fuchsia	1.200
5	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 424 C

1	P6248	TXP White SQ	78.600
2	P3974	TXP Atomix Blue RQ	9.000
3	P3981	TXP Atomix Black	8.400
4	P3976	TXP Atomix Fluo Fuchsia	2.400
5	P3967	TXP Atomix Yellow	1.600
TOTAL			100%

PANTONE® 425 C

1	P6248	TXP White SQ	59.400
2	P3981	TXP Atomix Black	16.800
3	P3974	TXP Atomix Blue RQ	16.800
4	P3967	TXP Atomix Yellow	3.600
5	P3976	TXP Atomix Fluo Fuchsia	3.400
TOTAL			100%

PANTONE® 426 C

1	P6256	TXP Neutral SQ Mix Base	20.000
2	P3981	TXP Atomix Black	52.000
3	P3978	TXP Atomix Blue 1500	28.000
TOTAL			100%

PANTONE® 427 C

1	P6248	TXP White SQ	98.140
2	P3974	TXP Atomix Blue RQ	0.760
3	P3975	TXP Atomix Fluo Yellow	0.740
4	P3981	TXP Atomix Black	0.360
TOTAL			100%

PANTONE® 428 C

1	P6248	TXP White SQ	95.900
2	P3974	TXP Atomix Blue RQ	1.900
3	P3975	TXP Atomix Fluo Yellow	1.500
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 429 C

1	P6248	TXP White SQ	88.200
2	P3974	TXP Atomix Blue RQ	5.400
3	P3975	TXP Atomix Fluo Yellow	4.000
4	P3981	TXP Atomix Black	2.400
TOTAL			100%

PANTONE® 430 C

1	P6248	TXP White SQ	74.400
2	P3974	TXP Atomix Blue RQ	15.200
3	P3975	TXP Atomix Fluo Yellow	6.600
4	P3981	TXP Atomix Black	3.800
TOTAL			100%

PANTONE® 431 C

1	P6248	TXP White SQ	83.200
2	P3981	TXP Atomix Black	12.000
3	P3978	TXP Atomix Blue 1500	3.600
4	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 432 C

1	P6248	TXP White SQ	54.800
2	P3981	TXP Atomix Black	24.400
3	P3978	TXP Atomix Blue 1500	17.000
4	P3967	TXP Atomix Yellow	3.800
TOTAL			100%

PANTONE® 433 C

1	P6256	TXP Neutral SQ Mix Base	5.000
2	P3978	TXP Atomix Blue 1500	49.000
3	P3981	TXP Atomix Black	26.000
4	P3970	TXP Atomix Green	20.000
TOTAL			100%

PANTONE® 434 C

1	P6248	TXP White SQ	94.600
2	P3976	TXP Atomix Fluo Fuchsia	4.400
3	P3981	TXP Atomix Black	0.700
4	P3967	TXP Atomix Yellow	0.300
TOTAL			100%

TOTAL 100%

PANTONE® 435 C

1	P6248	TXP White SQ	97.360
2	P3969	TXP Atomix Red NM	1.280
3	P3981	TXP Atomix Black	0.800
4	P3967	TXP Atomix Yellow	0.560
TOTAL			100%

PANTONE® 436 C

1	P6248	TXP White SQ	95.580
2	P3969	TXP Atomix Red NM	2.420
3	P3981	TXP Atomix Black	1.320
4	P3967	TXP Atomix Yellow	0.680
TOTAL			100%

PANTONE® 437 C

1	P6248	TXP White SQ	73.600
2	P3969	TXP Atomix Red NM	14.200
3	P3981	TXP Atomix Black	6.200
4	P3967	TXP Atomix Yellow	6.000
TOTAL			100%

PANTONE® 438 C

1	P6256	TXP Neutral SQ Mix Base	83.200
2	P6248	TXP White SQ	5.000
3	P3969	TXP Atomix Red NM	7.600
4	P3970	TXP Atomix Green	3.200
5	P3967	TXP Atomix Yellow	1.000
TOTAL			100%

PANTONE® 439 C

1	P6256	TXP Neutral SQ Mix Base	40.400
2	P3969	TXP Atomix Red NM	30.600
3	P3967	TXP Atomix Yellow	17.200
4	P3981	TXP Atomix Black	11.800
TOTAL			100%

PANTONE® 440 C

1	P6256	TXP Neutral SQ Mix Base	27.000
2	P3969	TXP Atomix Red NM	33.600
3	P3981	TXP Atomix Black	20.800
4	P3967	TXP Atomix Yellow	18.600
TOTAL			100%

PANTONE® 441 C

1	P6248	TXP White SQ	98.910
2	P3981	TXP Atomix Black	0.400
3	P3970	TXP Atomix Green	0.390
4	P3967	TXP Atomix Yellow	0.300
TOTAL			100%

PANTONE® 442 C

1	P6248	TXP White SQ	86.020
2	P3974	TXP Atomix Blue RQ	11.700
3	P3967	TXP Atomix Yellow	1.200
4	P3981	TXP Atomix Black	1.080

PANTONE® 443 C

1	P6248	TXP White SQ	94.900
2	P3981	TXP Atomix Black	2.600
3	P3970	TXP Atomix Green	1.400
4	P3967	TXP Atomix Yellow	1.100
TOTAL			100%

PANTONE® 444 C

1	P6248	TXP White SQ	90.200
2	P3981	TXP Atomix Black	5.700
3	P3970	TXP Atomix Green	2.700
4	P3967	TXP Atomix Yellow	1.400
TOTAL			100%

PANTONE® 445 C

1	P6248	TXP White SQ	64.450
2	P3981	TXP Atomix Black	20.000
3	P3970	TXP Atomix Green	8.350
4	P3967	TXP Atomix Yellow	7.200
TOTAL			100%

PANTONE® 446 C

1	P6256	TXP Neutral SQ Mix Base	75.000
2	P6248	TXP White SQ	3.400
3	P3981	TXP Atomix Black	8.200
4	P3967	TXP Atomix Yellow	7.200
5	P3974	TXP Atomix Blue RQ	6.200
TOTAL			100%

PANTONE® 447 C

1	P6256	TXP Neutral SQ Mix Base	78.800
2	P3967	TXP Atomix Yellow	9.200
3	P3981	TXP Atomix Black	6.400
4	P3974	TXP Atomix Blue RQ	5.600
TOTAL			100%

PANTONE® Warm Gray 1 C

1	P6248	TXP White SQ	93.800
2	P3975	TXP Atomix Fluo Yellow	2.600
3	P3976	TXP Atomix Fluo Fuchsia	2.200
4	P3974	TXP Atomix Blue RQ	1.400
TOTAL			100%

PANTONE® Warm Gray 2 C

1	P6248	TXP White SQ	81.800
2	P3975	TXP Atomix Fluo Yellow	8.200
3	P3976	TXP Atomix Fluo Fuchsia	6.400
4	P3974	TXP Atomix Blue RQ	3.600
TOTAL			100%

PANTONE® Warm Gray 3 C

1	P6248	TXP White SQ	97.000
2	P3976	TXP Atomix Fluo Fuchsia	2.000
3	P3981	TXP Atomix Black	0.600
4	P3967	TXP Atomix Yellow	0.400

			TOTAL	100%
PANTONE® Warm Gray 4 C				
1	P6248	TXP White SQ	94.200	
2	P3976	TXP Atomix Fluo Fuchsia	4.000	
3	P3981	TXP Atomix Black	1.000	
4	P3967	TXP Atomix Yellow	0.800	
			TOTAL	100%

PANTONE® Warm Gray 5 C				
1	P6248	TXP White SQ	88.000	
2	P3976	TXP Atomix Fluo Fuchsia	8.600	
3	P3981	TXP Atomix Black	1.800	
4	P3967	TXP Atomix Yellow	1.600	
			TOTAL	100%

PANTONE® Warm Gray 6 C				
1	P6248	TXP White SQ	87.200	
2	P3976	TXP Atomix Fluo Fuchsia	9.200	
3	P3981	TXP Atomix Black	2.000	
4	P3967	TXP Atomix Yellow	1.600	
			TOTAL	100%

PANTONE® Warm Gray 7 C				
1	P6248	TXP White SQ	79.100	
2	P3976	TXP Atomix Fluo Fuchsia	14.800	
3	P3981	TXP Atomix Black	3.300	
4	P3967	TXP Atomix Yellow	2.800	
			TOTAL	100%

PANTONE® Warm Gray 8 C				
1	P6248	TXP White SQ	70.000	
2	P3976	TXP Atomix Fluo Fuchsia	21.600	
3	P3981	TXP Atomix Black	4.600	
4	P3967	TXP Atomix Yellow	3.800	
			TOTAL	100%

PANTONE® Warm Gray 9 C				
1	P6248	TXP White SQ	57.600	
2	P3976	TXP Atomix Fluo Fuchsia	29.600	
3	P3981	TXP Atomix Black	6.400	
4	P3967	TXP Atomix Yellow	6.400	
			TOTAL	100%

PANTONE® Warm Gray 10 C				
1	P6248	TXP White SQ	49.800	
2	P3976	TXP Atomix Fluo Fuchsia	34.200	
3	P3967	TXP Atomix Yellow	8.600	
4	P3981	TXP Atomix Black	7.400	
			TOTAL	100%

PANTONE® Warm Gray 11 C				
1	P6256	TXP Neutral SQ Mix Base	26.000	
2	P6248	TXP White SQ	27.200	
3	P3976	TXP Atomix Fluo Fuchsia	30.400	
4	P3967	TXP Atomix Yellow	8.400	
5	P3981	TXP Atomix Black	8.000	

			TOTAL	100%
PANTONE® Cool Gray 1 C				
1	P6248	TXP White SQ	99.000	
2	P3975	TXP Atomix Fluo Yellow	0.400	
3	P3974	TXP Atomix Blue RQ	0.400	
4	P3981	TXP Atomix Black	0.200	
			TOTAL	100%

PANTONE® Cool Gray 2 C				
1	P6248	TXP White SQ	98.200	
2	P3975	TXP Atomix Fluo Yellow	0.800	
3	P3974	TXP Atomix Blue RQ	0.700	
4	P3981	TXP Atomix Black	0.300	
			TOTAL	100%

PANTONE® Cool Gray 3 C				
1	P6256	TXP Neutral SQ Mix Base	17.300	
2	P6248	TXP White SQ	81.200	
3	P3975	TXP Atomix Fluo Yellow	0.500	
4	P3981	TXP Atomix Black	0.500	
5	P3974	TXP Atomix Blue RQ	0.500	
			TOTAL	100%

PANTONE® Cool Gray 4 C				
1	P6248	TXP White SQ	97.600	
2	P3974	TXP Atomix Blue RQ	1.300	
3	P3981	TXP Atomix Black	0.900	
4	P3967	TXP Atomix Yellow	0.200	
			TOTAL	100%

PANTONE® Cool Gray 5 C				
1	P6248	TXP White SQ	95.400	
2	P3974	TXP Atomix Blue RQ	2.700	
3	P3981	TXP Atomix Black	1.700	
4	P3967	TXP Atomix Yellow	0.200	
			TOTAL	100%

PANTONE® Cool Gray 6 C				
1	P6248	TXP White SQ	95.600	
2	P3974	TXP Atomix Blue RQ	2.600	
3	P3981	TXP Atomix Black	1.600	
4	P3967	TXP Atomix Yellow	0.200	
			TOTAL	100%

PANTONE® Cool Gray 7 C				
1	P6248	TXP White SQ	93.200	
2	P3974	TXP Atomix Blue RQ	4.600	
3	P3981	TXP Atomix Black	2.000	
4	P3967	TXP Atomix Yellow	0.200	
			TOTAL	100%

PANTONE® Cool Gray 8 C				
1	P6248	TXP White SQ	88.200	
2	P3974	TXP Atomix Blue RQ	7.800	
3	P3981	TXP Atomix Black	3.600	
4	P3967	TXP Atomix Yellow	0.400	

TOTAL 100%

TOTAL 100%

PANTONE® Cool Gray 9 C

1	P6248	TXP White SQ	91.800
2	P3981	TXP Atomix Black	7.000
3	P3978	TXP Atomix Blue 1500	0.600
4	P3967	TXP Atomix Yellow	0.600
TOTAL			100%

PANTONE® Black 7 C

1	P6248	TXP White SQ	30.800
2	P3981	TXP Atomix Black	33.400
3	P3967	TXP Atomix Yellow	26.200
4	P3971	TXP Atomix Magenta NM	9.600
TOTAL			100%

PANTONE® Cool Gray 10 C

1	P6248	TXP White SQ	84.600
2	P3981	TXP Atomix Black	13.200
3	P3967	TXP Atomix Yellow	1.400
4	P3978	TXP Atomix Blue 1500	0.800
TOTAL			100%

PANTONE® 448 C

1	P6256	TXP Neutral SQ Mix Base	56.000
2	P3967	TXP Atomix Yellow	28.000
3	P3968	TXP Atomix Lemon NM	12.000
4	P3981	TXP Atomix Black	4.000
TOTAL			100%

PANTONE® Cool Gray 11 C

1	P6248	TXP White SQ	74.800
2	P3981	TXP Atomix Black	19.800
3	P3978	TXP Atomix Blue 1500	3.400
4	P3967	TXP Atomix Yellow	2.000
TOTAL			100%

PANTONE® 449 C

1	P6256	TXP Neutral SQ Mix Base	53.800
2	P3968	TXP Atomix Lemon NM	23.400
3	P3967	TXP Atomix Yellow	19.000
4	P3981	TXP Atomix Black	3.800
TOTAL			100%

PANTONE® Black 2 C

1	P6256	TXP Neutral SQ Mix Base	44.000
2	P3967	TXP Atomix Yellow	38.000
3	P3981	TXP Atomix Black	13.000
4	P3969	TXP Atomix Red NM	5.000
TOTAL			100%

PANTONE® 450 C

1	P6256	TXP Neutral SQ Mix Base	47.400
2	P3968	TXP Atomix Lemon NM	32.800
3	P3967	TXP Atomix Yellow	15.800
4	P3981	TXP Atomix Black	4.000
TOTAL			100%

PANTONE® Black 3 C

1	P6256	TXP Neutral SQ Mix Base	38.200
2	P3967	TXP Atomix Yellow	38.000
3	P3980	TXP Atomix Blue B	12.000
4	P3981	TXP Atomix Black	11.800
TOTAL			100%

PANTONE® 451 C

1	P6248	TXP White SQ	76.000
2	P3967	TXP Atomix Yellow	9.200
3	P3968	TXP Atomix Lemon NM	6.400
4	P3974	TXP Atomix Blue RQ	6.000
5	P3981	TXP Atomix Black	2.400
TOTAL			100%

PANTONE® Black 4 C

1	P6256	TXP Neutral SQ Mix Base	15.000
2	P3967	TXP Atomix Yellow	58.000
3	P3971	TXP Atomix Magenta NM	15.000
4	P3981	TXP Atomix Black	12.000
TOTAL			100%

PANTONE® 452 C

1	P6248	TXP White SQ	86.900
2	P3967	TXP Atomix Yellow	5.300
3	P3974	TXP Atomix Blue RQ	3.800
4	P3968	TXP Atomix Lemon NM	2.500
5	P3981	TXP Atomix Black	1.500
TOTAL			100%

PANTONE® Black 5 C

1	P6248	TXP White SQ	17.200
2	P3971	TXP Atomix Magenta NM	41.200
3	P3967	TXP Atomix Yellow	30.200
4	P3981	TXP Atomix Black	11.400
TOTAL			100%

PANTONE® 453 C

1	P6248	TXP White SQ	94.500
2	P3967	TXP Atomix Yellow	2.000
3	P3974	TXP Atomix Blue RQ	1.800
4	P3968	TXP Atomix Lemon NM	1.200
5	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® Black 6 C

1	P6256	TXP Neutral SQ Mix Base	17.300
2	P3980	TXP Atomix Blue B	30.500
3	P3981	TXP Atomix Black	23.500
4	P3967	TXP Atomix Yellow	19.000
5	P3971	TXP Atomix Magenta NM	9.700

TOTAL 100%

PANTONE® 454 C

1	P6248	TXP White SQ	95.100
2	P3974	TXP Atomix Blue RQ	2.300
3	P3967	TXP Atomix Yellow	2.200
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 455 C

1	P6256	TXP Neutral SQ Mix Base	45.200
2	P3967	TXP Atomix Yellow	33.000
3	P3968	TXP Atomix Lemon NM	19.400
4	P3981	TXP Atomix Black	2.400
TOTAL			100%

PANTONE® 4485 C

1	P6256	TXP Neutral SQ Mix Base	55.300
2	P3967	TXP Atomix Yellow	42.400
3	P3981	TXP Atomix Black	2.100
4	P3971	TXP Atomix Magenta NM	0.200
TOTAL			100%

PANTONE® 456 C

1	P6256	TXP Neutral SQ Mix Base	60.900
2	P3968	TXP Atomix Lemon NM	29.400
3	P3967	TXP Atomix Yellow	9.000
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 4495 C

1	P6256	TXP Neutral SQ Mix Base	48.700
2	P6248	TXP White SQ	3.600
3	P3968	TXP Atomix Lemon NM	44.800
4	P3971	TXP Atomix Magenta NM	1.500
5	P3981	TXP Atomix Black	1.400
TOTAL			100%

PANTONE® 457 C

1	P6256	TXP Neutral SQ Mix Base	66.200
2	P3968	TXP Atomix Lemon NM	25.400
3	P3967	TXP Atomix Yellow	8.000
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 4505 C

1	P6256	TXP Neutral SQ Mix Base	31.000
2	P6248	TXP White SQ	20.400
3	P3968	TXP Atomix Lemon NM	45.000
4	P3971	TXP Atomix Magenta NM	2.100
5	P3981	TXP Atomix Black	1.500
TOTAL			100%

PANTONE® 458 C

1	P6256	TXP Neutral SQ Mix Base	81.600
2	P3968	TXP Atomix Lemon NM	13.000
3	P3967	TXP Atomix Yellow	5.200
4	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 4515 C

1	P6248	TXP White SQ	63.600
2	P3968	TXP Atomix Lemon NM	34.000
3	P3971	TXP Atomix Magenta NM	1.300
4	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 459 C

1	P6248	TXP White SQ	80.100
2	P3968	TXP Atomix Lemon NM	16.800
3	P3967	TXP Atomix Yellow	2.800
4	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 4525 C

1	P6248	TXP White SQ	87.000
2	P3968	TXP Atomix Lemon NM	11.200
3	P3971	TXP Atomix Magenta NM	1.100
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 460 C

1	P6248	TXP White SQ	91.900
2	P3968	TXP Atomix Lemon NM	5.600
3	P3967	TXP Atomix Yellow	2.400
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 4535 C

1	P6248	TXP White SQ	92.800
2	P3968	TXP Atomix Lemon NM	6.200
3	P3971	TXP Atomix Magenta NM	0.600
4	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 461 C

1	P6248	TXP White SQ	96.200
2	P3968	TXP Atomix Lemon NM	2.400
3	P3967	TXP Atomix Yellow	1.000
4	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 4545 C

1	P6248	TXP White SQ	95.600
2	P3968	TXP Atomix Lemon NM	3.800
3	P3971	TXP Atomix Magenta NM	0.400
4	P3981	TXP Atomix Black	0.200

PANTONE® 462 C

1	P6256	TXP Neutral SQ Mix Base	52.200
2	P3967	TXP Atomix Yellow	44.000
3	P3981	TXP Atomix Black	2.400
4	P3971	TXP Atomix Magenta NM	1.400
TOTAL			100%

PANTONE® 463 C

1	P6256	TXP Neutral SQ Mix Base	57.000
2	P3967	TXP Atomix Yellow	40.000
3	P3981	TXP Atomix Black	1.500
4	P3971	TXP Atomix Magenta NM	1.500
TOTAL			100%

PANTONE® 464 C

1	P6256	TXP Neutral SQ Mix Base	58.000
2	P3967	TXP Atomix Yellow	40.000
3	P3981	TXP Atomix Black	1.000
4	P3971	TXP Atomix Magenta NM	1.000
TOTAL			100%

PANTONE® 465 C

1	P6248	TXP White SQ	60.500
2	P3968	TXP Atomix Lemon NM	17.500
3	P3967	TXP Atomix Yellow	17.500
4	P3971	TXP Atomix Magenta NM	3.300
5	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 466 C

1	P6248	TXP White SQ	80.800
2	P3968	TXP Atomix Lemon NM	13.000
3	P3967	TXP Atomix Yellow	4.000
4	P3971	TXP Atomix Magenta NM	1.200
5	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 467 C

1	P6248	TXP White SQ	94.400
2	P3967	TXP Atomix Yellow	3.400
3	P3968	TXP Atomix Lemon NM	1.400
4	P3981	TXP Atomix Black	0.400
5	P3971	TXP Atomix Magenta NM	0.400
TOTAL			100%

PANTONE® 468 C

1	P6248	TXP White SQ	95.700
2	P3967	TXP Atomix Yellow	1.800
3	P3976	TXP Atomix Fluo Fuchsia	1.600
4	P3968	TXP Atomix Lemon NM	0.600
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 4625 C

1	P6256	TXP Neutral SQ Mix Base	20.200
2	P3967	TXP Atomix Yellow	59.000
3	P3969	TXP Atomix Red NM	15.000
4	P3981	TXP Atomix Black	5.800
TOTAL			100%

PANTONE® 4635 C

1	P6256	TXP Neutral SQ Mix Base	36.000
2	P6248	TXP White SQ	21.600
3	P3967	TXP Atomix Yellow	33.600
4	P3969	TXP Atomix Red NM	7.200
5	P3981	TXP Atomix Black	1.600
TOTAL			100%

PANTONE® 4645 C

1	P6248	TXP White SQ	65.700
2	P3967	TXP Atomix Yellow	25.000
3	P3969	TXP Atomix Red NM	7.400
4	P3981	TXP Atomix Black	1.900
TOTAL			100%

PANTONE® 4655 C

1	P6248	TXP White SQ	82.800
2	P3967	TXP Atomix Yellow	11.600
3	P3969	TXP Atomix Red NM	4.600
4	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 4665 C

1	P6248	TXP White SQ	91.720
2	P3967	TXP Atomix Yellow	5.200
3	P3969	TXP Atomix Red NM	2.440
4	P3981	TXP Atomix Black	0.640
TOTAL			100%

PANTONE® 4675 C

1	P6256	TXP Neutral SQ Mix Base	26.400
2	P6248	TXP White SQ	62.400
3	P3976	TXP Atomix Fluo Fuchsia	8.600
4	P3967	TXP Atomix Yellow	2.200
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 4685 C

1	P6248	TXP White SQ	92.960
2	P3976	TXP Atomix Fluo Fuchsia	5.400
3	P3967	TXP Atomix Yellow	1.400
4	P3981	TXP Atomix Black	0.240
TOTAL			100%

PANTONE® 469 C

1	P6256	TXP Neutral SQ Mix Base	35.400
2	P3967	TXP Atomix Yellow	56.000
3	P3969	TXP Atomix Red NM	6.600
4	P3981	TXP Atomix Black	2.000
TOTAL			100%

PANTONE® 470 C

1	P6256	TXP Neutral SQ Mix Base	57.380
2	P3967	TXP Atomix Yellow	40.000
3	P3969	TXP Atomix Red NM	2.200
4	P3981	TXP Atomix Black	0.420

TOTAL 100%

PANTONE® 471 C

1	P6256	TXP Neutral SQ Mix Base	55.000
2	P6248	TXP White SQ	1.800
3	P3967	TXP Atomix Yellow	40.200
4	P3969	TXP Atomix Red NM	2.600
5	P3981	TXP Atomix Black	0.400

TOTAL 100%

PANTONE® 472 C

1	P6256	TXP Neutral SQ Mix Base	16.780
2	P6248	TXP White SQ	70.800
3	P3967	TXP Atomix Yellow	10.000
4	P3969	TXP Atomix Red NM	2.300
5	P3981	TXP Atomix Black	0.120

TOTAL 100%

PANTONE® 473 C

1	P6256	TXP Neutral SQ Mix Base	53.700
2	P6248	TXP White SQ	42.400
3	P3967	TXP Atomix Yellow	2.600
4	P3971	TXP Atomix Magenta NM	0.900
5	P3974	TXP Atomix Blue RQ	0.400

TOTAL 100%

PANTONE® 474 C

1	P6256	TXP Neutral SQ Mix Base	54.700
2	P6248	TXP White SQ	43.000
3	P3967	TXP Atomix Yellow	1.700
4	P3971	TXP Atomix Magenta NM	0.600

TOTAL 100%

PANTONE® 475 C

1	P6256	TXP Neutral SQ Mix Base	54.900
2	P6248	TXP White SQ	43.300
3	P3967	TXP Atomix Yellow	1.300
4	P3971	TXP Atomix Magenta NM	0.500

TOTAL 100%

PANTONE® 4695 C

1	P6256	TXP Neutral SQ Mix Base	47.600
2	P3967	TXP Atomix Yellow	36.400
3	P3969	TXP Atomix Red NM	12.800
4	P3981	TXP Atomix Black	3.200

TOTAL 100%

PANTONE® 4705 C

1	P6256	TXP Neutral SQ Mix Base	51.600
2	P6248	TXP White SQ	13.200
3	P3967	TXP Atomix Yellow	23.200
4	P3969	TXP Atomix Red NM	9.400
5	P3981	TXP Atomix Black	2.600

TOTAL 100%

PANTONE® 4715 C

1	P6256	TXP Neutral SQ Mix Base	60.000
2	P6248	TXP White SQ	25.400
3	P3967	TXP Atomix Yellow	8.200
4	P3969	TXP Atomix Red NM	4.800
5	P3981	TXP Atomix Black	1.600

TOTAL 100%

PANTONE® 4725 C

1	P6256	TXP Neutral SQ Mix Base	51.600
2	P6248	TXP White SQ	39.500
3	P3967	TXP Atomix Yellow	4.800
4	P3969	TXP Atomix Red NM	2.900
5	P3981	TXP Atomix Black	1.200

TOTAL 100%

PANTONE® 4735 C

1	P6256	TXP Neutral SQ Mix Base	40.600
2	P6248	TXP White SQ	44.400
3	P3976	TXP Atomix Fluo Fuchsia	11.800
4	P3967	TXP Atomix Yellow	2.400
5	P3981	TXP Atomix Black	0.800

TOTAL 100%

PANTONE® 4745 C

1	P6256	TXP Neutral SQ Mix Base	24.900
2	P6248	TXP White SQ	63.000
3	P3976	TXP Atomix Fluo Fuchsia	9.400
4	P3967	TXP Atomix Yellow	2.000
5	P3981	TXP Atomix Black	0.700

TOTAL 100%

PANTONE® 4755 C

1	P6256	TXP Neutral SQ Mix Base	13.000
2	P6248	TXP White SQ	78.400
3	P3976	TXP Atomix Fluo Fuchsia	6.800
4	P3967	TXP Atomix Yellow	1.300
5	P3981	TXP Atomix Black	0.500

TOTAL 100%

PANTONE® 476 C

1	P6256	TXP Neutral SQ Mix Base	60.600
2	P3967	TXP Atomix Yellow	28.000
3	P3969	TXP Atomix Red NM	8.000
4	P3981	TXP Atomix Black	3.400

TOTAL 100%

PANTONE® 477 C

1	P6256	TXP Neutral SQ Mix Base	37.500
2	P3967	TXP Atomix Yellow	32.000
3	P3973	TXP Atomix Fluo Orange	20.000
4	P3971	TXP Atomix Magenta NM	7.800
5	P3981	TXP Atomix Black	2.700

TOTAL 100%

PANTONE® 478 C

1	P6256	TXP Neutral SQ Mix Base	40.200
2	P3967	TXP Atomix Yellow	32.000
3	P3973	TXP Atomix Fluo Orange	20.000
4	P3971	TXP Atomix Magenta NM	6.400
5	P3981	TXP Atomix Black	1.400
TOTAL			100%

PANTONE® 479 C

1	P6256	TXP Neutral SQ Mix Base	44.200
2	P6248	TXP White SQ	39.000
3	P3967	TXP Atomix Yellow	7.400
4	P3973	TXP Atomix Fluo Orange	5.200
5	P3969	TXP Atomix Red NM	2.800
6	P3981	TXP Atomix Black	1.400
TOTAL			100%

PANTONE® 480 C

1	P6256	TXP Neutral SQ Mix Base	31.540
2	P6248	TXP White SQ	64.100
3	P3967	TXP Atomix Yellow	2.700
4	P3971	TXP Atomix Magenta NM	1.200
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 481 C

1	P6256	TXP Neutral SQ Mix Base	77.000
2	P6248	TXP White SQ	17.240
3	P3974	TXP Atomix Blue RQ	3.100
4	P3967	TXP Atomix Yellow	1.760
5	P3971	TXP Atomix Magenta NM	0.900
TOTAL			100%

PANTONE® 482 C

1	P6256	TXP Neutral SQ Mix Base	17.900
2	P6248	TXP White SQ	77.000
3	P3974	TXP Atomix Blue RQ	2.800
4	P3967	TXP Atomix Yellow	1.600
5	P3971	TXP Atomix Magenta NM	0.700
TOTAL			100%

PANTONE® 483 C

1	P6256	TXP Neutral SQ Mix Base	43.600
2	P3967	TXP Atomix Yellow	36.800
3	P3969	TXP Atomix Red NM	16.800
4	P3981	TXP Atomix Black	2.800
TOTAL			100%

PANTONE® 484 C

1	P6256	TXP Neutral SQ Mix Base	49.600
2	P3967	TXP Atomix Yellow	26.400
3	P3973	TXP Atomix Fluo Orange	14.000
4	P3969	TXP Atomix Red NM	9.400
5	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 485 C

1	P6248	TXP White SQ	2.760
2	P3967	TXP Atomix Yellow	64.740
3	P3973	TXP Atomix Fluo Orange	8.500
4	P3969	TXP Atomix Red NM	24.000
TOTAL			100%

PANTONE® 486 C

1	P6256	TXP Neutral SQ Mix Base	78.900
2	P6248	TXP White SQ	16.000
3	P3967	TXP Atomix Yellow	2.700
4	P3969	TXP Atomix Red NM	2.200
5	P3974	TXP Atomix Blue RQ	0.200
TOTAL			100%

PANTONE® 487 C

1	P6256	TXP Neutral SQ Mix Base	72.200
2	P6248	TXP White SQ	24.200
3	P3967	TXP Atomix Yellow	1.800
4	P3969	TXP Atomix Red NM	1.400
5	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 488 C

1	P6256	TXP Neutral SQ Mix Base	57.700
2	P6248	TXP White SQ	40.000
3	P3967	TXP Atomix Yellow	1.200
4	P3969	TXP Atomix Red NM	0.800
5	P3974	TXP Atomix Blue RQ	0.300
TOTAL			100%

PANTONE® 489 C

1	P6256	TXP Neutral SQ Mix Base	65.500
2	P6248	TXP White SQ	33.000
3	P3967	TXP Atomix Yellow	0.600
4	P3969	TXP Atomix Red NM	0.500
5	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 490 C

1	P6256	TXP Neutral SQ Mix Base	66.700
2	P6248	TXP White SQ	3.400
3	P3969	TXP Atomix Red NM	26.200
4	P3981	TXP Atomix Black	2.900
5	P3967	TXP Atomix Yellow	0.800
TOTAL			100%

PANTONE® 491 C

1	P6256	TXP Neutral SQ Mix Base	78.000
2	P6248	TXP White SQ	3.400
3	P3969	TXP Atomix Red NM	17.200
4	P3981	TXP Atomix Black	1.000
5	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 492 C

1	P6256	TXP Neutral SQ Mix Base	82.400
2	P6248	TXP White SQ	3.400
3	P3969	TXP Atomix Red NM	12.700
4	P3967	TXP Atomix Yellow	0.800
5	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 499 C

1	P6256	TXP Neutral SQ Mix Base	80.900
2	P6248	TXP White SQ	5.400
3	P3969	TXP Atomix Red NM	9.400
4	P3967	TXP Atomix Yellow	3.200
5	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 493 C

1	P6256	TXP Neutral SQ Mix Base	20.060
2	P6248	TXP White SQ	65.400
3	P3976	TXP Atomix Fluo Fuchsia	8.400
4	P3971	TXP Atomix Magenta NM	4.600
5	P3967	TXP Atomix Yellow	1.500
6	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 500 C

1	P6256	TXP Neutral SQ Mix Base	5.400
2	P6248	TXP White SQ	76.600
3	P3971	TXP Atomix Magenta NM	7.800
4	P3976	TXP Atomix Fluo Fuchsia	5.600
5	P3967	TXP Atomix Yellow	4.000
6	P3977	TXP Atomix Violet	0.600
TOTAL			100%

PANTONE® 494 C

1	P6256	TXP Neutral SQ Mix Base	18.200
2	P6248	TXP White SQ	73.800
3	P3976	TXP Atomix Fluo Fuchsia	3.600
4	P3971	TXP Atomix Magenta NM	3.400
5	P3967	TXP Atomix Yellow	1.000
TOTAL			100%

PANTONE® 501 C

1	P6256	TXP Neutral SQ Mix Base	27.400
2	P6248	TXP White SQ	68.900
3	P3971	TXP Atomix Magenta NM	2.600
4	P3967	TXP Atomix Yellow	1.000
5	P3977	TXP Atomix Violet	0.100
TOTAL			100%

PANTONE® 495 C

1	P6256	TXP Neutral SQ Mix Base	14.100
2	P6248	TXP White SQ	81.200
3	P3976	TXP Atomix Fluo Fuchsia	3.000
4	P3971	TXP Atomix Magenta NM	1.300
5	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 502 C

1	P6256	TXP Neutral SQ Mix Base	3.400
2	P6248	TXP White SQ	94.600
3	P3971	TXP Atomix Magenta NM	1.400
4	P3967	TXP Atomix Yellow	0.500
5	P3974	TXP Atomix Blue RQ	0.100
TOTAL			100%

PANTONE® 496 C

1	P6256	TXP Neutral SQ Mix Base	13.800
2	P6248	TXP White SQ	82.600
3	P3976	TXP Atomix Fluo Fuchsia	2.000
4	P3971	TXP Atomix Magenta NM	1.200
5	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 503 C

1	P6256	TXP Neutral SQ Mix Base	21.000
2	P6248	TXP White SQ	77.800
3	P3969	TXP Atomix Red NM	0.700
4	P3974	TXP Atomix Blue RQ	0.400
5	P3967	TXP Atomix Yellow	0.100
TOTAL			100%

PANTONE® 497 C

1	P6256	TXP Neutral SQ Mix Base	55.600
2	P6248	TXP White SQ	8.400
3	P3969	TXP Atomix Red NM	21.800
4	P3967	TXP Atomix Yellow	9.200
5	P3981	TXP Atomix Black	5.000
TOTAL			100%

PANTONE® 4975 C

1	P6256	TXP Neutral SQ Mix Base	46.600
2	P3969	TXP Atomix Red NM	19.200
3	P3971	TXP Atomix Magenta NM	14.800
4	P3967	TXP Atomix Yellow	14.000
5	P3981	TXP Atomix Black	5.400
TOTAL			100%

PANTONE® 498 C

1	P6256	TXP Neutral SQ Mix Base	76.200
2	P6248	TXP White SQ	5.600
3	P3969	TXP Atomix Red NM	12.000
4	P3967	TXP Atomix Yellow	4.400
5	P3981	TXP Atomix Black	1.800
TOTAL			100%

PANTONE® 4985 C

1	P6256	TXP Neutral SQ Mix Base	40.800
2	P6248	TXP White SQ	33.000
3	P3969	TXP Atomix Red NM	20.000
4	P3967	TXP Atomix Yellow	3.600
5	P3981	TXP Atomix Black	2.600
TOTAL			100%

PANTONE® 4995 C

1	P6256	TXP Neutral SQ Mix Base	39.100
2	P6248	TXP White SQ	44.800
3	P3969	TXP Atomix Red NM	12.200
4	P3967	TXP Atomix Yellow	2.200
5	P3981	TXP Atomix Black	1.700
TOTAL			100%

PANTONE® 506 C

1	P6256	TXP Neutral SQ Mix Base	53.700
2	P6248	TXP White SQ	7.200
3	P3971	TXP Atomix Magenta NM	34.000
4	P3967	TXP Atomix Yellow	4.400
5	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 5005 C

1	P6256	TXP Neutral SQ Mix Base	30.000
2	P6248	TXP White SQ	59.400
3	P3969	TXP Atomix Red NM	8.100
4	P3967	TXP Atomix Yellow	1.400
5	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 507 C

1	P6256	TXP Neutral SQ Mix Base	23.700
2	P6248	TXP White SQ	56.400
3	P3976	TXP Atomix Fluo Fuchsia	17.600
4	P3969	TXP Atomix Red NM	2.000
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 5015 C

1	P6256	TXP Neutral SQ Mix Base	24.300
2	P6248	TXP White SQ	72.000
3	P3969	TXP Atomix Red NM	2.800
4	P3967	TXP Atomix Yellow	0.500
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 508 C

1	P6256	TXP Neutral SQ Mix Base	37.640
2	P6248	TXP White SQ	52.400
3	P3976	TXP Atomix Fluo Fuchsia	9.000
4	P3969	TXP Atomix Red NM	0.800
5	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 5025 C

1	P6256	TXP Neutral SQ Mix Base	46.500
2	P6248	TXP White SQ	52.000
3	P3969	TXP Atomix Red NM	1.100
4	P3981	TXP Atomix Black	0.200
5	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 509 C

1	P6256	TXP Neutral SQ Mix Base	36.000
2	P6248	TXP White SQ	57.500
3	P3976	TXP Atomix Fluo Fuchsia	6.000
4	P3969	TXP Atomix Red NM	0.400
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 5035 C

1	P6256	TXP Neutral SQ Mix Base	22.000
2	P6248	TXP White SQ	77.100
3	P3969	TXP Atomix Red NM	0.700
4	P3981	TXP Atomix Black	0.100
5	P3967	TXP Atomix Yellow	0.100
TOTAL			100%

PANTONE® 510 C

1	P6256	TXP Neutral SQ Mix Base	26.320
2	P6248	TXP White SQ	72.000
3	P3971	TXP Atomix Magenta NM	1.300
4	P3967	TXP Atomix Yellow	0.280
5	P3974	TXP Atomix Blue RQ	0.100
TOTAL			100%

PANTONE® 504 C

1	P6256	TXP Neutral SQ Mix Base	65.600
2	P6248	TXP White SQ	4.700
3	P3969	TXP Atomix Red NM	24.600
4	P3981	TXP Atomix Black	3.700
5	P3967	TXP Atomix Yellow	1.400
TOTAL			100%

PANTONE® 511 C

1	P6256	TXP Neutral SQ Mix Base	80.400
2	P3971	TXP Atomix Magenta NM	16.000
3	P3974	TXP Atomix Blue RQ	2.600
4	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 505 C

1	P6256	TXP Neutral SQ Mix Base	53.700
2	P6248	TXP White SQ	3.200
3	P3971	TXP Atomix Magenta NM	36.000
4	P3967	TXP Atomix Yellow	6.000
5	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 512 C

1	P6256	TXP Neutral SQ Mix Base	69.800
2	P3971	TXP Atomix Magenta NM	13.400
3	P3976	TXP Atomix Fluo Fuchsia	9.000
4	P3974	TXP Atomix Blue RQ	7.800
TOTAL			100%

PANTONE® 513 C

1	P6256	TXP Neutral SQ Mix Base	49.600
2	P3976	TXP Atomix Fluo Fuchsia	40.000
3	P3974	TXP Atomix Blue RQ	7.700
4	P3971	TXP Atomix Magenta NM	2.700
TOTAL			100%

PANTONE® 514 C

1	P6256	TXP Neutral SQ Mix Base	46.150
2	P6248	TXP White SQ	28.030
3	P3976	TXP Atomix Fluo Fuchsia	20.620
4	P3974	TXP Atomix Blue RQ	3.600
5	P3971	TXP Atomix Magenta NM	1.600
TOTAL			100%

PANTONE® 515 C

1	P6256	TXP Neutral SQ Mix Base	35.300
2	P6248	TXP White SQ	60.000
3	P3971	TXP Atomix Magenta NM	2.800
4	P3974	TXP Atomix Blue RQ	1.200
5	P3975	TXP Atomix Fluo Yellow	0.700
TOTAL			100%

PANTONE® 516 C

1	P6256	TXP Neutral SQ Mix Base	22.020
2	P6248	TXP White SQ	71.600
3	P3976	TXP Atomix Fluo Fuchsia	4.400
4	P3971	TXP Atomix Magenta NM	1.060
5	P3974	TXP Atomix Blue RQ	0.920
TOTAL			100%

PANTONE® 517 C

1	P6256	TXP Neutral SQ Mix Base	27.720
2	P6248	TXP White SQ	70.400
3	P3971	TXP Atomix Magenta NM	1.000
4	P3975	TXP Atomix Fluo Yellow	0.600
5	P3974	TXP Atomix Blue RQ	0.280
TOTAL			100%

PANTONE® 5115 C

1	P6256	TXP Neutral SQ Mix Base	58.900
2	P6248	TXP White SQ	5.600
3	P3971	TXP Atomix Magenta NM	28.000
4	P3981	TXP Atomix Black	4.300
5	P3967	TXP Atomix Yellow	3.200
TOTAL			100%

PANTONE® 5125 C

1	P6256	TXP Neutral SQ Mix Base	52.700
2	P6248	TXP White SQ	19.600
3	P3971	TXP Atomix Magenta NM	22.000
4	P3981	TXP Atomix Black	3.900
5	P3967	TXP Atomix Yellow	1.800
TOTAL			100%

PANTONE® 5135 C

1	P6256	TXP Neutral SQ Mix Base	63.900
2	P6248	TXP White SQ	21.000
3	P3971	TXP Atomix Magenta NM	11.700
4	P3981	TXP Atomix Black	2.700
5	P3967	TXP Atomix Yellow	0.700
TOTAL			100%

PANTONE® 5145 C

1	P6256	TXP Neutral SQ Mix Base	39.860
2	P6248	TXP White SQ	50.400
3	P3971	TXP Atomix Magenta NM	6.900
4	P3981	TXP Atomix Black	2.000
5	P3967	TXP Atomix Yellow	0.840
TOTAL			100%

PANTONE® 5155 C

1	P6256	TXP Neutral SQ Mix Base	48.300
2	P6248	TXP White SQ	48.000
3	P3971	TXP Atomix Magenta NM	1.600
4	P3975	TXP Atomix Fluo Yellow	1.540
5	P3981	TXP Atomix Black	0.560
TOTAL			100%

PANTONE® 5165 C

1	P6256	TXP Neutral SQ Mix Base	20.920
2	P6248	TXP White SQ	78.200
3	P3971	TXP Atomix Magenta NM	0.600
4	P3981	TXP Atomix Black	0.280
TOTAL			100%

PANTONE® 5175 C

1	P6256	TXP Neutral SQ Mix Base	10.720
2	P6248	TXP White SQ	88.800
3	P3971	TXP Atomix Magenta NM	0.340
4	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 518 C

1	P6256	TXP Neutral SQ Mix Base	54.800
2	P6248	TXP White SQ	8.600
3	P3971	TXP Atomix Magenta NM	30.400
4	P3981	TXP Atomix Black	6.200
TOTAL			100%

PANTONE® 519 C

1	P6256	TXP Neutral SQ Mix Base	71.000
2	P3974	TXP Atomix Blue RQ	11.800
3	P3971	TXP Atomix Magenta NM	8.200
4	P3976	TXP Atomix Fluo Fuchsia	8.000
5	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 520 C

1	P6256	TXP Neutral SQ Mix Base	77.200
2	P6248	TXP White SQ	1.600
3	P3974	TXP Atomix Blue RQ	11.400
4	P3971	TXP Atomix Magenta NM	9.400
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 521 C

1	P6256	TXP Neutral SQ Mix Base	56.360
2	P6248	TXP White SQ	17.000
3	P3976	TXP Atomix Fluo Fuchsia	18.800
4	P3974	TXP Atomix Blue RQ	7.400
5	P3981	TXP Atomix Black	0.440
TOTAL			100%

PANTONE® 522 C

1	P6256	TXP Neutral SQ Mix Base	38.760
2	P6248	TXP White SQ	52.160
3	P3981	TXP Atomix Black	3.670
4	P3974	TXP Atomix Blue RQ	3.670
5	P3971	TXP Atomix Magenta NM	1.740
TOTAL			100%

PANTONE® 523 C

1	P6256	TXP Neutral SQ Mix Base	23.280
2	P6248	TXP White SQ	72.940
3	P3974	TXP Atomix Blue RQ	2.400
4	P3971	TXP Atomix Magenta NM	1.200
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 524 C

1	P6256	TXP Neutral SQ Mix Base	16.220
2	P6248	TXP White SQ	82.000
3	P3974	TXP Atomix Blue RQ	1.200
4	P3971	TXP Atomix Magenta NM	0.500
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 5185 C

1	P6256	TXP Neutral SQ Mix Base	51.800
2	P6248	TXP White SQ	6.800
3	P3971	TXP Atomix Magenta NM	32.000
4	P3981	TXP Atomix Black	5.000
5	P3967	TXP Atomix Yellow	4.400
TOTAL			100%

PANTONE® 5195 C

1	P6256	TXP Neutral SQ Mix Base	27.300
2	P6248	TXP White SQ	33.000
3	P3971	TXP Atomix Magenta NM	29.000
4	P3981	TXP Atomix Black	5.400
5	P3967	TXP Atomix Yellow	5.300
TOTAL			100%

PANTONE® 5205 C

1	P6256	TXP Neutral SQ Mix Base	27.100
2	P6248	TXP White SQ	54.000
3	P3971	TXP Atomix Magenta NM	13.200
4	P3981	TXP Atomix Black	3.200
5	P3967	TXP Atomix Yellow	2.500
TOTAL			100%

PANTONE® 5215 C

1	P6256	TXP Neutral SQ Mix Base	38.960
2	P6248	TXP White SQ	51.200
3	P3975	TXP Atomix Fluo Yellow	6.000
4	P3971	TXP Atomix Magenta NM	3.000
5	P3981	TXP Atomix Black	0.840
TOTAL			100%

PANTONE® 5225 C

1	P6256	TXP Neutral SQ Mix Base	21.300
2	P6248	TXP White SQ	74.000
3	P3975	TXP Atomix Fluo Yellow	3.000
4	P3971	TXP Atomix Magenta NM	1.300
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 5235 C

1	P6256	TXP Neutral SQ Mix Base	22.900
2	P6248	TXP White SQ	74.000
3	P3975	TXP Atomix Fluo Yellow	2.000
4	P3971	TXP Atomix Magenta NM	0.800
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 5245 C

1	P6256	TXP Neutral SQ Mix Base	8.660
2	P6248	TXP White SQ	91.000
3	P3971	TXP Atomix Magenta NM	0.240
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 525 C

1	P6256	TXP Neutral SQ Mix Base	50.500
2	P3971	TXP Atomix Magenta NM	24.800
3	P3974	TXP Atomix Blue RQ	24.000
4	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 526 C

1	P6256	TXP Neutral SQ Mix Base	71.200
2	P3974	TXP Atomix Blue RQ	13.000
3	P3976	TXP Atomix Fluo Fuchsia	8.600
4	P3971	TXP Atomix Magenta NM	7.200
TOTAL			100%

PANTONE® 527 C

1	P6256	TXP Neutral SQ Mix Base	51.700
2	P6248	TXP White SQ	0.800
3	P3976	TXP Atomix Fluo Fuchsia	31.600
4	P3974	TXP Atomix Blue RQ	14.400
5	P3971	TXP Atomix Magenta NM	1.500
TOTAL			100%

PANTONE® 528 C

1	P6256	TXP Neutral SQ Mix Base	25.600
2	P6248	TXP White SQ	27.000
3	P3976	TXP Atomix Fluo Fuchsia	35.200
4	P3974	TXP Atomix Blue RQ	12.200
TOTAL			100%

PANTONE® 529 C

1	P6256	TXP Neutral SQ Mix Base	48.200
2	P6248	TXP White SQ	30.000
3	P3976	TXP Atomix Fluo Fuchsia	15.800
4	P3974	TXP Atomix Blue RQ	6.000
TOTAL			100%

PANTONE® 530 C

1	P6256	TXP Neutral SQ Mix Base	35.800
2	P6248	TXP White SQ	49.600
3	P3976	TXP Atomix Fluo Fuchsia	10.800
4	P3974	TXP Atomix Blue RQ	3.800
TOTAL			100%

PANTONE® 531 C

1	P6256	TXP Neutral SQ Mix Base	41.100
2	P6248	TXP White SQ	57.000
3	P3974	TXP Atomix Blue RQ	1.100
4	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 5255 C

1	P6256	TXP Neutral SQ Mix Base	75.100
2	P6248	TXP White SQ	3.600
3	P3977	TXP Atomix Violet	14.000
4	P3981	TXP Atomix Black	4.500
5	P3980	TXP Atomix Blue B	2.800
TOTAL			100%

PANTONE® 5265 C

1	P6256	TXP Neutral SQ Mix Base	82.600
2	P6248	TXP White SQ	7.800
3	P3977	TXP Atomix Violet	6.200
4	P3981	TXP Atomix Black	2.300
5	P3980	TXP Atomix Blue B	1.100
TOTAL			100%

PANTONE® 5275 C

1	P6256	TXP Neutral SQ Mix Base	83.980
2	P6248	TXP White SQ	10.600
3	P3977	TXP Atomix Violet	3.060
4	P3981	TXP Atomix Black	1.760
5	P3980	TXP Atomix Blue B	0.600
TOTAL			100%

PANTONE® 5285 C

1	P6256	TXP Neutral SQ Mix Base	55.960
2	P6248	TXP White SQ	37.000
3	P3974	TXP Atomix Blue RQ	4.660
4	P3977	TXP Atomix Violet	1.200
5	P3981	TXP Atomix Black	1.180
TOTAL			100%

PANTONE® 5295 C

1	P6256	TXP Neutral SQ Mix Base	41.700
2	P6248	TXP White SQ	55.200
3	P3974	TXP Atomix Blue RQ	2.300
4	P3981	TXP Atomix Black	0.400
5	P3977	TXP Atomix Violet	0.400
TOTAL			100%

PANTONE® 5305 C

1	P6256	TXP Neutral SQ Mix Base	62.120
2	P6248	TXP White SQ	36.600
3	P3974	TXP Atomix Blue RQ	0.960
4	P3981	TXP Atomix Black	0.180
5	P3977	TXP Atomix Violet	0.140
TOTAL			100%

PANTONE® 5315 C

1	P6256	TXP Neutral SQ Mix Base	34.380
2	P6248	TXP White SQ	65.000
3	P3974	TXP Atomix Blue RQ	0.460
4	P3981	TXP Atomix Black	0.100
5	P3977	TXP Atomix Violet	0.060
TOTAL			100%

PANTONE® 532 C

1	P6256	TXP Neutral SQ Mix Base	72.000
2	P6248	TXP White SQ	1.000
3	P3981	TXP Atomix Black	12.000
4	P3977	TXP Atomix Violet	9.000
5	P3980	TXP Atomix Blue B	6.000
TOTAL			100%

PANTONE® 533 C

1	P6256	TXP Neutral SQ Mix Base	86.400
2	P3980	TXP Atomix Blue B	8.000
3	P3981	TXP Atomix Black	3.200
4	P3977	TXP Atomix Violet	2.400
TOTAL			100%

PANTONE® 534 C

1	P6256	TXP Neutral SQ Mix Base	87.900
2	P6248	TXP White SQ	2.200
3	P3980	TXP Atomix Blue B	6.400
4	P3977	TXP Atomix Violet	1.900
5	P3981	TXP Atomix Black	1.600
TOTAL			100%

PANTONE® 535 C

1	P6256	TXP Neutral SQ Mix Base	61.560
2	P6248	TXP White SQ	31.600
3	P3976	TXP Atomix Fluo Fuchsia	5.100
4	P3978	TXP Atomix Blue 1500	1.200
5	P3981	TXP Atomix Black	0.540
TOTAL			100%

PANTONE® 536 C

1	P6256	TXP Neutral SQ Mix Base	67.290
2	P6248	TXP White SQ	29.420
3	P3976	TXP Atomix Fluo Fuchsia	2.370
4	P3978	TXP Atomix Blue 1500	0.580
5	P3981	TXP Atomix Black	0.350
TOTAL			100%

PANTONE® 537 C

1	P6256	TXP Neutral SQ Mix Base	58.060
2	P6248	TXP White SQ	40.000
3	P3976	TXP Atomix Fluo Fuchsia	1.300
4	P3978	TXP Atomix Blue 1500	0.400
5	P3981	TXP Atomix Black	0.240
TOTAL			100%

PANTONE® 538 C

1	P6256	TXP Neutral SQ Mix Base	41.160
2	P6248	TXP White SQ	58.000
3	P3976	TXP Atomix Fluo Fuchsia	0.440
4	P3981	TXP Atomix Black	0.200
5	P3978	TXP Atomix Blue 1500	0.200
TOTAL			100%

PANTONE® 539 C

1	P6256	TXP Neutral SQ Mix Base	68.100
2	P3980	TXP Atomix Blue B	28.800
3	P3967	TXP Atomix Yellow	2.300
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 540 C

1	P6256	TXP Neutral SQ Mix Base	74.600
2	P6248	TXP White SQ	0.600
3	P3980	TXP Atomix Blue B	23.800
4	P3967	TXP Atomix Yellow	1.000
TOTAL			100%

PANTONE® 541 C

1	P6256	TXP Neutral SQ Mix Base	82.900
2	P6248	TXP White SQ	0.700
3	P3980	TXP Atomix Blue B	16.000
4	P3967	TXP Atomix Yellow	0.400
TOTAL			100%

PANTONE® 542 C

1	P6256	TXP Neutral SQ Mix Base	65.300
2	P6248	TXP White SQ	27.200
3	P3976	TXP Atomix Fluo Fuchsia	5.200
4	P3980	TXP Atomix Blue B	2.000
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 543 C

1	P6256	TXP Neutral SQ Mix Base	65.080
2	P6248	TXP White SQ	33.400
3	P3978	TXP Atomix Blue 1500	0.760
4	P3976	TXP Atomix Fluo Fuchsia	0.660
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 544 C

1	P6256	TXP Neutral SQ Mix Base	60.200
2	P6248	TXP White SQ	39.000
3	P3978	TXP Atomix Blue 1500	0.400
4	P3976	TXP Atomix Fluo Fuchsia	0.360
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 545 C

1	P6256	TXP Neutral SQ Mix Base	40.440
2	P6248	TXP White SQ	59.000
3	P3978	TXP Atomix Blue 1500	0.300
4	P3976	TXP Atomix Fluo Fuchsia	0.220
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 5395 C

1	P6256	TXP Neutral SQ Mix Base	12.400
2	P3980	TXP Atomix Blue B	57.800
3	P3981	TXP Atomix Black	11.600
4	P3967	TXP Atomix Yellow	11.600
5	P3977	TXP Atomix Violet	6.600
TOTAL			100%

PANTONE® 5405 C

1	P6256	TXP Neutral SQ Mix Base	87.940
2	P6248	TXP White SQ	8.200
3	P3978	TXP Atomix Blue 1500	2.200
4	P3981	TXP Atomix Black	1.220
5	P3976	TXP Atomix Fluo Fuchsia	0.440
TOTAL			100%

PANTONE® 5415 C

1	P6256	TXP Neutral SQ Mix Base	91.060
2	P6248	TXP White SQ	6.800
3	P3978	TXP Atomix Blue 1500	1.100
4	P3981	TXP Atomix Black	0.720
5	P3976	TXP Atomix Fluo Fuchsia	0.320
TOTAL			100%

PANTONE® 5425 C

1	P6256	TXP Neutral SQ Mix Base	70.880
2	P6248	TXP White SQ	26.600
3	P3978	TXP Atomix Blue 1500	1.200
4	P3981	TXP Atomix Black	0.840
5	P3976	TXP Atomix Fluo Fuchsia	0.480
TOTAL			100%

PANTONE® 5435 C

1	P6256	TXP Neutral SQ Mix Base	57.660
2	P6248	TXP White SQ	41.000
3	P3978	TXP Atomix Blue 1500	0.600
4	P3981	TXP Atomix Black	0.440
5	P3976	TXP Atomix Fluo Fuchsia	0.300
TOTAL			100%

PANTONE® 5445 C

1	P6256	TXP Neutral SQ Mix Base	68.800
2	P6248	TXP White SQ	30.400
3	P3978	TXP Atomix Blue 1500	0.360
4	P3981	TXP Atomix Black	0.280
5	P3976	TXP Atomix Fluo Fuchsia	0.160
TOTAL			100%

PANTONE® 5455 C

1	P6256	TXP Neutral SQ Mix Base	56.260
2	P6248	TXP White SQ	43.200
3	P3978	TXP Atomix Blue 1500	0.260
4	P3981	TXP Atomix Black	0.240
5	P3976	TXP Atomix Fluo Fuchsia	0.040
TOTAL			100%

PANTONE® 546 C

1	P6256	TXP Neutral SQ Mix Base	79.200
2	P6248	TXP White SQ	0.300
3	P3970	TXP Atomix Green	9.200
4	P3980	TXP Atomix Blue B	9.000
5	P3981	TXP Atomix Black	2.300
TOTAL			100%

PANTONE® 547 C

1	P6256	TXP Neutral SQ Mix Base	78.560
2	P6248	TXP White SQ	0.360
3	P3980	TXP Atomix Blue B	11.200
4	P3970	TXP Atomix Green	8.600
5	P3981	TXP Atomix Black	1.280
TOTAL			100%

PANTONE® 548 C

1	P6256	TXP Neutral SQ Mix Base	77.360
2	P6248	TXP White SQ	1.340
3	P3980	TXP Atomix Blue B	11.400
4	P3970	TXP Atomix Green	9.200
5	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 549 C

1	P6256	TXP Neutral SQ Mix Base	76.860
2	P6248	TXP White SQ	20.400
3	P3980	TXP Atomix Blue B	1.440
4	P3975	TXP Atomix Fluo Yellow	0.720
5	P3981	TXP Atomix Black	0.580
TOTAL			100%

PANTONE® 550 C

1	P6256	TXP Neutral SQ Mix Base	71.600
2	P6248	TXP White SQ	27.000
3	P3980	TXP Atomix Blue B	0.720
4	P3981	TXP Atomix Black	0.380
5	P3975	TXP Atomix Fluo Yellow	0.300
TOTAL			100%

PANTONE® 551 C

1	P6256	TXP Neutral SQ Mix Base	69.820
2	P6248	TXP White SQ	29.000
3	P3980	TXP Atomix Blue B	0.600
4	P3981	TXP Atomix Black	0.300
5	P3975	TXP Atomix Fluo Yellow	0.280
TOTAL			100%

PANTONE® 552 C

1	P6256	TXP Neutral SQ Mix Base	57.960
2	P6248	TXP White SQ	41.400
3	P3980	TXP Atomix Blue B	0.260
4	P3975	TXP Atomix Fluo Yellow	0.220
5	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 5463 C

1	P6256	TXP Neutral SQ Mix Base	78.800
2	P3970	TXP Atomix Green	9.200
3	P3980	TXP Atomix Blue B	9.000
4	P3981	TXP Atomix Black	3.000
TOTAL			100%

PANTONE® 5473 C

1	P6256	TXP Neutral SQ Mix Base	69.340
2	P6248	TXP White SQ	15.400
3	P3970	TXP Atomix Green	6.600
4	P3980	TXP Atomix Blue B	5.860
5	P3981	TXP Atomix Black	2.800
TOTAL			100%

PANTONE® 5483 C

1	P6256	TXP Neutral SQ Mix Base	26.400
2	P6248	TXP White SQ	51.800
3	P3975	TXP Atomix Fluo Yellow	14.000
4	P3980	TXP Atomix Blue B	4.900
5	P3981	TXP Atomix Black	2.900
TOTAL			100%

PANTONE® 5487 C

1	P6256	TXP Neutral SQ Mix Base	64.240
2	P6248	TXP White SQ	28.400
3	P3981	TXP Atomix Black	3.160
4	P3970	TXP Atomix Green	2.500
5	P3968	TXP Atomix Lemon NM	1.700
TOTAL			100%

PANTONE® 5493 C

1	P6256	TXP Neutral SQ Mix Base	52.640
2	P6248	TXP White SQ	41.000
3	P3975	TXP Atomix Fluo Yellow	3.800
4	P3980	TXP Atomix Blue B	1.500
5	P3981	TXP Atomix Black	1.060
TOTAL			100%

PANTONE® 5497 C

1	P6256	TXP Neutral SQ Mix Base	52.180
2	P6248	TXP White SQ	37.600
3	P3975	TXP Atomix Fluo Yellow	8.000
4	P3981	TXP Atomix Black	1.720
5	P3980	TXP Atomix Blue B	0.500
TOTAL			100%

PANTONE® 5503 C

1	P6256	TXP Neutral SQ Mix Base	66.960
2	P6248	TXP White SQ	30.000
3	P3975	TXP Atomix Fluo Yellow	1.800
4	P3980	TXP Atomix Blue B	0.700
5	P3981	TXP Atomix Black	0.540
TOTAL			100%

PANTONE® 5507 C

1	P6256	TXP Neutral SQ Mix Base	44.220
2	P6248	TXP White SQ	50.000
3	P3975	TXP Atomix Fluo Yellow	4.500
4	P3981	TXP Atomix Black	0.980
5	P3980	TXP Atomix Blue B	0.300
TOTAL			100%

PANTONE® 5513 C

1	P6256	TXP Neutral SQ Mix Base	44.320
2	P6248	TXP White SQ	53.400
3	P3975	TXP Atomix Fluo Yellow	1.540
4	P3980	TXP Atomix Blue B	0.400
5	P3981	TXP Atomix Black	0.340
TOTAL			100%

PANTONE® 5517 C

1	P6256	TXP Neutral SQ Mix Base	28.640
2	P6248	TXP White SQ	68.000
3	P3975	TXP Atomix Fluo Yellow	2.580
4	P3981	TXP Atomix Black	0.580
5	P3980	TXP Atomix Blue B	0.200
TOTAL			100%

PANTONE® 5523 C

1	P6256	TXP Neutral SQ Mix Base	40.680
2	P6248	TXP White SQ	57.000
3	P3975	TXP Atomix Fluo Yellow	1.680
4	P3981	TXP Atomix Black	0.320
5	P3980	TXP Atomix Blue B	0.320
TOTAL			100%

PANTONE® 5527 C

1	P6256	TXP Neutral SQ Mix Base	24.150
2	P6248	TXP White SQ	74.310
3	P3975	TXP Atomix Fluo Yellow	1.160
4	P3981	TXP Atomix Black	0.280
5	P3980	TXP Atomix Blue B	0.100
TOTAL			100%

PANTONE® 5467 C

1	P6256	TXP Neutral SQ Mix Base	85.300
2	P6248	TXP White SQ	0.600
3	P3970	TXP Atomix Green	8.400
4	P3981	TXP Atomix Black	3.700
5	P3968	TXP Atomix Lemon NM	2.000
TOTAL			100%

PANTONE® 553 C

1	P6256	TXP Neutral SQ Mix Base	75.000
2	P6248	TXP White SQ	7.200
3	P3970	TXP Atomix Green	7.600
4	P3967	TXP Atomix Yellow	6.500
5	P3981	TXP Atomix Black	3.700
TOTAL			100%

PANTONE® 5477 C

1	P6256	TXP Neutral SQ Mix Base	81.700
2	P6248	TXP White SQ	9.300
3	P3970	TXP Atomix Green	4.200
4	P3981	TXP Atomix Black	3.300
5	P3968	TXP Atomix Lemon NM	1.500
TOTAL			100%

PANTONE® 554 C

1	P6256	TXP Neutral SQ Mix Base	71.900
2	P6248	TXP White SQ	10.700
3	P3970	TXP Atomix Green	10.300
4	P3967	TXP Atomix Yellow	5.000
5	P3981	TXP Atomix Black	2.100
TOTAL			100%

PANTONE® 555 C

1	P6256	TXP Neutral SQ Mix Base	87.200
2	P6248	TXP White SQ	5.800
3	P3970	TXP Atomix Green	4.560
4	P3967	TXP Atomix Yellow	1.600
5	P3981	TXP Atomix Black	0.840
TOTAL			100%

PANTONE® 5555 C

1	P6256	TXP Neutral SQ Mix Base	68.580
2	P6248	TXP White SQ	24.400
3	P3981	TXP Atomix Black	2.520
4	P3968	TXP Atomix Lemon NM	2.320
5	P3970	TXP Atomix Green	2.180
TOTAL			100%

PANTONE® 556 C

1	P6256	TXP Neutral SQ Mix Base	75.660
2	P6248	TXP White SQ	19.600
3	P3970	TXP Atomix Green	2.100
4	P3968	TXP Atomix Lemon NM	1.800
5	P3981	TXP Atomix Black	0.840
TOTAL			100%

PANTONE® 5565 C

1	P6256	TXP Neutral SQ Mix Base	67.220
2	P6248	TXP White SQ	29.000
3	P3981	TXP Atomix Black	1.440
4	P3968	TXP Atomix Lemon NM	1.300
5	P3970	TXP Atomix Green	1.040
TOTAL			100%

PANTONE® 557 C

1	P6256	TXP Neutral SQ Mix Base	66.180
2	P6248	TXP White SQ	30.800
3	P3970	TXP Atomix Green	1.320
4	P3968	TXP Atomix Lemon NM	1.100
5	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 5575 C

1	P6256	TXP Neutral SQ Mix Base	61.120
2	P6248	TXP White SQ	36.400
3	P3981	TXP Atomix Black	1.000
4	P3968	TXP Atomix Lemon NM	0.800
5	P3970	TXP Atomix Green	0.680
TOTAL			100%

PANTONE® 558 C

1	P6256	TXP Neutral SQ Mix Base	57.900
2	P6248	TXP White SQ	40.200
3	P3970	TXP Atomix Green	0.800
4	P3968	TXP Atomix Lemon NM	0.700
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 5585 C

1	P6256	TXP Neutral SQ Mix Base	48.060
2	P6248	TXP White SQ	50.600
3	P3981	TXP Atomix Black	0.520
4	P3968	TXP Atomix Lemon NM	0.440
5	P3970	TXP Atomix Green	0.380
TOTAL			100%

PANTONE® 559 C

1	P6256	TXP Neutral SQ Mix Base	51.120
2	P6248	TXP White SQ	47.400
3	P3970	TXP Atomix Green	0.600
4	P3968	TXP Atomix Lemon NM	0.580
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 5595 C

1	P6256	TXP Neutral SQ Mix Base	20.620
2	P6248	TXP White SQ	78.000
3	P3968	TXP Atomix Lemon NM	0.640
4	P3981	TXP Atomix Black	0.480
5	P3970	TXP Atomix Green	0.260
TOTAL			100%

PANTONE® 5535 C

1	P6256	TXP Neutral SQ Mix Base	83.400
2	P6248	TXP White SQ	0.600
3	P3970	TXP Atomix Green	8.400
4	P3967	TXP Atomix Yellow	4.000
5	P3981	TXP Atomix Black	3.600
TOTAL			100%

PANTONE® 560 C

1	P6256	TXP Neutral SQ Mix Base	84.800
2	P6248	TXP White SQ	0.700
3	P3970	TXP Atomix Green	9.000
4	P3967	TXP Atomix Yellow	2.900
5	P3981	TXP Atomix Black	2.600
TOTAL			100%

PANTONE® 5545 C

1	P6256	TXP Neutral SQ Mix Base	76.600
2	P6248	TXP White SQ	12.400
3	P3968	TXP Atomix Lemon NM	4.000
4	P3970	TXP Atomix Green	3.700
5	P3981	TXP Atomix Black	3.300
TOTAL			100%

PANTONE® 561 C

1	P6256	TXP Neutral SQ Mix Base	68.100
2	P6248	TXP White SQ	11.000
3	P3970	TXP Atomix Green	14.400
4	P3968	TXP Atomix Lemon NM	3.400
5	P3981	TXP Atomix Black	3.100
TOTAL			100%

PANTONE® 562 C

1	P6256	TXP Neutral SQ Mix Base	62.460
2	P6248	TXP White SQ	19.000
3	P3970	TXP Atomix Green	14.800
4	P3981	TXP Atomix Black	2.300
5	P3968	TXP Atomix Lemon NM	1.440
TOTAL			100%

PANTONE® 5625 C

1	P6256	TXP Neutral SQ Mix Base	74.680
2	P6248	TXP White SQ	17.600
3	P3968	TXP Atomix Lemon NM	4.300
4	P3981	TXP Atomix Black	2.300
5	P3970	TXP Atomix Green	1.120
TOTAL			100%

PANTONE® 563 C

1	P6256	TXP Neutral SQ Mix Base	54.300
2	P6248	TXP White SQ	42.000
3	P3970	TXP Atomix Green	2.820
4	P3981	TXP Atomix Black	0.580
5	P3968	TXP Atomix Lemon NM	0.300
TOTAL			100%

PANTONE® 5635 C

1	P6256	TXP Neutral SQ Mix Base	65.440
2	P6248	TXP White SQ	31.600
3	P3968	TXP Atomix Lemon NM	1.400
4	P3981	TXP Atomix Black	1.060
5	P3970	TXP Atomix Green	0.500
TOTAL			100%

PANTONE® 564 C

1	P6256	TXP Neutral SQ Mix Base	30.700
2	P6248	TXP White SQ	67.000
3	P3970	TXP Atomix Green	1.740
4	P3981	TXP Atomix Black	0.360
5	P3968	TXP Atomix Lemon NM	0.200
TOTAL			100%

PANTONE® 5645 C

1	P6256	TXP Neutral SQ Mix Base	59.340
2	P6248	TXP White SQ	38.600
3	P3968	TXP Atomix Lemon NM	1.000
4	P3981	TXP Atomix Black	0.740
5	P3970	TXP Atomix Green	0.320
TOTAL			100%

PANTONE® 565 C

1	P6256	TXP Neutral SQ Mix Base	28.720
2	P6248	TXP White SQ	70.000
3	P3970	TXP Atomix Green	0.960
4	P3981	TXP Atomix Black	0.180
5	P3968	TXP Atomix Lemon NM	0.140
TOTAL			100%

PANTONE® 5655 C

1	P6256	TXP Neutral SQ Mix Base	39.380
2	P6248	TXP White SQ	59.000
3	P3968	TXP Atomix Lemon NM	0.800
4	P3981	TXP Atomix Black	0.580
5	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 566 C

1	P6256	TXP Neutral SQ Mix Base	30.040
2	P6248	TXP White SQ	69.750
3	P3975	TXP Atomix Fluo Yellow	0.080
4	P3981	TXP Atomix Black	0.080
5	P3970	TXP Atomix Green	0.040
TOTAL			100%

PANTONE® 5665 C

1	P6256	TXP Neutral SQ Mix Base	26.320
2	P6248	TXP White SQ	72.200
3	P3968	TXP Atomix Lemon NM	0.800
4	P3981	TXP Atomix Black	0.500
5	P3970	TXP Atomix Green	0.180
TOTAL			100%

PANTONE® 5605 C

1	P6256	TXP Neutral SQ Mix Base	79.000
2	P6248	TXP White SQ	0.600
3	P3967	TXP Atomix Yellow	9.800
4	P3970	TXP Atomix Green	6.200
5	P3981	TXP Atomix Black	4.400
TOTAL			100%

PANTONE® 567 C

1	P6256	TXP Neutral SQ Mix Base	68.100
2	P6248	TXP White SQ	2.400
3	P3970	TXP Atomix Green	13.000
4	P3968	TXP Atomix Lemon NM	11.600
5	P3981	TXP Atomix Black	4.900
TOTAL			100%

PANTONE® 5615 C

1	P6256	TXP Neutral SQ Mix Base	80.960
2	P6248	TXP White SQ	10.200
3	P3968	TXP Atomix Lemon NM	4.900
4	P3981	TXP Atomix Black	2.400
5	P3970	TXP Atomix Green	1.540
TOTAL			100%

PANTONE® 568 C

1	P6256	TXP Neutral SQ Mix Base	79.200
2	P6248	TXP White SQ	5.200
3	P3970	TXP Atomix Green	11.600
4	P3968	TXP Atomix Lemon NM	2.500
5	P3981	TXP Atomix Black	1.500
TOTAL			100%

PANTONE® 569 C

1	P6256	TXP Neutral SQ Mix Base	82.980
2	P6248	TXP White SQ	6.000
3	P3970	TXP Atomix Green	9.900
4	P3981	TXP Atomix Black	0.620
5	P3968	TXP Atomix Lemon NM	0.500
TOTAL			100%

PANTONE® 570 C

1	P6256	TXP Neutral SQ Mix Base	26.260
2	P6248	TXP White SQ	70.000
3	P3970	TXP Atomix Green	3.160
4	P3981	TXP Atomix Black	0.320
5	P3968	TXP Atomix Lemon NM	0.260
TOTAL			100%

PANTONE® 571 C

1	P6256	TXP Neutral SQ Mix Base	32.540
2	P6248	TXP White SQ	66.000
3	P3970	TXP Atomix Green	1.000
4	P3975	TXP Atomix Fluo Yellow	0.360
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 572 C

1	P6256	TXP Neutral SQ Mix Base	42.500
2	P6248	TXP White SQ	56.200
3	P3970	TXP Atomix Green	0.700
4	P3975	TXP Atomix Fluo Yellow	0.520
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 573 C

1	P6256	TXP Neutral SQ Mix Base	43.620
2	P6248	TXP White SQ	55.000
3	P3975	TXP Atomix Fluo Yellow	0.900
4	P3970	TXP Atomix Green	0.400
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 574 C

1	P6256	TXP Neutral SQ Mix Base	80.640
2	P6248	TXP White SQ	3.600
3	P3967	TXP Atomix Yellow	6.760
4	P3968	TXP Atomix Lemon NM	6.000
5	P3981	TXP Atomix Black	1.740
6	P3970	TXP Atomix Green	1.260
TOTAL			100%

PANTONE® 575 C

1	P6256	TXP Neutral SQ Mix Base	68.460
2	P6248	TXP White SQ	14.800
3	P3967	TXP Atomix Yellow	13.200
4	P3970	TXP Atomix Green	2.640
5	P3981	TXP Atomix Black	0.900
TOTAL			100%

PANTONE® 576 C

1	P6256	TXP Neutral SQ Mix Base	58.340
2	P6248	TXP White SQ	24.500
3	P3967	TXP Atomix Yellow	10.720
4	P3968	TXP Atomix Lemon NM	3.300
5	P3970	TXP Atomix Green	2.600
6	P3981	TXP Atomix Black	0.540
TOTAL			100%

PANTONE® 577 C

1	P6256	TXP Neutral SQ Mix Base	44.840
2	P6248	TXP White SQ	52.000
3	P3967	TXP Atomix Yellow	2.400
4	P3970	TXP Atomix Green	0.620
5	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 578 C

1	P6256	TXP Neutral SQ Mix Base	50.120
2	P6248	TXP White SQ	47.800
3	P3967	TXP Atomix Yellow	1.600
4	P3970	TXP Atomix Green	0.400
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 579 C

1	P6256	TXP Neutral SQ Mix Base	43.880
2	P6248	TXP White SQ	54.000
3	P3967	TXP Atomix Yellow	1.620
4	P3970	TXP Atomix Green	0.400
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 580 C

1	P6256	TXP Neutral SQ Mix Base	46.500
2	P6248	TXP White SQ	51.800
3	P3967	TXP Atomix Yellow	1.320
4	P3970	TXP Atomix Green	0.300
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 5743 C

1	P6256	TXP Neutral SQ Mix Base	79.200
2	P6248	TXP White SQ	2.000
3	P3967	TXP Atomix Yellow	8.800
4	P3968	TXP Atomix Lemon NM	6.400
5	P3981	TXP Atomix Black	2.400
6	P3970	TXP Atomix Green	1.200
TOTAL			100%

PANTONE® 5753 C

1	P6256	TXP Neutral SQ Mix Base	78.800
2	P6248	TXP White SQ	4.400
3	P3967	TXP Atomix Yellow	8.200
4	P3968	TXP Atomix Lemon NM	6.000
5	P3981	TXP Atomix Black	1.700
6	P3970	TXP Atomix Green	0.900
TOTAL			100%

PANTONE® 5763 C

1	P6256	TXP Neutral SQ Mix Base	85.520
2	P6248	TXP White SQ	5.400
3	P3967	TXP Atomix Yellow	4.100
4	P3968	TXP Atomix Lemon NM	3.200
5	P3981	TXP Atomix Black	1.280
6	P3970	TXP Atomix Green	0.500
TOTAL			100%

PANTONE® 5773 C

1	P6256	TXP Neutral SQ Mix Base	66.240
2	P6248	TXP White SQ	23.000
3	P3968	TXP Atomix Lemon NM	9.000
4	P3981	TXP Atomix Black	1.560
5	P3970	TXP Atomix Green	0.200
TOTAL			100%

PANTONE® 5783 C

1	P6256	TXP Neutral SQ Mix Base	70.020
2	P6248	TXP White SQ	25.600
3	P3968	TXP Atomix Lemon NM	3.540
4	P3981	TXP Atomix Black	0.780
5	P3970	TXP Atomix Green	0.060
TOTAL			100%

PANTONE® 5793 C

1	P6256	TXP Neutral SQ Mix Base	50.600
2	P6248	TXP White SQ	47.000
3	P3967	TXP Atomix Yellow	1.700
4	P3981	TXP Atomix Black	0.500
5	P3970	TXP Atomix Green	0.200
TOTAL			100%

PANTONE® 5803 C

1	P6256	TXP Neutral SQ Mix Base	43.420
2	P6248	TXP White SQ	55.000
3	P3967	TXP Atomix Yellow	1.060
4	P3981	TXP Atomix Black	0.360
5	P3970	TXP Atomix Green	0.160
TOTAL			100%

PANTONE® 5747 C

1	P6256	TXP Neutral SQ Mix Base	73.000
2	P3967	TXP Atomix Yellow	23.600
3	P3981	TXP Atomix Black	1.520
4	P3980	TXP Atomix Blue B	1.440
5	P3969	TXP Atomix Red NM	0.440
TOTAL			100%

PANTONE® 5757 C

1	P6256	TXP Neutral SQ Mix Base	80.760
2	P6248	TXP White SQ	3.400
3	P3967	TXP Atomix Yellow	14.000
4	P3981	TXP Atomix Black	1.000
5	P3970	TXP Atomix Green	0.840
TOTAL			100%

PANTONE® 5767 C

1	P6256	TXP Neutral SQ Mix Base	80.100
2	P6248	TXP White SQ	10.600
3	P3967	TXP Atomix Yellow	7.900
4	P3981	TXP Atomix Black	0.860
5	P3970	TXP Atomix Green	0.540
TOTAL			100%

PANTONE® 5777 C

1	P6256	TXP Neutral SQ Mix Base	69.280
2	P6248	TXP White SQ	23.600
3	P3967	TXP Atomix Yellow	5.860
4	P3981	TXP Atomix Black	0.800
5	P3970	TXP Atomix Green	0.460
TOTAL			100%

PANTONE® 5787 C

1	P6256	TXP Neutral SQ Mix Base	61.140
2	P6248	TXP White SQ	35.800
3	P3967	TXP Atomix Yellow	2.400
4	P3981	TXP Atomix Black	0.420
5	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 5797 C

1	P6256	TXP Neutral SQ Mix Base	53.420
2	P6248	TXP White SQ	44.000
3	P3967	TXP Atomix Yellow	2.000
4	P3981	TXP Atomix Black	0.380
5	P3970	TXP Atomix Green	0.200
TOTAL			100%

PANTONE® 5807 C

1	P6256	TXP Neutral SQ Mix Base	42.500
2	P6248	TXP White SQ	56.000
3	P3967	TXP Atomix Yellow	1.160
4	P3981	TXP Atomix Black	0.220
5	P3970	TXP Atomix Green	0.120
TOTAL			100%

PANTONE® 581 C

1	P6256	TXP Neutral SQ Mix Base	61.840
2	P3967	TXP Atomix Yellow	36.000
3	P3981	TXP Atomix Black	1.200
4	P3970	TXP Atomix Green	0.960
TOTAL			100%

PANTONE® 582 C

1	P6256	TXP Neutral SQ Mix Base	51.400
2	P6248	TXP White SQ	2.400
3	P3975	TXP Atomix Fluo Yellow	27.200
4	P3967	TXP Atomix Yellow	10.600
5	P3974	TXP Atomix Blue RQ	8.400
TOTAL			100%

PANTONE® 583 C

1	P6256	TXP Neutral SQ Mix Base	75.640
2	P6248	TXP White SQ	2.800
3	P3968	TXP Atomix Lemon NM	14.000
4	P3975	TXP Atomix Fluo Yellow	4.800
5	P3974	TXP Atomix Blue RQ	2.760
TOTAL			100%

PANTONE® 584 C

1	P6256	TXP Neutral SQ Mix Base	63.540
2	P6248	TXP White SQ	24.600
3	P3968	TXP Atomix Lemon NM	8.700
4	P3967	TXP Atomix Yellow	2.900
5	P3970	TXP Atomix Green	0.260
TOTAL			100%

PANTONE® 585 C

1	P6256	TXP Neutral SQ Mix Base	17.600
2	P6248	TXP White SQ	65.200
3	P3968	TXP Atomix Lemon NM	12.800
4	P3975	TXP Atomix Fluo Yellow	2.800
5	P3974	TXP Atomix Blue RQ	1.600
TOTAL			100%

PANTONE® 586 C

1	P6256	TXP Neutral SQ Mix Base	76.600
2	P6248	TXP White SQ	18.000
3	P3968	TXP Atomix Lemon NM	4.600
4	P3974	TXP Atomix Blue RQ	0.800
TOTAL			100%

PANTONE® 587 C

1	P6256	TXP Neutral SQ Mix Base	57.560
2	P6248	TXP White SQ	38.000
3	P3968	TXP Atomix Lemon NM	3.600
4	P3974	TXP Atomix Blue RQ	0.440
5	P3975	TXP Atomix Fluo Yellow	0.400
TOTAL			100%

PANTONE® 5815 C

1	P6256	TXP Neutral SQ Mix Base	65.100
2	P3967	TXP Atomix Yellow	32.600
3	P3981	TXP Atomix Black	1.000
4	P3980	TXP Atomix Blue B	0.800
5	P3969	TXP Atomix Red NM	0.500
TOTAL			100%

PANTONE® 5825 C

1	P6256	TXP Neutral SQ Mix Base	76.540
2	P6248	TXP White SQ	9.900
3	P3967	TXP Atomix Yellow	12.100
4	P3981	TXP Atomix Black	1.060
5	P3970	TXP Atomix Green	0.400
TOTAL			100%

PANTONE® 5835 C

1	P6256	TXP Neutral SQ Mix Base	71.220
2	P6248	TXP White SQ	20.400
3	P3967	TXP Atomix Yellow	7.200
4	P3981	TXP Atomix Black	0.940
5	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 5845 C

1	P6256	TXP Neutral SQ Mix Base	58.060
2	P6248	TXP White SQ	35.000
3	P3967	TXP Atomix Yellow	5.860
4	P3981	TXP Atomix Black	0.840
5	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 5855 C

1	P6256	TXP Neutral SQ Mix Base	44.940
2	P6248	TXP White SQ	50.800
3	P3967	TXP Atomix Yellow	3.540
4	P3981	TXP Atomix Black	0.580
5	P3970	TXP Atomix Green	0.140
TOTAL			100%

PANTONE® 5865 C

1	P6256	TXP Neutral SQ Mix Base	37.760
2	P6248	TXP White SQ	59.600
3	P3967	TXP Atomix Yellow	2.180
4	P3981	TXP Atomix Black	0.380
5	P3970	TXP Atomix Green	0.080
TOTAL			100%

PANTONE® 5875 C

1	P6256	TXP Neutral SQ Mix Base	27.840
2	P6248	TXP White SQ	69.600
3	P3967	TXP Atomix Yellow	2.100
4	P3981	TXP Atomix Black	0.400
5	P3970	TXP Atomix Green	0.060
TOTAL			100%

PANTONE® 600 C

1	P6256	TXP Neutral SQ Mix Base	41.800
2	P6248	TXP White SQ	56.000
3	P3968	TXP Atomix Lemon NM	1.600
4	P3967	TXP Atomix Yellow	0.460
5	P3974	TXP Atomix Blue RQ	0.140
TOTAL			100%

PANTONE® 601 C

1	P6256	TXP Neutral SQ Mix Base	45.460
2	P6248	TXP White SQ	50.800
3	P3968	TXP Atomix Lemon NM	3.500
4	P3967	TXP Atomix Yellow	0.240
TOTAL			100%

PANTONE® 602 C

1	P6256	TXP Neutral SQ Mix Base	62.600
2	P6248	TXP White SQ	29.000
3	P3968	TXP Atomix Lemon NM	8.400
TOTAL			100%

PANTONE® 603 C

1	P6256	TXP Neutral SQ Mix Base	61.200
2	P6248	TXP White SQ	26.000
3	P3968	TXP Atomix Lemon NM	12.000
4	P3975	TXP Atomix Fluo Yellow	0.800
TOTAL			100%

PANTONE® 604 C

1	P6256	TXP Neutral SQ Mix Base	85.780
2	P6248	TXP White SQ	5.360
3	P3968	TXP Atomix Lemon NM	8.680
4	P3967	TXP Atomix Yellow	0.100
5	P3974	TXP Atomix Blue RQ	0.080
TOTAL			100%

PANTONE® 605 C

1	P6256	TXP Neutral SQ Mix Base	78.600
2	P6248	TXP White SQ	1.600
3	P3968	TXP Atomix Lemon NM	19.200
4	P3974	TXP Atomix Blue RQ	0.400
5	P3967	TXP Atomix Yellow	0.200
TOTAL			100%

PANTONE® 606 C

1	P6256	TXP Neutral SQ Mix Base	51.700
2	P3968	TXP Atomix Lemon NM	44.000
3	P3967	TXP Atomix Yellow	3.000
4	P3974	TXP Atomix Blue RQ	1.300
TOTAL			100%

PANTONE® 607 C

1	P6256	TXP Neutral SQ Mix Base	68.560
2	P6248	TXP White SQ	30.000
3	P3968	TXP Atomix Lemon NM	0.800
4	P3967	TXP Atomix Yellow	0.440
5	P3974	TXP Atomix Blue RQ	0.200
TOTAL			100%

PANTONE® 608 C

1	P6256	TXP Neutral SQ Mix Base	71.380
2	P6248	TXP White SQ	26.000
3	P3968	TXP Atomix Lemon NM	1.800
4	P3967	TXP Atomix Yellow	0.540
5	P3974	TXP Atomix Blue RQ	0.280
TOTAL			100%

PANTONE® 609 C

1	P6256	TXP Neutral SQ Mix Base	74.460
2	P6248	TXP White SQ	22.400
3	P3968	TXP Atomix Lemon NM	2.200
4	P3967	TXP Atomix Yellow	0.600
5	P3974	TXP Atomix Blue RQ	0.340
TOTAL			100%

PANTONE® 610 C

1	P6256	TXP Neutral SQ Mix Base	88.300
2	P6248	TXP White SQ	5.600
3	P3968	TXP Atomix Lemon NM	4.800
4	P3974	TXP Atomix Blue RQ	0.700
5	P3967	TXP Atomix Yellow	0.600
TOTAL			100%

PANTONE® 611 C

1	P6256	TXP Neutral SQ Mix Base	83.400
2	P6248	TXP White SQ	6.400
3	P3968	TXP Atomix Lemon NM	7.600
4	P3967	TXP Atomix Yellow	1.400
5	P3974	TXP Atomix Blue RQ	1.200
TOTAL			100%

PANTONE® 612 C

1	P6256	TXP Neutral SQ Mix Base	77.400
2	P6248	TXP White SQ	2.400
3	P3968	TXP Atomix Lemon NM	14.600
4	P3967	TXP Atomix Yellow	3.200
5	P3974	TXP Atomix Blue RQ	2.400
TOTAL			100%

PANTONE® 613 C

1	P6256	TXP Neutral SQ Mix Base	58.800
2	P6248	TXP White SQ	1.200
3	P3968	TXP Atomix Lemon NM	28.400
4	P3967	TXP Atomix Yellow	8.000
5	P3974	TXP Atomix Blue RQ	3.600
TOTAL			100%

PANTONE® 614 C

1	P6256	TXP Neutral SQ Mix Base	20.800
2	P6248	TXP White SQ	76.000
3	P3974	TXP Atomix Blue RQ	1.600
4	P3967	TXP Atomix Yellow	1.600
TOTAL			100%

PANTONE® 615 C

1	P6256	TXP Neutral SQ Mix Base	19.680
2	P6248	TXP White SQ	74.000
3	P3967	TXP Atomix Yellow	3.200
4	P3974	TXP Atomix Blue RQ	3.120
TOTAL			100%

PANTONE® 616 C

1	P6256	TXP Neutral SQ Mix Base	18.000
2	P6248	TXP White SQ	72.800
3	P3967	TXP Atomix Yellow	4.800
4	P3974	TXP Atomix Blue RQ	4.400
TOTAL			100%

PANTONE® 617 C

1	P6256	TXP Neutral SQ Mix Base	18.400
2	P6248	TXP White SQ	63.200
3	P3967	TXP Atomix Yellow	10.400
4	P3974	TXP Atomix Blue RQ	8.000
TOTAL			100%

PANTONE® 618 C

1	P6256	TXP Neutral SQ Mix Base	60.800
2	P6248	TXP White SQ	18.800
3	P3967	TXP Atomix Yellow	12.400
4	P3974	TXP Atomix Blue RQ	8.000
TOTAL			100%

PANTONE® 619 C

1	P6256	TXP Neutral SQ Mix Base	46.400
2	P6248	TXP White SQ	16.000
3	P3967	TXP Atomix Yellow	24.600
4	P3974	TXP Atomix Blue RQ	13.000
TOTAL			100%

PANTONE® 620 C

1	P6256	TXP Neutral SQ Mix Base	40.000
2	P6248	TXP White SQ	10.000
3	P3967	TXP Atomix Yellow	34.000
4	P3974	TXP Atomix Blue RQ	16.000
TOTAL			100%

PANTONE® 621 C

1	P6256	TXP Neutral SQ Mix Base	15.980
2	P6248	TXP White SQ	83.600
3	P3970	TXP Atomix Green	0.180
4	P3981	TXP Atomix Black	0.160
5	P3967	TXP Atomix Yellow	0.080
TOTAL			100%

PANTONE® 622 C

1	P6256	TXP Neutral SQ Mix Base	23.560
2	P6248	TXP White SQ	75.600
3	P3970	TXP Atomix Green	0.400
4	P3981	TXP Atomix Black	0.280
5	P3967	TXP Atomix Yellow	0.160
TOTAL			100%

PANTONE® 623 C

1	P6256	TXP Neutral SQ Mix Base	25.960
2	P6248	TXP White SQ	71.400
3	P3970	TXP Atomix Green	1.300
4	P3981	TXP Atomix Black	0.800
5	P3967	TXP Atomix Yellow	0.540
TOTAL			100%

PANTONE® 624 C

1	P6256	TXP Neutral SQ Mix Base	30.500
2	P6248	TXP White SQ	64.000
3	P3970	TXP Atomix Green	2.600
4	P3981	TXP Atomix Black	1.600
5	P3967	TXP Atomix Yellow	1.300
TOTAL			100%

PANTONE® 625 C

1	P6256	TXP Neutral SQ Mix Base	44.700
2	P6248	TXP White SQ	42.600
3	P3970	TXP Atomix Green	6.800
4	P3981	TXP Atomix Black	3.100
5	P3967	TXP Atomix Yellow	2.800
TOTAL			100%

PANTONE® 626 C

1	P6256	TXP Neutral SQ Mix Base	38.600
2	P6248	TXP White SQ	21.200
3	P3970	TXP Atomix Green	26.600
4	P3967	TXP Atomix Yellow	8.400
5	P3981	TXP Atomix Black	5.200
TOTAL			100%

PANTONE® 627 C

1	P6256	TXP Neutral SQ Mix Base	52.500
2	P3970	TXP Atomix Green	34.600
3	P3967	TXP Atomix Yellow	9.000
4	P3981	TXP Atomix Black	3.900
TOTAL			100%

PANTONE® 628 C

1	P6256	TXP Neutral SQ Mix Base	39.520
2	P6248	TXP White SQ	60.000
3	P3980	TXP Atomix Blue B	0.280
4	P3975	TXP Atomix Fluo Yellow	0.200
TOTAL			100%

PANTONE® 629 C

1	P6256	TXP Neutral SQ Mix Base	67.500
2	P6248	TXP White SQ	31.600
3	P3980	TXP Atomix Blue B	0.520
4	P3975	TXP Atomix Fluo Yellow	0.340
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 630 C

1	P6256	TXP Neutral SQ Mix Base	66.560
2	P6248	TXP White SQ	31.800
3	P3980	TXP Atomix Blue B	1.000
4	P3975	TXP Atomix Fluo Yellow	0.560
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 631 C

1	P6256	TXP Neutral SQ Mix Base	74.340
2	P6248	TXP White SQ	22.000
3	P3980	TXP Atomix Blue B	2.200
4	P3975	TXP Atomix Fluo Yellow	1.300
5	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 632 C

1	P6256	TXP Neutral SQ Mix Base	55.920
2	P6248	TXP White SQ	30.400
3	P3980	TXP Atomix Blue B	8.000
4	P3975	TXP Atomix Fluo Yellow	5.500
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 633 C

1	P6256	TXP Neutral SQ Mix Base	85.340
2	P6248	TXP White SQ	3.000
3	P3980	TXP Atomix Blue B	8.300
4	P3975	TXP Atomix Fluo Yellow	3.300
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 634 C

1	P6256	TXP Neutral SQ Mix Base	85.860
2	P6248	TXP White SQ	1.800
3	P3980	TXP Atomix Blue B	8.800
4	P3975	TXP Atomix Fluo Yellow	3.440
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 635 C

1	P6256	TXP Neutral SQ Mix Base	33.200
2	P6248	TXP White SQ	65.200
3	P3975	TXP Atomix Fluo Yellow	0.800
4	P3980	TXP Atomix Blue B	0.800
TOTAL			100%

PANTONE® 636 C

1	P6256	TXP Neutral SQ Mix Base	44.000
2	P6248	TXP White SQ	53.400
3	P3980	TXP Atomix Blue B	1.600
4	P3975	TXP Atomix Fluo Yellow	1.000
TOTAL			100%

PANTONE® 637 C

1	P6256	TXP Neutral SQ Mix Base	46.240
2	P6248	TXP White SQ	48.400
3	P3980	TXP Atomix Blue B	3.600
4	P3975	TXP Atomix Fluo Yellow	1.760
TOTAL			100%

PANTONE® 638 C

1	P6256	TXP Neutral SQ Mix Base	86.720
2	P6248	TXP White SQ	10.000
3	P3980	TXP Atomix Blue B	2.400
4	P3975	TXP Atomix Fluo Yellow	0.880
TOTAL			100%

PANTONE® 639 C

1	P6256	TXP Neutral SQ Mix Base	93.580
2	P6248	TXP White SQ	2.800
3	P3980	TXP Atomix Blue B	2.900
4	P3975	TXP Atomix Fluo Yellow	0.720
TOTAL			100%

PANTONE® 640 C

1	P6256	TXP Neutral SQ Mix Base	93.000
2	P6248	TXP White SQ	2.600
3	P3980	TXP Atomix Blue B	3.700
4	P3975	TXP Atomix Fluo Yellow	0.700
TOTAL			100%

PANTONE® 641 C

1	P6256	TXP Neutral SQ Mix Base	91.600
2	P6248	TXP White SQ	1.000
3	P3980	TXP Atomix Blue B	6.000
4	P3975	TXP Atomix Fluo Yellow	1.400
TOTAL			100%

PANTONE® 642 C

1	P6256	TXP Neutral SQ Mix Base	43.740
2	P6248	TXP White SQ	55.600
3	P3976	TXP Atomix Fluo Fuchsia	0.400
4	P3978	TXP Atomix Blue 1500	0.200
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 643 C

1	P6256	TXP Neutral SQ Mix Base	52.580
2	P6248	TXP White SQ	46.400
3	P3976	TXP Atomix Fluo Fuchsia	0.640
4	P3978	TXP Atomix Blue 1500	0.300
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 644 C

1	P6256	TXP Neutral SQ Mix Base	53.260
2	P6248	TXP White SQ	43.200
3	P3976	TXP Atomix Fluo Fuchsia	2.200
4	P3978	TXP Atomix Blue 1500	1.080
5	P3981	TXP Atomix Black	0.260
TOTAL			100%

PANTONE® 645 C

1	P6256	TXP Neutral SQ Mix Base	60.680
2	P6248	TXP White SQ	32.000
3	P3976	TXP Atomix Fluo Fuchsia	4.500
4	P3978	TXP Atomix Blue 1500	2.360
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 646 C

1	P6256	TXP Neutral SQ Mix Base	75.540
2	P6248	TXP White SQ	15.400
3	P3976	TXP Atomix Fluo Fuchsia	5.280
4	P3978	TXP Atomix Blue 1500	2.900
5	P3981	TXP Atomix Black	0.560
6	P3975	TXP Atomix Fluo Yellow	0.320
TOTAL			100%

PANTONE® 647 C

1	P6256	TXP Neutral SQ Mix Base	90.080
2	P6248	TXP White SQ	2.200
3	P3978	TXP Atomix Blue 1500	4.400
4	P3976	TXP Atomix Fluo Fuchsia	2.760
5	P3981	TXP Atomix Black	0.460
6	P3975	TXP Atomix Fluo Yellow	0.100
TOTAL			100%

PANTONE® 648 C

1	P6256	TXP Neutral SQ Mix Base	86.100
2	P3978	TXP Atomix Blue 1500	13.000
3	P3981	TXP Atomix Black	0.700
4	P3975	TXP Atomix Fluo Yellow	0.200
TOTAL			100%

PANTONE® 649 C

1	P6256	TXP Neutral SQ Mix Base	47.360
2	P6248	TXP White SQ	52.000
3	P3976	TXP Atomix Fluo Fuchsia	0.500
4	P3978	TXP Atomix Blue 1500	0.100
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 650 C

1	P6256	TXP Neutral SQ Mix Base	37.520
2	P6248	TXP White SQ	61.000
3	P3976	TXP Atomix Fluo Fuchsia	1.100
4	P3978	TXP Atomix Blue 1500	0.300
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 651 C

1	P6256	TXP Neutral SQ Mix Base	57.300
2	P6248	TXP White SQ	39.200
3	P3976	TXP Atomix Fluo Fuchsia	2.500
4	P3978	TXP Atomix Blue 1500	0.800
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 652 C

1	P6256	TXP Neutral SQ Mix Base	73.800
2	P6248	TXP White SQ	19.800
3	P3976	TXP Atomix Fluo Fuchsia	4.320
4	P3978	TXP Atomix Blue 1500	1.700
5	P3981	TXP Atomix Black	0.380
TOTAL			100%

PANTONE® 653 C

1	P6256	TXP Neutral SQ Mix Base	87.700
2	P6248	TXP White SQ	3.500
3	P3978	TXP Atomix Blue 1500	4.400
4	P3976	TXP Atomix Fluo Fuchsia	3.900
5	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 654 C

1	P6256	TXP Neutral SQ Mix Base	72.760
2	P6248	TXP White SQ	1.400
3	P3980	TXP Atomix Blue B	19.800
4	P3978	TXP Atomix Blue 1500	5.400
5	P3981	TXP Atomix Black	0.640
TOTAL			100%

PANTONE® 655 C

1	P6256	TXP Neutral SQ Mix Base	77.900
2	P3978	TXP Atomix Blue 1500	19.000
3	P3970	TXP Atomix Green	2.000
4	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 656 C

1	P6256	TXP Neutral SQ Mix Base	55.540
2	P6248	TXP White SQ	44.000
3	P3976	TXP Atomix Fluo Fuchsia	0.340
4	P3978	TXP Atomix Blue 1500	0.120
TOTAL			100%

PANTONE® 657 C

1	P6256	TXP Neutral SQ Mix Base	62.100
2	P6248	TXP White SQ	36.800
3	P3976	TXP Atomix Fluo Fuchsia	0.800
4	P3978	TXP Atomix Blue 1500	0.300
TOTAL			100%

PANTONE® 658 C

1	P6256	TXP Neutral SQ Mix Base	69.800
2	P6248	TXP White SQ	28.000
3	P3976	TXP Atomix Fluo Fuchsia	1.600
4	P3978	TXP Atomix Blue 1500	0.600
TOTAL			100%

PANTONE® 659 C

1	P6256	TXP Neutral SQ Mix Base	73.890
2	P6248	TXP White SQ	18.630
3	P3976	TXP Atomix Fluo Fuchsia	5.130
4	P3978	TXP Atomix Blue 1500	2.300
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 660 C

1	P6256	TXP Neutral SQ Mix Base	78.640
2	P6248	TXP White SQ	9.600
3	P3976	TXP Atomix Fluo Fuchsia	6.700
4	P3978	TXP Atomix Blue 1500	5.000
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 661 C

1	P6256	TXP Neutral SQ Mix Base	88.920
2	P3978	TXP Atomix Blue 1500	10.800
3	P3975	TXP Atomix Fluo Yellow	0.280
TOTAL			100%

PANTONE® 662 C

1	P6256	TXP Neutral SQ Mix Base	57.200
2	P3974	TXP Atomix Blue RQ	23.200
3	P3978	TXP Atomix Blue 1500	19.600
TOTAL			100%

PANTONE® 663 C

1	P6256	TXP Neutral SQ Mix Base	19.500
2	P6248	TXP White SQ	78.800
3	P3976	TXP Atomix Fluo Fuchsia	0.900
4	P3974	TXP Atomix Blue RQ	0.780
5	P3981	TXP Atomix Black	0.020
TOTAL			100%

PANTONE® 664 C

1	P6256	TXP Neutral SQ Mix Base	38.700
2	P6248	TXP White SQ	59.000
3	P3976	TXP Atomix Fluo Fuchsia	1.140
4	P3974	TXP Atomix Blue RQ	1.120
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 665 C

1	P6256	TXP Neutral SQ Mix Base	65.460
2	P6248	TXP White SQ	28.400
3	P3976	TXP Atomix Fluo Fuchsia	3.300
4	P3974	TXP Atomix Blue RQ	2.640
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 666 C

1	P6256	TXP Neutral SQ Mix Base	66.880
2	P6248	TXP White SQ	18.800
3	P3976	TXP Atomix Fluo Fuchsia	7.800
4	P3974	TXP Atomix Blue RQ	6.000
5	P3981	TXP Atomix Black	0.520
TOTAL			100%

PANTONE® 667 C

1	P6256	TXP Neutral SQ Mix Base	73.680
2	P6248	TXP White SQ	21.600
3	P3977	TXP Atomix Violet	2.800
4	P3981	TXP Atomix Black	1.200
5	P3969	TXP Atomix Red NM	0.720
TOTAL			100%

PANTONE® 668 C

1	P6256	TXP Neutral SQ Mix Base	79.700
2	P6248	TXP White SQ	12.200
3	P3977	TXP Atomix Violet	5.400
4	P3981	TXP Atomix Black	1.360
5	P3969	TXP Atomix Red NM	1.340
TOTAL			100%

PANTONE® 669 C

1	P6256	TXP Neutral SQ Mix Base	90.920
2	P6248	TXP White SQ	2.400
3	P3977	TXP Atomix Violet	5.000
4	P3981	TXP Atomix Black	1.000
5	P3969	TXP Atomix Red NM	0.680
TOTAL			100%

PANTONE® 670 C

1	P6256	TXP Neutral SQ Mix Base	66.720
2	P6248	TXP White SQ	30.000
3	P3976	TXP Atomix Fluo Fuchsia	2.400
4	P3974	TXP Atomix Blue RQ	0.520
5	P3975	TXP Atomix Fluo Yellow	0.360
TOTAL			100%

PANTONE® 671 C

1	P6256	TXP Neutral SQ Mix Base	34.320
2	P6248	TXP White SQ	58.600
3	P3976	TXP Atomix Fluo Fuchsia	3.800
4	P3975	TXP Atomix Fluo Yellow	1.720
5	P3971	TXP Atomix Magenta NM	0.960
6	P3974	TXP Atomix Blue RQ	0.600
TOTAL			100%

PANTONE® 672 C

1	P6256	TXP Neutral SQ Mix Base	41.440
2	P6248	TXP White SQ	39.600
3	P3976	TXP Atomix Fluo Fuchsia	10.500
4	P3975	TXP Atomix Fluo Yellow	4.600
5	P3971	TXP Atomix Magenta NM	2.300
6	P3974	TXP Atomix Blue RQ	1.560
TOTAL			100%

PANTONE® 673 C

1	P6256	TXP Neutral SQ Mix Base	32.600
2	P6248	TXP White SQ	58.400
3	P3971	TXP Atomix Magenta NM	5.400
4	P3969	TXP Atomix Red NM	1.600
5	P3976	TXP Atomix Fluo Fuchsia	1.200
6	P3974	TXP Atomix Blue RQ	0.800
TOTAL			100%

PANTONE® 674 C

1	P6256	TXP Neutral SQ Mix Base	63.980
2	P6248	TXP White SQ	6.400
3	P3976	TXP Atomix Fluo Fuchsia	19.200
4	P3971	TXP Atomix Magenta NM	4.300
5	P3975	TXP Atomix Fluo Yellow	4.020
6	P3974	TXP Atomix Blue RQ	2.100
TOTAL			100%

PANTONE® 675 C

1	P6256	TXP Neutral SQ Mix Base	80.400
2	P6248	TXP White SQ	3.200
3	P3971	TXP Atomix Magenta NM	16.000
4	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 676 C

1	P6256	TXP Neutral SQ Mix Base	72.000
2	P3971	TXP Atomix Magenta NM	26.000
3	P3974	TXP Atomix Blue RQ	1.000
4	P3969	TXP Atomix Red NM	1.000
TOTAL			100%

PANTONE® 677 C

1	P6256	TXP Neutral SQ Mix Base	35.700
2	P6248	TXP White SQ	63.000
3	P3975	TXP Atomix Fluo Yellow	0.720
4	P3971	TXP Atomix Magenta NM	0.520
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 678 C

1	P6256	TXP Neutral SQ Mix Base	37.280
2	P6248	TXP White SQ	61.000
3	P3975	TXP Atomix Fluo Yellow	0.840
4	P3971	TXP Atomix Magenta NM	0.800
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 679 C

1	P6256	TXP Neutral SQ Mix Base	46.820
2	P6248	TXP White SQ	50.400
3	P3975	TXP Atomix Fluo Yellow	1.460
4	P3971	TXP Atomix Magenta NM	1.200
5	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 680 C

1	P6256	TXP Neutral SQ Mix Base	70.080
2	P6248	TXP White SQ	22.200
3	P3975	TXP Atomix Fluo Yellow	4.040
4	P3971	TXP Atomix Magenta NM	3.400
5	P3981	TXP Atomix Black	0.280
TOTAL			100%

PANTONE® 681 C

1	P6256	TXP Neutral SQ Mix Base	77.700
2	P6248	TXP White SQ	11.600
3	P3971	TXP Atomix Magenta NM	5.200
4	P3975	TXP Atomix Fluo Yellow	5.100
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 682 C

1	P6256	TXP Neutral SQ Mix Base	80.520
2	P6248	TXP White SQ	5.000
3	P3971	TXP Atomix Magenta NM	8.600
4	P3975	TXP Atomix Fluo Yellow	5.400
5	P3981	TXP Atomix Black	0.480
TOTAL			100%

PANTONE® 683 C

1	P6256	TXP Neutral SQ Mix Base	83.900
2	P6248	TXP White SQ	1.860
3	P3971	TXP Atomix Magenta NM	12.800
4	P3967	TXP Atomix Yellow	0.800
5	P3981	TXP Atomix Black	0.640
TOTAL			100%

PANTONE® 684 C

1	P6256	TXP Neutral SQ Mix Base	65.500
2	P6248	TXP White SQ	32.400
3	P3975	TXP Atomix Fluo Yellow	1.400
4	P3971	TXP Atomix Magenta NM	0.660
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 685 C

1	P6256	TXP Neutral SQ Mix Base	56.320
2	P6248	TXP White SQ	39.000
3	P3975	TXP Atomix Fluo Yellow	3.100
4	P3971	TXP Atomix Magenta NM	1.500
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 686 C

1	P6256	TXP Neutral SQ Mix Base	67.320
2	P6248	TXP White SQ	26.400
3	P3975	TXP Atomix Fluo Yellow	3.700
4	P3971	TXP Atomix Magenta NM	2.400
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 687 C

1	P6256	TXP Neutral SQ Mix Base	70.060
2	P6248	TXP White SQ	22.000
3	P3975	TXP Atomix Fluo Yellow	4.300
4	P3971	TXP Atomix Magenta NM	3.440
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 688 C

1	P6256	TXP Neutral SQ Mix Base	74.740
2	P6248	TXP White SQ	13.000
3	P3975	TXP Atomix Fluo Yellow	6.300
4	P3971	TXP Atomix Magenta NM	5.640
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 689 C

1	P6256	TXP Neutral SQ Mix Base	81.840
2	P6248	TXP White SQ	3.800
3	P3971	TXP Atomix Magenta NM	9.100
4	P3975	TXP Atomix Fluo Yellow	4.800
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 690 C

1	P6256	TXP Neutral SQ Mix Base	84.620
2	P6248	TXP White SQ	0.800
3	P3971	TXP Atomix Magenta NM	12.800
4	P3981	TXP Atomix Black	0.900
5	P3967	TXP Atomix Yellow	0.880
TOTAL			100%

PANTONE® 691 C

1	P6256	TXP Neutral SQ Mix Base	27.120
2	P6248	TXP White SQ	69.000
3	P3976	TXP Atomix Fluo Fuchsia	3.600
4	P3967	TXP Atomix Yellow	0.180
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 692 C

1	P6256	TXP Neutral SQ Mix Base	30.980
2	P6248	TXP White SQ	60.000
3	P3976	TXP Atomix Fluo Fuchsia	8.400
4	P3967	TXP Atomix Yellow	0.400
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 693 C

1	P6256	TXP Neutral SQ Mix Base	65.080
2	P6248	TXP White SQ	32.000
3	P3971	TXP Atomix Magenta NM	1.600
4	P3967	TXP Atomix Yellow	0.820
5	P3974	TXP Atomix Blue RQ	0.340
6	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 694 C

1	P6256	TXP Neutral SQ Mix Base	58.900
2	P6248	TXP White SQ	35.200
3	P3971	TXP Atomix Magenta NM	3.080
4	P3967	TXP Atomix Yellow	1.480
5	P3969	TXP Atomix Red NM	1.000
6	P3981	TXP Atomix Black	0.340
TOTAL			100%

PANTONE® 695 C

1	P6256	TXP Neutral SQ Mix Base	57.840
2	P6248	TXP White SQ	30.000
3	P3971	TXP Atomix Magenta NM	6.000
4	P3969	TXP Atomix Red NM	2.800
5	P3967	TXP Atomix Yellow	2.680
6	P3981	TXP Atomix Black	0.680
TOTAL			100%

PANTONE® 696 C

1	P6256	TXP Neutral SQ Mix Base	65.840
2	P6248	TXP White SQ	15.000
3	P3971	TXP Atomix Magenta NM	9.400
4	P3969	TXP Atomix Red NM	4.600
5	P3967	TXP Atomix Yellow	4.280
6	P3981	TXP Atomix Black	0.880
TOTAL			100%

PANTONE® 697 C

1	P6256	TXP Neutral SQ Mix Base	51.200
2	P6248	TXP White SQ	11.000
3	P3971	TXP Atomix Magenta NM	18.520
4	P3969	TXP Atomix Red NM	10.400
5	P3967	TXP Atomix Yellow	7.760
6	P3981	TXP Atomix Black	1.120
TOTAL			100%

PANTONE® 698 C

1	P6256	TXP Neutral SQ Mix Base	25.820
2	P6248	TXP White SQ	71.000
3	P3976	TXP Atomix Fluo Fuchsia	3.000
4	P3967	TXP Atomix Yellow	0.120
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 699 C

1	P6256	TXP Neutral SQ Mix Base	34.520
2	P6248	TXP White SQ	59.200
3	P3976	TXP Atomix Fluo Fuchsia	6.000
4	P3967	TXP Atomix Yellow	0.220
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 700 C

1	P6256	TXP Neutral SQ Mix Base	37.800
2	P6248	TXP White SQ	45.000
3	P3976	TXP Atomix Fluo Fuchsia	16.400
4	P3967	TXP Atomix Yellow	0.640
5	P3981	TXP Atomix Black	0.160
TOTAL			100%

PANTONE® 701 C

1	P6256	TXP Neutral SQ Mix Base	52.160
2	P6248	TXP White SQ	19.600
3	P3976	TXP Atomix Fluo Fuchsia	27.000
4	P3967	TXP Atomix Yellow	1.040
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 702 C

1	P6256	TXP Neutral SQ Mix Base	52.680
2	P6248	TXP White SQ	6.400
3	P3976	TXP Atomix Fluo Fuchsia	39.200
4	P3967	TXP Atomix Yellow	1.400
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 703 C

1	P6256	TXP Neutral SQ Mix Base	56.700
2	P6248	TXP White SQ	14.400
3	P3969	TXP Atomix Red NM	28.000
4	P3967	TXP Atomix Yellow	0.600
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 704 C

1	P6256	TXP Neutral SQ Mix Base	59.600
2	P3969	TXP Atomix Red NM	39.000
3	P3967	TXP Atomix Yellow	0.900
4	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 705 C

1	P6256	TXP Neutral SQ Mix Base	24.000
2	P6248	TXP White SQ	75.200
3	P3973	TXP Atomix Fluo Orange	0.600
4	P3969	TXP Atomix Red NM	0.200
TOTAL			100%

PANTONE® 706 C

1	P6256	TXP Neutral SQ Mix Base	18.200
2	P6248	TXP White SQ	80.000
3	P3973	TXP Atomix Fluo Orange	1.200
4	P3969	TXP Atomix Red NM	0.600
TOTAL			100%

PANTONE® 707 C

1	P6256	TXP Neutral SQ Mix Base	30.280
2	P6248	TXP White SQ	65.000
3	P3973	TXP Atomix Fluo Orange	3.000
4	P3969	TXP Atomix Red NM	1.700
5	P3981	TXP Atomix Black	0.020
TOTAL			100%

PANTONE® 708 C

1	P6256	TXP Neutral SQ Mix Base	41.800
2	P6248	TXP White SQ	48.000
3	P3973	TXP Atomix Fluo Orange	6.400
4	P3969	TXP Atomix Red NM	3.800
TOTAL			100%

PANTONE® 709 C

1	P6256	TXP Neutral SQ Mix Base	64.000
2	P6248	TXP White SQ	20.800
3	P3969	TXP Atomix Red NM	8.400
4	P3973	TXP Atomix Fluo Orange	6.800
TOTAL			100%

PANTONE® 710 C

1	P6256	TXP Neutral SQ Mix Base	63.400
2	P6248	TXP White SQ	10.200
3	P3969	TXP Atomix Red NM	15.800
4	P3973	TXP Atomix Fluo Orange	10.600
TOTAL			100%

PANTONE® 711 C

1	P6256	TXP Neutral SQ Mix Base	84.400
2	P6248	TXP White SQ	2.200
3	P3969	TXP Atomix Red NM	12.800
4	P3967	TXP Atomix Yellow	0.600
TOTAL			100%

PANTONE® 712 C

1	P6256	TXP Neutral SQ Mix Base	13.700
2	P6248	TXP White SQ	79.400
3	P3973	TXP Atomix Fluo Orange	3.600
4	P3967	TXP Atomix Yellow	2.800
5	P3971	TXP Atomix Magenta NM	0.500
TOTAL			100%

PANTONE® 713 C

1	P6256	TXP Neutral SQ Mix Base	22.800
2	P6248	TXP White SQ	68.800
3	P3973	TXP Atomix Fluo Orange	4.000
4	P3967	TXP Atomix Yellow	3.600
5	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 714 C

1	P6256	TXP Neutral SQ Mix Base	23.200
2	P6248	TXP White SQ	56.800
3	P3973	TXP Atomix Fluo Orange	11.000
4	P3967	TXP Atomix Yellow	8.100
5	P3971	TXP Atomix Magenta NM	0.900
TOTAL			100%

PANTONE® 715 C

1	P6256	TXP Neutral SQ Mix Base	19.900
2	P6248	TXP White SQ	49.200
3	P3967	TXP Atomix Yellow	28.000
4	P3969	TXP Atomix Red NM	2.900
TOTAL			100%

PANTONE® 716 C

1	P6256	TXP Neutral SQ Mix Base	52.280
2	P6248	TXP White SQ	6.000
3	P3967	TXP Atomix Yellow	40.000
4	P3969	TXP Atomix Red NM	1.700
5	P3981	TXP Atomix Black	0.020
TOTAL			100%

PANTONE® 717 C

1	P6256	TXP Neutral SQ Mix Base	57.140
2	P3967	TXP Atomix Yellow	41.000
3	P3969	TXP Atomix Red NM	1.800
4	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 718 C

1	P6256	TXP Neutral SQ Mix Base	50.000
2	P3967	TXP Atomix Yellow	47.480
3	P3969	TXP Atomix Red NM	2.400
4	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 719 C

1	P6256	TXP Neutral SQ Mix Base	34.760
2	P6248	TXP White SQ	63.000
3	P3967	TXP Atomix Yellow	1.600
4	P3969	TXP Atomix Red NM	0.600
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 720 C

1	P6256	TXP Neutral SQ Mix Base	36.980
2	P6248	TXP White SQ	59.000
3	P3967	TXP Atomix Yellow	3.000
4	P3969	TXP Atomix Red NM	0.940
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 721 C

1	P6256	TXP Neutral SQ Mix Base	42.060
2	P6248	TXP White SQ	49.600
3	P3967	TXP Atomix Yellow	6.400
4	P3969	TXP Atomix Red NM	1.800
5	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 722 C

1	P6256	TXP Neutral SQ Mix Base	31.560
2	P6248	TXP White SQ	39.200
3	P3967	TXP Atomix Yellow	24.600
4	P3969	TXP Atomix Red NM	4.200
5	P3981	TXP Atomix Black	0.440
TOTAL			100%

PANTONE® 723 C

1	P6256	TXP Neutral SQ Mix Base	32.920
2	P6248	TXP White SQ	19.200
3	P3967	TXP Atomix Yellow	42.000
4	P3969	TXP Atomix Red NM	5.200
5	P3981	TXP Atomix Black	0.680
TOTAL			100%

PANTONE® 724 C

1	P6256	TXP Neutral SQ Mix Base	1.000
2	P3967	TXP Atomix Yellow	90.500
3	P3971	TXP Atomix Magenta NM	7.700
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 725 C

1	P6256	TXP Neutral SQ Mix Base	48.500
2	P3967	TXP Atomix Yellow	46.000
3	P3969	TXP Atomix Red NM	4.600
4	P3981	TXP Atomix Black	0.900
TOTAL			100%

PANTONE® 726 C

1	P6256	TXP Neutral SQ Mix Base	31.540
2	P6248	TXP White SQ	66.200
3	P3967	TXP Atomix Yellow	1.500
4	P3969	TXP Atomix Red NM	0.640
5	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 727 C

1	P6256	TXP Neutral SQ Mix Base	46.000
2	P6248	TXP White SQ	49.900
3	P3967	TXP Atomix Yellow	2.800
4	P3969	TXP Atomix Red NM	1.100
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 728 C

1	P6256	TXP Neutral SQ Mix Base	54.800
2	P6248	TXP White SQ	39.400
3	P3967	TXP Atomix Yellow	3.900
4	P3969	TXP Atomix Red NM	1.600
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 729 C

1	P6256	TXP Neutral SQ Mix Base	61.700
2	P6248	TXP White SQ	27.000
3	P3967	TXP Atomix Yellow	8.200
4	P3969	TXP Atomix Red NM	2.600
5	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 730 C

1	P6256	TXP Neutral SQ Mix Base	71.700
2	P6248	TXP White SQ	8.800
3	P3967	TXP Atomix Yellow	15.800
4	P3969	TXP Atomix Red NM	3.000
5	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 731 C

1	P6256	TXP Neutral SQ Mix Base	48.700
2	P3967	TXP Atomix Yellow	46.000
3	P3969	TXP Atomix Red NM	4.200
4	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 732 C

1	P6256	TXP Neutral SQ Mix Base	49.200
2	P3967	TXP Atomix Yellow	42.600
3	P3969	TXP Atomix Red NM	6.200
4	P3981	TXP Atomix Black	2.000
TOTAL			100%

PANTONE® 7401 C

1	P6256	TXP Neutral SQ Mix Base	41.900
2	P6248	TXP White SQ	56.000
3	P3967	TXP Atomix Yellow	2.000
4	P3971	TXP Atomix Magenta NM	0.100
TOTAL			100%

PANTONE® 7402 C

1	P6256	TXP Neutral SQ Mix Base	64.180
2	P6248	TXP White SQ	33.600
3	P3967	TXP Atomix Yellow	2.000
4	P3973	TXP Atomix Fluo Orange	0.160
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 7403 C

1	P6256	TXP Neutral SQ Mix Base	68.080
2	P6248	TXP White SQ	27.600
3	P3967	TXP Atomix Yellow	3.800
4	P3973	TXP Atomix Fluo Orange	0.440
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 7404 C

1	P6256	TXP Neutral SQ Mix Base	74.940
2	P6248	TXP White SQ	14.000
3	P3968	TXP Atomix Lemon NM	8.700
4	P3967	TXP Atomix Yellow	2.100
5	P3974	TXP Atomix Blue RQ	0.260
TOTAL			100%

PANTONE® 7405 C

1	P6256	TXP Neutral SQ Mix Base	83.700
2	P6248	TXP White SQ	4.400
3	P3968	TXP Atomix Lemon NM	8.000
4	P3967	TXP Atomix Yellow	3.600
5	P3974	TXP Atomix Blue RQ	0.300
TOTAL			100%

PANTONE® 7406 C

1	P6256	TXP Neutral SQ Mix Base	85.600
2	P6248	TXP White SQ	1.200
3	P3968	TXP Atomix Lemon NM	11.200
4	P3973	TXP Atomix Fluo Orange	1.600
5	P3974	TXP Atomix Blue RQ	0.400
TOTAL			100%

PANTONE® 7407 C

1	P6256	TXP Neutral SQ Mix Base	79.000
2	P6248	TXP White SQ	6.600
3	P3968	TXP Atomix Lemon NM	5.600
4	P3973	TXP Atomix Fluo Orange	5.400
5	P3974	TXP Atomix Blue RQ	3.400
TOTAL			100%

PANTONE® 7408 C

1	P6256	TXP Neutral SQ Mix Base	69.560
2	P6248	TXP White SQ	6.200
3	P3967	TXP Atomix Yellow	21.400
4	P3968	TXP Atomix Lemon NM	2.500
5	P3974	TXP Atomix Blue RQ	0.340
TOTAL			100%

PANTONE® 7409 C

1	P6256	TXP Neutral SQ Mix Base	22.590
2	P6248	TXP White SQ	32.390
3	P3967	TXP Atomix Yellow	44.740
4	P3969	TXP Atomix Red NM	0.200
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 7410 C

1	P6256	TXP Neutral SQ Mix Base	53.960
2	P6248	TXP White SQ	32.600
3	P3967	TXP Atomix Yellow	6.360
4	P3973	TXP Atomix Fluo Orange	5.400
5	P3969	TXP Atomix Red NM	1.460
6	P3974	TXP Atomix Blue RQ	0.220
TOTAL			100%

PANTONE® 7411 C

1	P6256	TXP Neutral SQ Mix Base	71.360
2	P6248	TXP White SQ	20.000
3	P3967	TXP Atomix Yellow	7.700
4	P3969	TXP Atomix Red NM	0.840
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 7412 C

1	P6256	TXP Neutral SQ Mix Base	58.280
2	P6248	TXP White SQ	10.380
3	P3967	TXP Atomix Yellow	28.740
4	P3969	TXP Atomix Red NM	2.400
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 7413 C

1	P6256	TXP Neutral SQ Mix Base	66.600
2	P6248	TXP White SQ	9.000
3	P3967	TXP Atomix Yellow	23.000
4	P3969	TXP Atomix Red NM	1.260
5	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 7414 C

1	P6256	TXP Neutral SQ Mix Base	53.720
2	P6248	TXP White SQ	2.000
3	P3967	TXP Atomix Yellow	42.000
4	P3969	TXP Atomix Red NM	2.000
5	P3981	TXP Atomix Black	0.280
TOTAL			100%

PANTONE® 7415 C

1	P6256	TXP Neutral SQ Mix Base	25.140
2	P6248	TXP White SQ	72.600
3	P3967	TXP Atomix Yellow	1.300
4	P3969	TXP Atomix Red NM	0.900
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 7416 C

1	P6256	TXP Neutral SQ Mix Base	37.500
2	P6248	TXP White SQ	32.400
3	P3967	TXP Atomix Yellow	14.800
4	P3973	TXP Atomix Fluo Orange	8.800
5	P3971	TXP Atomix Magenta NM	6.500
TOTAL			100%

PANTONE® 7417 C

1	P6256	TXP Neutral SQ Mix Base	43.600
2	P6248	TXP White SQ	10.000
3	P3967	TXP Atomix Yellow	24.400
4	P3973	TXP Atomix Fluo Orange	15.000
5	P3971	TXP Atomix Magenta NM	7.000
TOTAL			100%

PANTONE® 7418 C

1	P6256	TXP Neutral SQ Mix Base	85.840
2	P6248	TXP White SQ	5.400
3	P3971	TXP Atomix Magenta NM	5.200
4	P3967	TXP Atomix Yellow	3.500
5	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 7419 C

1	P6256	TXP Neutral SQ Mix Base	46.200
2	P6248	TXP White SQ	17.600
3	P3971	TXP Atomix Magenta NM	28.000
4	P3967	TXP Atomix Yellow	8.000
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 7420 C

1	P6256	TXP Neutral SQ Mix Base	59.300
2	P3971	TXP Atomix Magenta NM	28.000
3	P3969	TXP Atomix Red NM	12.600
4	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 7421 C

1	P6256	TXP Neutral SQ Mix Base	55.900
2	P3969	TXP Atomix Red NM	20.200
3	P3971	TXP Atomix Magenta NM	18.000
4	P3967	TXP Atomix Yellow	4.200
5	P3981	TXP Atomix Black	1.700
TOTAL			100%

PANTONE® 7422 C

1	P6256	TXP Neutral SQ Mix Base	36.000
2	P6248	TXP White SQ	63.000
3	P3969	TXP Atomix Red NM	0.500
4	P3976	TXP Atomix Fluo Fuchsia	0.400
5	P3967	TXP Atomix Yellow	0.100
TOTAL			100%

PANTONE® 7423 C			
1	P6256	TXP Neutral SQ Mix Base	49.700
2	P6248	TXP White SQ	16.000
3	P3976	TXP Atomix Fluo Fuchsia	28.000
4	P3969	TXP Atomix Red NM	6.000
5	P3974	TXP Atomix Blue RQ	0.300
TOTAL			100%

PANTONE® 7424 C			
1	P6256	TXP Neutral SQ Mix Base	52.200
2	P3976	TXP Atomix Fluo Fuchsia	43.000
3	P3971	TXP Atomix Magenta NM	2.400
4	P3969	TXP Atomix Red NM	1.800
5	P3974	TXP Atomix Blue RQ	0.600
TOTAL			100%

PANTONE® 7425 C			
1	P6256	TXP Neutral SQ Mix Base	81.200
2	P3971	TXP Atomix Magenta NM	14.600
3	P3969	TXP Atomix Red NM	4.200
TOTAL			100%

PANTONE® 7426 C			
1	P6256	TXP Neutral SQ Mix Base	62.800
2	P3971	TXP Atomix Magenta NM	27.000
3	P3969	TXP Atomix Red NM	10.200
TOTAL			100%

PANTONE® 7427 C			
1	P6256	TXP Neutral SQ Mix Base	51.100
2	P3969	TXP Atomix Red NM	47.300
3	P3967	TXP Atomix Yellow	1.100
4	P3981	TXP Atomix Black	0.500
TOTAL			100%

PANTONE® 7428 C			
1	P6256	TXP Neutral SQ Mix Base	60.400
2	P3971	TXP Atomix Magenta NM	32.000
3	P3967	TXP Atomix Yellow	6.400
4	P3981	TXP Atomix Black	1.200
TOTAL			100%

PANTONE® 7429 C			
1	P6256	TXP Neutral SQ Mix Base	14.120
2	P6248	TXP White SQ	84.000
3	P3971	TXP Atomix Magenta NM	1.460
4	P3967	TXP Atomix Yellow	0.340
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 7430 C			
1	P6256	TXP Neutral SQ Mix Base	17.120
2	P6248	TXP White SQ	79.000
3	P3971	TXP Atomix Magenta NM	3.000
4	P3967	TXP Atomix Yellow	0.700
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 7431 C			
1	P6256	TXP Neutral SQ Mix Base	44.680
2	P6248	TXP White SQ	46.000
3	P3971	TXP Atomix Magenta NM	7.600
4	P3967	TXP Atomix Yellow	1.400
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 7432 C			
1	P6256	TXP Neutral SQ Mix Base	48.300
2	P6248	TXP White SQ	33.800
3	P3969	TXP Atomix Red NM	11.200
4	P3971	TXP Atomix Magenta NM	6.000
5	P3981	TXP Atomix Black	0.700
TOTAL			100%

PANTONE® 7433 C			
1	P6256	TXP Neutral SQ Mix Base	66.480
2	P6248	TXP White SQ	10.800
3	P3971	TXP Atomix Magenta NM	13.800
4	P3969	TXP Atomix Red NM	8.600
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 7434 C			
1	P6256	TXP Neutral SQ Mix Base	61.900
2	P6248	TXP White SQ	5.800
3	P3971	TXP Atomix Magenta NM	24.000
4	P3969	TXP Atomix Red NM	8.000
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 7435 C			
1	P6256	TXP Neutral SQ Mix Base	51.500
2	P6248	TXP White SQ	1.500
3	P3971	TXP Atomix Magenta NM	45.200
4	P3969	TXP Atomix Red NM	1.500
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 7436 C			
1	P6256	TXP Neutral SQ Mix Base	62.300
2	P6248	TXP White SQ	37.200
3	P3976	TXP Atomix Fluo Fuchsia	0.200
4	P3971	TXP Atomix Magenta NM	0.200
5	P3975	TXP Atomix Fluo Yellow	0.100
TOTAL			100%

PANTONE® 7437 C			
1	P6256	TXP Neutral SQ Mix Base	52.000
2	P6248	TXP White SQ	36.400
3	P3976	TXP Atomix Fluo Fuchsia	8.600
4	P3974	TXP Atomix Blue RQ	2.800
5	P3981	TXP Atomix Black	0.200
TOTAL			100%

PANTONE® 7438 C

1	P6256	TXP Neutral SQ Mix Base	46.700
2	P6248	TXP White SQ	32.000
3	P3976	TXP Atomix Fluo Fuchsia	17.200
4	P3974	TXP Atomix Blue RQ	3.700
5	P3971	TXP Atomix Magenta NM	0.400
TOTAL			100%

PANTONE® 7439 C

1	P6256	TXP Neutral SQ Mix Base	58.300
2	P6248	TXP White SQ	19.400
3	P3976	TXP Atomix Fluo Fuchsia	16.000
4	P3974	TXP Atomix Blue RQ	6.000
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 7440 C

1	P6256	TXP Neutral SQ Mix Base	56.480
2	P6248	TXP White SQ	12.000
3	P3976	TXP Atomix Fluo Fuchsia	24.400
4	P3974	TXP Atomix Blue RQ	6.600
5	P3981	TXP Atomix Black	0.520
TOTAL			100%

PANTONE® 7441 C

1	P6256	TXP Neutral SQ Mix Base	51.000
2	P6248	TXP White SQ	6.000
3	P3976	TXP Atomix Fluo Fuchsia	30.000
4	P3974	TXP Atomix Blue RQ	12.200
5	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 7442 C

1	P6256	TXP Neutral SQ Mix Base	52.200
2	P6248	TXP White SQ	1.400
3	P3976	TXP Atomix Fluo Fuchsia	34.200
4	P3974	TXP Atomix Blue RQ	12.200
TOTAL			100%

PANTONE® 7443 C

1	P6256	TXP Neutral SQ Mix Base	49.540
2	P6248	TXP White SQ	50.000
3	P3974	TXP Atomix Blue RQ	0.340
4	P3977	TXP Atomix Violet	0.100
5	P3981	TXP Atomix Black	0.020
TOTAL			100%

PANTONE® 7444 C

1	P6256	TXP Neutral SQ Mix Base	25.580
2	P6248	TXP White SQ	67.200
3	P3974	TXP Atomix Blue RQ	6.600
4	P3977	TXP Atomix Violet	0.480
5	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 7445 C

1	P6256	TXP Neutral SQ Mix Base	59.700
2	P6248	TXP White SQ	36.000
3	P3974	TXP Atomix Blue RQ	3.400
4	P3977	TXP Atomix Violet	0.600
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 7446 C

1	P6256	TXP Neutral SQ Mix Base	46.260
2	P6248	TXP White SQ	38.800
3	P3974	TXP Atomix Blue RQ	13.200
4	P3977	TXP Atomix Violet	1.600
5	P3981	TXP Atomix Black	0.140
TOTAL			100%

PANTONE® 7447 C

1	P6256	TXP Neutral SQ Mix Base	81.560
2	P6248	TXP White SQ	10.400
3	P3977	TXP Atomix Violet	4.400
4	P3971	TXP Atomix Magenta NM	2.400
5	P3981	TXP Atomix Black	1.240
TOTAL			100%

PANTONE® 7448 C

1	P6256	TXP Neutral SQ Mix Base	69.100
2	P6248	TXP White SQ	4.300
3	P3971	TXP Atomix Magenta NM	17.400
4	P3977	TXP Atomix Violet	4.800
5	P3981	TXP Atomix Black	4.400
TOTAL			100%

PANTONE® 7449 C

1	P6256	TXP Neutral SQ Mix Base	47.000
2	P6248	TXP White SQ	3.000
3	P3971	TXP Atomix Magenta NM	42.500
4	P3981	TXP Atomix Black	6.300
5	P3977	TXP Atomix Violet	1.200
TOTAL			100%

PANTONE® 7450 C

1	P6256	TXP Neutral SQ Mix Base	64.800
2	P6248	TXP White SQ	30.800
3	P3974	TXP Atomix Blue RQ	3.500
4	P3976	TXP Atomix Fluo Fuchsia	0.800
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 7451 C

1	P6256	TXP Neutral SQ Mix Base	84.260
2	P6248	TXP White SQ	7.500
3	P3974	TXP Atomix Blue RQ	8.000
4	P3975	TXP Atomix Fluo Yellow	0.200
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 7452 C

1	P6256	TXP Neutral SQ Mix Base	72.220
2	P6248	TXP White SQ	9.800
3	P3974	TXP Atomix Blue RQ	15.500
4	P3976	TXP Atomix Fluo Fuchsia	2.400
5	P3981	TXP Atomix Black	0.080
TOTAL			100%

PANTONE® 7453 C

1	P6256	TXP Neutral SQ Mix Base	80.400
2	P6248	TXP White SQ	7.600
3	P3974	TXP Atomix Blue RQ	11.200
4	P3975	TXP Atomix Fluo Yellow	0.800
TOTAL			100%

PANTONE® 7454 C

1	P6256	TXP Neutral SQ Mix Base	84.580
2	P6248	TXP White SQ	11.000
3	P3976	TXP Atomix Fluo Fuchsia	2.300
4	P3978	TXP Atomix Blue 1500	1.800
5	P3981	TXP Atomix Black	0.320
TOTAL			100%

PANTONE® 7455 C

1	P6256	TXP Neutral SQ Mix Base	70.820
2	P6248	TXP White SQ	1.400
3	P3974	TXP Atomix Blue RQ	27.000
4	P3975	TXP Atomix Fluo Yellow	0.600
5	P3981	TXP Atomix Black	0.180
TOTAL			100%

PANTONE® 7456 C

1	P6256	TXP Neutral SQ Mix Base	75.720
2	P6248	TXP White SQ	6.700
3	P3974	TXP Atomix Blue RQ	16.800
4	P3977	TXP Atomix Violet	0.540
5	P3981	TXP Atomix Black	0.240
TOTAL			100%

PANTONE® 7457 C

1	P6256	TXP Neutral SQ Mix Base	59.500
2	P6248	TXP White SQ	39.800
3	P3975	TXP Atomix Fluo Yellow	0.400
4	P3978	TXP Atomix Blue 1500	0.300
TOTAL			100%

PANTONE® 7458 C

1	P6256	TXP Neutral SQ Mix Base	69.780
2	P6248	TXP White SQ	26.600
3	P3978	TXP Atomix Blue 1500	1.800
4	P3975	TXP Atomix Fluo Yellow	1.600
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 7459 C

1	P6256	TXP Neutral SQ Mix Base	85.860
2	P6248	TXP White SQ	10.300
3	P3978	TXP Atomix Blue 1500	2.120
4	P3975	TXP Atomix Fluo Yellow	1.500
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 7460 C

1	P6256	TXP Neutral SQ Mix Base	96.200
2	P6248	TXP White SQ	1.000
3	P3980	TXP Atomix Blue B	2.200
4	P3975	TXP Atomix Fluo Yellow	0.600
TOTAL			100%

PANTONE® 7461 C

1	P6256	TXP Neutral SQ Mix Base	84.940
2	P6248	TXP White SQ	9.000
3	P3980	TXP Atomix Blue B	4.700
4	P3975	TXP Atomix Fluo Yellow	0.900
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 7462 C

1	P6256	TXP Neutral SQ Mix Base	84.780
2	P6248	TXP White SQ	6.920
3	P3978	TXP Atomix Blue 1500	7.240
4	P3975	TXP Atomix Fluo Yellow	0.600
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 7463 C

1	P6256	TXP Neutral SQ Mix Base	82.560
2	P6248	TXP White SQ	2.100
3	P3978	TXP Atomix Blue 1500	13.300
4	P3981	TXP Atomix Black	1.240
5	P3968	TXP Atomix Lemon NM	0.800
TOTAL			100%

PANTONE® 7464 C

1	P6256	TXP Neutral SQ Mix Base	31.980
2	P6248	TXP White SQ	66.600
3	P3970	TXP Atomix Green	1.160
4	P3981	TXP Atomix Black	0.160
5	P3980	TXP Atomix Blue B	0.100
TOTAL			100%

PANTONE® 7465 C

1	P6256	TXP Neutral SQ Mix Base	66.880
2	P6248	TXP White SQ	27.800
3	P3970	TXP Atomix Green	5.200
4	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 7466 C

1	P6256	TXP Neutral SQ Mix Base	81.540
2	P6248	TXP White SQ	11.000
3	P3975	TXP Atomix Fluo Yellow	4.620
4	P3980	TXP Atomix Blue B	2.840
TOTAL			100%

PANTONE® 7467 C

1	P6256	TXP Neutral SQ Mix Base	85.600
2	P6248	TXP White SQ	6.600
3	P3975	TXP Atomix Fluo Yellow	4.600
4	P3980	TXP Atomix Blue B	3.200
TOTAL			100%

PANTONE® 7468 C

1	P6256	TXP Neutral SQ Mix Base	84.940
2	P6248	TXP White SQ	9.000
3	P3980	TXP Atomix Blue B	4.700
4	P3975	TXP Atomix Fluo Yellow	0.900
5	P3981	TXP Atomix Black	0.460
TOTAL			100%

PANTONE® 7469 C

1	P6256	TXP Neutral SQ Mix Base	90.660
2	P6248	TXP White SQ	3.000
3	P3980	TXP Atomix Blue B	4.900
4	P3975	TXP Atomix Fluo Yellow	1.000
5	P3981	TXP Atomix Black	0.440
TOTAL			100%

PANTONE® 7470 C

1	P6256	TXP Neutral SQ Mix Base	48.000
2	P6248	TXP White SQ	14.400
3	P3980	TXP Atomix Blue B	20.700
4	P3975	TXP Atomix Fluo Yellow	15.300
5	P3981	TXP Atomix Black	1.600
TOTAL			100%

PANTONE® 7471 C

1	P6256	TXP Neutral SQ Mix Base	69.060
2	P6248	TXP White SQ	29.600
3	P3970	TXP Atomix Green	1.280
4	P3980	TXP Atomix Blue B	0.060
TOTAL			100%

PANTONE® 7472 C

1	P6256	TXP Neutral SQ Mix Base	70.840
2	P6248	TXP White SQ	25.600
3	P3970	TXP Atomix Green	2.840
4	P3978	TXP Atomix Blue 1500	0.500
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 7473 C

1	P6256	TXP Neutral SQ Mix Base	57.280
2	P6248	TXP White SQ	30.400
3	P3970	TXP Atomix Green	11.200
4	P3981	TXP Atomix Black	0.840
5	P3967	TXP Atomix Yellow	0.280
TOTAL			100%

PANTONE® 7474 C

1	P6256	TXP Neutral SQ Mix Base	85.260
2	P6248	TXP White SQ	7.600
3	P3970	TXP Atomix Green	3.420
4	P3980	TXP Atomix Blue B	3.300
5	P3981	TXP Atomix Black	0.420
TOTAL			100%

PANTONE® 7475 C

1	P6256	TXP Neutral SQ Mix Base	60.440
2	P6248	TXP White SQ	32.800
3	P3980	TXP Atomix Blue B	3.200
4	P3981	TXP Atomix Black	1.800
5	P3967	TXP Atomix Yellow	1.760
TOTAL			100%

PANTONE® 7476 C

1	P6256	TXP Neutral SQ Mix Base	66.940
2	P6248	TXP White SQ	12.600
3	P3970	TXP Atomix Green	11.000
4	P3980	TXP Atomix Blue B	6.300
5	P3981	TXP Atomix Black	3.160
TOTAL			100%

PANTONE® 7477 C

1	P6256	TXP Neutral SQ Mix Base	65.600
2	P6248	TXP White SQ	14.800
3	P3980	TXP Atomix Blue B	10.000
4	P3981	TXP Atomix Black	5.600
5	P3970	TXP Atomix Green	4.000
TOTAL			100%

PANTONE® 7478 C

1	P6256	TXP Neutral SQ Mix Base	78.820
2	P6248	TXP White SQ	19.400
3	P3975	TXP Atomix Fluo Yellow	0.800
4	P3970	TXP Atomix Green	0.640
5	P3968	TXP Atomix Lemon NM	0.340
TOTAL			100%

PANTONE® 7479 C

1	P6256	TXP Neutral SQ Mix Base	65.280
2	P6248	TXP White SQ	17.800
3	P3975	TXP Atomix Fluo Yellow	9.600
4	P3968	TXP Atomix Lemon NM	3.860
5	P3970	TXP Atomix Green	3.460
TOTAL			100%

PANTONE® 7480 C

1	P6256	TXP Neutral SQ Mix Base	72.800
2	P6248	TXP White SQ	7.200
3	P3975	TXP Atomix Fluo Yellow	12.400
4	P3970	TXP Atomix Green	4.800
5	P3968	TXP Atomix Lemon NM	2.800
TOTAL			100%

PANTONE® 7481 C

1	P6256	TXP Neutral SQ Mix Base	72.640
2	P6248	TXP White SQ	3.000
3	P3975	TXP Atomix Fluo Yellow	13.000
4	P3968	TXP Atomix Lemon NM	7.000
5	P3970	TXP Atomix Green	4.360
TOTAL			100%

PANTONE® 7482 C

1	P6256	TXP Neutral SQ Mix Base	65.900
2	P6248	TXP White SQ	7.000
3	P3975	TXP Atomix Fluo Yellow	10.800
4	P3970	TXP Atomix Green	8.700
5	P3968	TXP Atomix Lemon NM	7.600
TOTAL			100%

PANTONE® 7483 C

1	P6256	TXP Neutral SQ Mix Base	32.780
2	P3967	TXP Atomix Yellow	45.000
3	P3970	TXP Atomix Green	21.800
4	P3981	TXP Atomix Black	0.420
TOTAL			100%

PANTONE® 7484 C

1	P6256	TXP Neutral SQ Mix Base	69.200
2	P3968	TXP Atomix Lemon NM	17.200
3	P3970	TXP Atomix Green	12.000
4	P3981	TXP Atomix Black	1.600
TOTAL			100%

PANTONE® 7485 C

1	P6256	TXP Neutral SQ Mix Base	35.200
2	P6248	TXP White SQ	64.000
3	P3967	TXP Atomix Yellow	0.580
4	P3970	TXP Atomix Green	0.180
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 7486 C

1	P6256	TXP Neutral SQ Mix Base	53.120
2	P6248	TXP White SQ	44.000
3	P3968	TXP Atomix Lemon NM	2.440
4	P3970	TXP Atomix Green	0.340
5	P3967	TXP Atomix Yellow	0.100
TOTAL			100%

PANTONE® 7487 C

1	P6256	TXP Neutral SQ Mix Base	79.600
2	P6248	TXP White SQ	13.100
3	P3968	TXP Atomix Lemon NM	5.000
4	P3975	TXP Atomix Fluo Yellow	1.600
5	P3970	TXP Atomix Green	0.700
TOTAL			100%

PANTONE® 7488 C

1	P6256	TXP Neutral SQ Mix Base	77.800
2	P6248	TXP White SQ	9.000
3	P3968	TXP Atomix Lemon NM	7.200
4	P3975	TXP Atomix Fluo Yellow	5.000
5	P3970	TXP Atomix Green	1.000
TOTAL			100%

PANTONE® 7489 C

1	P6256	TXP Neutral SQ Mix Base	64.400
2	P6248	TXP White SQ	20.400
3	P3968	TXP Atomix Lemon NM	10.600
4	P3970	TXP Atomix Green	2.260
5	P3967	TXP Atomix Yellow	2.000
6	P3981	TXP Atomix Black	0.340
TOTAL			100%

PANTONE® 7490 C

1	P6256	TXP Neutral SQ Mix Base	53.440
2	P6248	TXP White SQ	23.000
3	P3968	TXP Atomix Lemon NM	9.900
4	P3967	TXP Atomix Yellow	9.400
5	P3970	TXP Atomix Green	3.500
6	P3981	TXP Atomix Black	0.760
TOTAL			100%

PANTONE® 7491 C

1	P6256	TXP Neutral SQ Mix Base	59.080
2	P6248	TXP White SQ	17.200
3	P3967	TXP Atomix Yellow	20.000
4	P3970	TXP Atomix Green	2.320
5	P3981	TXP Atomix Black	1.400
TOTAL			100%

PANTONE® 7492 C

1	P6256	TXP Neutral SQ Mix Base	86.480
2	P6248	TXP White SQ	10.000
3	P3968	TXP Atomix Lemon NM	1.920
4	P3974	TXP Atomix Blue RQ	1.600
TOTAL			100%

PANTONE® 7493 C

1	P6256	TXP Neutral SQ Mix Base	84.580
2	P6248	TXP White SQ	12.200
3	P3968	TXP Atomix Lemon NM	1.800
4	P3974	TXP Atomix Blue RQ	1.300
5	P3981	TXP Atomix Black	0.120
TOTAL			100%

PANTONE® 7494 C

1	P6256	TXP Neutral SQ Mix Base	77.800
2	P6248	TXP White SQ	15.200
3	P3974	TXP Atomix Blue RQ	4.300
4	P3968	TXP Atomix Lemon NM	2.400
5	P3981	TXP Atomix Black	0.300
TOTAL			100%

PANTONE® 7501 C

1	P6256	TXP Neutral SQ Mix Base	62.000
2	P6248	TXP White SQ	31.200
3	P3973	TXP Atomix Fluo Orange	2.800
4	P3974	TXP Atomix Blue RQ	2.800
5	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 7495 C

1	P6256	TXP Neutral SQ Mix Base	42.800
2	P6248	TXP White SQ	9.700
3	P3968	TXP Atomix Lemon NM	30.800
4	P3974	TXP Atomix Blue RQ	14.040
5	P3967	TXP Atomix Yellow	2.660
TOTAL			100%

PANTONE® 7502 C

1	P6256	TXP Neutral SQ Mix Base	81.200
2	P6248	TXP White SQ	12.000
3	P3973	TXP Atomix Fluo Orange	2.800
4	P3974	TXP Atomix Blue RQ	2.800
5	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 7496 C

1	P6256	TXP Neutral SQ Mix Base	50.400
2	P6248	TXP White SQ	2.000
3	P3968	TXP Atomix Lemon NM	30.800
4	P3974	TXP Atomix Blue RQ	14.200
5	P3967	TXP Atomix Yellow	2.600
TOTAL			100%

PANTONE® 7503 C

1	P6256	TXP Neutral SQ Mix Base	34.000
2	P6248	TXP White SQ	52.800
3	P3967	TXP Atomix Yellow	7.600
4	P3974	TXP Atomix Blue RQ	3.600
5	P3981	TXP Atomix Black	1.200
6	P3976	TXP Atomix Fluo Fuchsia	0.800
TOTAL			100%

PANTONE® 7497 C

1	P6256	TXP Neutral SQ Mix Base	25.060
2	P6248	TXP White SQ	50.800
3	P3967	TXP Atomix Yellow	16.800
4	P3981	TXP Atomix Black	5.900
5	P3969	TXP Atomix Red NM	1.440
TOTAL			100%

PANTONE® 7504 C

1	P6256	TXP Neutral SQ Mix Base	58.100
2	P6248	TXP White SQ	18.000
3	P3973	TXP Atomix Fluo Orange	16.800
4	P3967	TXP Atomix Yellow	4.800
5	P3981	TXP Atomix Black	2.300
TOTAL			100%

PANTONE® 7498 C

1	P6256	TXP Neutral SQ Mix Base	47.600
2	P6248	TXP White SQ	2.000
3	P3968	TXP Atomix Lemon NM	31.400
4	P3974	TXP Atomix Blue RQ	14.000
5	P3967	TXP Atomix Yellow	2.600
6	P3981	TXP Atomix Black	2.400
TOTAL			100%

PANTONE® 7505 C

1	P6256	TXP Neutral SQ Mix Base	52.500
2	P6248	TXP White SQ	8.800
3	P3973	TXP Atomix Fluo Orange	26.600
4	P3967	TXP Atomix Yellow	9.600
5	P3981	TXP Atomix Black	2.500
TOTAL			100%

PANTONE® 7499 C

1	P6256	TXP Neutral SQ Mix Base	19.060
2	P6248	TXP White SQ	80.000
3	P3967	TXP Atomix Yellow	0.800
4	P3974	TXP Atomix Blue RQ	0.140
TOTAL			100%

PANTONE® 7506 C

1	P6256	TXP Neutral SQ Mix Base	55.560
2	P6248	TXP White SQ	42.000
3	P3973	TXP Atomix Fluo Orange	1.100
4	P3967	TXP Atomix Yellow	0.800
5	P3974	TXP Atomix Blue RQ	0.540
TOTAL			100%

PANTONE® 7500 C

1	P6256	TXP Neutral SQ Mix Base	53.100
2	P6248	TXP White SQ	42.600
3	P3974	TXP Atomix Blue RQ	1.740
4	P3973	TXP Atomix Fluo Orange	1.360
5	P3967	TXP Atomix Yellow	1.200
TOTAL			100%

PANTONE® 7507 C

1	P6256	TXP Neutral SQ Mix Base	16.240
2	P6248	TXP White SQ	77.000
3	P3976	TXP Atomix Fluo Fuchsia	3.600
4	P3967	TXP Atomix Yellow	3.000
5	P3974	TXP Atomix Blue RQ	0.160
TOTAL			100%

PANTONE® 7508 C

1	P6256	TXP Neutral SQ Mix Base	53.200
2	P6248	TXP White SQ	33.600
3	P3973	TXP Atomix Fluo Orange	7.000
4	P3974	TXP Atomix Blue RQ	3.200
5	P3967	TXP Atomix Yellow	3.000
TOTAL			100%

PANTONE® 7515 C

1	P6256	TXP Neutral SQ Mix Base	59.600
2	P6248	TXP White SQ	31.200
3	P3967	TXP Atomix Yellow	5.600
4	P3969	TXP Atomix Red NM	3.200
5	P3981	TXP Atomix Black	0.400
TOTAL			100%

PANTONE® 7509 C

1	P6256	TXP Neutral SQ Mix Base	67.800
2	P6248	TXP White SQ	16.000
3	P3973	TXP Atomix Fluo Orange	8.600
4	P3974	TXP Atomix Blue RQ	4.000
5	P3967	TXP Atomix Yellow	3.600
TOTAL			100%

PANTONE® 7516 C

1	P6256	TXP Neutral SQ Mix Base	51.640
2	P6248	TXP White SQ	1.700
3	P3967	TXP Atomix Yellow	40.800
4	P3969	TXP Atomix Red NM	5.200
5	P3981	TXP Atomix Black	0.660
TOTAL			100%

PANTONE® 7510 C

1	P6256	TXP Neutral SQ Mix Base	67.700
2	P6248	TXP White SQ	8.000
3	P3973	TXP Atomix Fluo Orange	11.200
4	P3967	TXP Atomix Yellow	8.000
5	P3974	TXP Atomix Blue RQ	5.100
TOTAL			100%

PANTONE® 7517 C

1	P6256	TXP Neutral SQ Mix Base	49.800
2	P6248	TXP White SQ	0.800
3	P3967	TXP Atomix Yellow	41.800
4	P3969	TXP Atomix Red NM	6.600
5	P3981	TXP Atomix Black	1.000
TOTAL			100%

PANTONE® 7511 C

1	P6256	TXP Neutral SQ Mix Base	53.400
2	P6248	TXP White SQ	2.000
3	P3967	TXP Atomix Yellow	40.000
4	P3974	TXP Atomix Blue RQ	3.600
5	P3969	TXP Atomix Red NM	1.000
TOTAL			100%

PANTONE® 7518 C

1	P6256	TXP Neutral SQ Mix Base	80.500
2	P6248	TXP White SQ	8.400
3	P3967	TXP Atomix Yellow	4.800
4	P3969	TXP Atomix Red NM	4.100
5	P3981	TXP Atomix Black	2.200
TOTAL			100%

PANTONE® 7512 C

1	P6256	TXP Neutral SQ Mix Base	48.700
2	P6248	TXP White SQ	1.200
3	P3967	TXP Atomix Yellow	43.400
4	P3974	TXP Atomix Blue RQ	4.900
5	P3969	TXP Atomix Red NM	1.800
TOTAL			100%

PANTONE® 7519 C

1	P6256	TXP Neutral SQ Mix Base	59.200
2	P6248	TXP White SQ	12.000
3	P3967	TXP Atomix Yellow	16.000
4	P3969	TXP Atomix Red NM	6.800
5	P3981	TXP Atomix Black	6.000
TOTAL			100%

PANTONE® 7513 C

1	P6256	TXP Neutral SQ Mix Base	56.600
2	P6248	TXP White SQ	41.600
3	P3967	TXP Atomix Yellow	0.900
4	P3969	TXP Atomix Red NM	0.800
5	P3981	TXP Atomix Black	0.100
TOTAL			100%

PANTONE® 7520 C

1	P6256	TXP Neutral SQ Mix Base	54.960
2	P6248	TXP White SQ	43.200
3	P3969	TXP Atomix Red NM	0.900
4	P3967	TXP Atomix Yellow	0.900
5	P3981	TXP Atomix Black	0.040
TOTAL			100%

PANTONE® 7514 C

1	P6256	TXP Neutral SQ Mix Base	58.980
2	P6248	TXP White SQ	36.800
3	P3967	TXP Atomix Yellow	2.400
4	P3969	TXP Atomix Red NM	1.600
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 7521 C

1	P6256	TXP Neutral SQ Mix Base	51.200
2	P6248	TXP White SQ	43.200
3	P3967	TXP Atomix Yellow	3.600
4	P3969	TXP Atomix Red NM	1.400
5	P3981	TXP Atomix Black	0.600
TOTAL			100%

PANTONE® 7522 C

1	P6256	TXP Neutral SQ Mix Base	49.080
2	P6248	TXP White SQ	35.600
3	P3967	TXP Atomix Yellow	8.200
4	P3969	TXP Atomix Red NM	6.400
5	P3981	TXP Atomix Black	0.720
TOTAL			100%

PANTONE® 7523 C

1	P6256	TXP Neutral SQ Mix Base	48.300
2	P6248	TXP White SQ	32.800
3	P3969	TXP Atomix Red NM	10.000
4	P3967	TXP Atomix Yellow	7.800
5	P3981	TXP Atomix Black	1.100
TOTAL			100%

PANTONE® 7524 C

1	P6256	TXP Neutral SQ Mix Base	62.500
2	P6248	TXP White SQ	17.600
3	P3969	TXP Atomix Red NM	9.600
4	P3967	TXP Atomix Yellow	9.400
5	P3981	TXP Atomix Black	0.900
TOTAL			100%

PANTONE® 7525 C

1	P6256	TXP Neutral SQ Mix Base	68.600
2	P6248	TXP White SQ	17.800
3	P3967	TXP Atomix Yellow	8.960
4	P3969	TXP Atomix Red NM	3.400
5	P3981	TXP Atomix Black	1.240
TOTAL			100%

PANTONE® 7526 C

1	P6256	TXP Neutral SQ Mix Base	52.600
2	P3967	TXP Atomix Yellow	38.000
3	P3969	TXP Atomix Red NM	8.600
4	P3981	TXP Atomix Black	0.800
TOTAL			100%

PANTONE® 7527 C

1	P6256	TXP Neutral SQ Mix Base	26.280
2	P6248	TXP White SQ	67.000
3	P3975	TXP Atomix Fluo Yellow	4.400
4	P3976	TXP Atomix Fluo Fuchsia	2.100
5	P3981	TXP Atomix Black	0.220
TOTAL			100%

PANTONE® 7528 C

1	P6256	TXP Neutral SQ Mix Base	26.560
2	P6248	TXP White SQ	72.000
3	P3967	TXP Atomix Yellow	0.600
4	P3981	TXP Atomix Black	0.480
5	P3969	TXP Atomix Red NM	0.360
TOTAL			100%

PANTONE® 7529 C

1	P6256	TXP Neutral SQ Mix Base	34.400
2	P6248	TXP White SQ	63.000
3	P3967	TXP Atomix Yellow	1.100
4	P3981	TXP Atomix Black	0.800
5	P3969	TXP Atomix Red NM	0.700
TOTAL			100%

PANTONE® 7530 C

1	P6256	TXP Neutral SQ Mix Base	19.660
2	P6248	TXP White SQ	62.000
3	P3976	TXP Atomix Fluo Fuchsia	13.600
4	P3967	TXP Atomix Yellow	2.900
5	P3981	TXP Atomix Black	1.840
TOTAL			100%

PANTONE® 7531 C

1	P6256	TXP Neutral SQ Mix Base	53.900
2	P6248	TXP White SQ	32.600
3	P3967	TXP Atomix Yellow	7.000
4	P3981	TXP Atomix Black	3.400
5	P3969	TXP Atomix Red NM	3.100
TOTAL			100%

PANTONE® 7532 C

1	P6256	TXP Neutral SQ Mix Base	52.600
2	P6248	TXP White SQ	20.600
3	P3967	TXP Atomix Yellow	15.600
4	P3981	TXP Atomix Black	5.700
5	P3969	TXP Atomix Red NM	5.500
TOTAL			100%

PANTONE® 7533 C

1	P6256	TXP Neutral SQ Mix Base	61.500
2	P6248	TXP White SQ	6.000
3	P3967	TXP Atomix Yellow	20.400
4	P3981	TXP Atomix Black	6.700
5	P3969	TXP Atomix Red NM	5.400
TOTAL			100%

PANTONE® 7534 C

1	P6256	TXP Neutral SQ Mix Base	55.480
2	P6248	TXP White SQ	44.000
3	P3967	TXP Atomix Yellow	0.260
4	P3981	TXP Atomix Black	0.220
5	P3969	TXP Atomix Red NM	0.040
TOTAL			100%

PANTONE® 7535 C

1	P6256	TXP Neutral SQ Mix Base	53.900
2	P6248	TXP White SQ	44.000
3	P3967	TXP Atomix Yellow	1.180
4	P3981	TXP Atomix Black	0.740
5	P3969	TXP Atomix Red NM	0.180
TOTAL			100%

PANTONE® 7536 C

1	P6256	TXP Neutral SQ Mix Base	40.380
2	P6248	TXP White SQ	55.600
3	P3967	TXP Atomix Yellow	2.300
4	P3981	TXP Atomix Black	1.380
5	P3969	TXP Atomix Red NM	0.340
TOTAL			100%

PANTONE® 7537 C

1	P6256	TXP Neutral SQ Mix Base	60.620
2	P6248	TXP White SQ	37.600
3	P3981	TXP Atomix Black	1.060
4	P3967	TXP Atomix Yellow	0.600
5	P3970	TXP Atomix Green	0.120
TOTAL			100%

PANTONE® 7538 C

1	P6256	TXP Neutral SQ Mix Base	58.680
2	P6248	TXP White SQ	38.400
3	P3981	TXP Atomix Black	1.760
4	P3967	TXP Atomix Yellow	0.920
5	P3970	TXP Atomix Green	0.240
TOTAL			100%

PANTONE® 7539 C

1	P6256	TXP Neutral SQ Mix Base	68.860
2	P6248	TXP White SQ	27.800
3	P3981	TXP Atomix Black	2.300
4	P3967	TXP Atomix Yellow	1.000
5	P3980	TXP Atomix Blue B	0.040
TOTAL			100%

PANTONE® 7540 C

1	P6256	TXP Neutral SQ Mix Base	68.300
2	P6248	TXP White SQ	18.800
3	P3981	TXP Atomix Black	7.800
4	P3974	TXP Atomix Blue RQ	4.800
5	P3970	TXP Atomix Green	0.300
TOTAL			100%

PANTONE® 7541 C

1	P6256	TXP Neutral SQ Mix Base	64.240
2	P6248	TXP White SQ	35.600
3	P3978	TXP Atomix Blue 1500	0.100
4	P3981	TXP Atomix Black	0.060
TOTAL			100%

PANTONE® 7542 C

1	P6256	TXP Neutral SQ Mix Base	48.240
2	P6248	TXP White SQ	50.000
3	P3981	TXP Atomix Black	0.660
4	P3975	TXP Atomix Fluo Yellow	0.600
5	P3980	TXP Atomix Blue B	0.500
TOTAL			100%

PANTONE® 7543 C

1	P6256	TXP Neutral SQ Mix Base	55.650
2	P6248	TXP White SQ	42.500
3	P3981	TXP Atomix Black	1.450
4	P3978	TXP Atomix Blue 1500	0.350
5	P3967	TXP Atomix Yellow	0.050
TOTAL			100%

PANTONE® 7544 C

1	P6256	TXP Neutral SQ Mix Base	64.340
2	P6248	TXP White SQ	30.600
3	P3981	TXP Atomix Black	2.460
4	P3976	TXP Atomix Fluo Fuchsia	1.400
5	P3978	TXP Atomix Blue 1500	1.200
TOTAL			100%

PANTONE® 7545 C

1	P6256	TXP Neutral SQ Mix Base	81.000
2	P6248	TXP White SQ	9.400
3	P3981	TXP Atomix Black	4.800
4	P3978	TXP Atomix Blue 1500	4.800
TOTAL			100%

PANTONE® 7546 C

1	P6256	TXP Neutral SQ Mix Base	75.600
2	P6248	TXP White SQ	8.200
3	P3978	TXP Atomix Blue 1500	8.800
4	P3981	TXP Atomix Black	7.400
TOTAL			100%

PANTONE® 7547 C

1	P6256	TXP Neutral SQ Mix Base	43.000
2	P3974	TXP Atomix Blue RQ	29.000
3	P3970	TXP Atomix Green	15.000
4	P3981	TXP Atomix Black	13.000
TOTAL			100%

PANTONE® 801 C

1	P6256	TXP Neutral SQ Mix Base	89.100
2	P6248	TXP White SQ	7.100
3	P3980	TXP Atomix Blue B	2.800
4	P3975	TXP Atomix Fluo Yellow	1.000
TOTAL			100%

PANTONE® 802 C

1	P6256	TXP Neutral SQ Mix Base	52.800
2	P6248	TXP White SQ	2.800
3	P3975	TXP Atomix Fluo Yellow	38.000
4	P3968	TXP Atomix Lemon NM	5.850
5	P3980	TXP Atomix Blue B	0.550
TOTAL			100%

PANTONE® 803 C

1	P6256	TXP Neutral SQ Mix Base	40.500
2	P6248	TXP White SQ	5.100
3	P3975	TXP Atomix Fluo Yellow	47.500
4	P3968	TXP Atomix Lemon NM	4.800
5	P3973	TXP Atomix Fluo Orange	2.100
TOTAL			100%

PANTONE® 804 C

1	P6256	TXP Neutral SQ Mix Base	58.600
2	P6248	TXP White SQ	2.800
3	P3975	TXP Atomix Fluo Yellow	22.000
4	P3973	TXP Atomix Fluo Orange	16.600
TOTAL			100%

PANTONE® 805 C

1	P6256	TXP Neutral SQ Mix Base	61.000
2	P6248	TXP White SQ	2.000
3	P3973	TXP Atomix Fluo Orange	22.000
4	P3976	TXP Atomix Fluo Fuchsia	15.000
TOTAL			100%

PANTONE® 806 C

1	P6256	TXP Neutral SQ Mix Base	44.000
2	P3976	TXP Atomix Fluo Fuchsia	22.000
3	P3979	TXP Atomix Fluo Rose	34.000
TOTAL			100%

PANTONE® 807 C

1	P6256	TXP Neutral SQ Mix Base	50.700
2	P3976	TXP Atomix Fluo Fuchsia	46.000
3	P3974	TXP Atomix Blue RQ	1.300
4	P3979	TXP Atomix Fluo Rose	2.000
TOTAL			100%

PANTONE® 808 C

1	P6256	TXP Neutral SQ Mix Base	63.300
2	P6248	TXP White SQ	15.000
3	P3975	TXP Atomix Fluo Yellow	17.500
4	P3980	TXP Atomix Blue B	4.200
TOTAL			100%

PANTONE® 809 C

1	P6256	TXP Neutral SQ Mix Base	67.650
2	P6248	TXP White SQ	3.800
3	P3975	TXP Atomix Fluo Yellow	26.000
4	P3967	TXP Atomix Yellow	2.000
5	P3974	TXP Atomix Blue RQ	0.550
TOTAL			100%

PANTONE® 810 C

1	P6256	TXP Neutral SQ Mix Base	42.700
2	P6248	TXP White SQ	2.700
3	P3975	TXP Atomix Fluo Yellow	48.000
4	P3973	TXP Atomix Fluo Orange	6.000
5	P3968	TXP Atomix Lemon NM	0.600
TOTAL			100%

PANTONE® 811 C

1	P6256	TXP Neutral SQ Mix Base	61.400
2	P6248	TXP White SQ	2.700
3	P3973	TXP Atomix Fluo Orange	35.000
4	P3968	TXP Atomix Lemon NM	0.300
5	P3971	TXP Atomix Magenta NM	0.600
TOTAL			100%

PANTONE® 812 C

1	P6256	TXP Neutral SQ Mix Base	54.100
2	P6248	TXP White SQ	1.400
3	P3976	TXP Atomix Fluo Fuchsia	36.000
4	P3973	TXP Atomix Fluo Orange	8.500
TOTAL			100%

PANTONE® 813 C

1	P6256	TXP Neutral SQ Mix Base	55.600
2	P3976	TXP Atomix Fluo Fuchsia	39.000
3	P3979	TXP Atomix Fluo Rose	4.600
4	P3971	TXP Atomix Magenta NM	0.800
TOTAL			100%

PANTONE® 814 C

1	P6256	TXP Neutral SQ Mix Base	70.600
2	P6248	TXP White SQ	2.500
3	P3976	TXP Atomix Fluo Fuchsia	14.300
4	P3974	TXP Atomix Blue RQ	12.200
5	P3971	TXP Atomix Magenta NM	0.400
TOTAL			100%